



All Australian Candle Making
supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemaking_supplies

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: FRAGRANCE ROAST COFFEE

Recommended Use of the Chemical Fragrance.
and Restrictions on Use

Supplier: All Australian Candle Making
ABN: 71 083 221 461
Street Address: 3 Geelans Rd
Arcadia, NSW 2159

Telephone Number: +61 2 9653 3600
Emergency Telephone: 13 11 26 (Australia Wide) Poisons information Centre

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Flammable liquids - Category 4
Skin Sensitisation - Category 1
Eye Irritation - Category 2A

SIGNAL WORD: WARNING



Hazard Statement(s):

H227 Combustible liquid.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statement(s):

Prevention:

P210 Keep away from flames and hot surfaces. No smoking.
P261 Avoid breathing mist / vapours / spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves / protective clothing / eye protection / face protection.



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

P363 Wash contaminated clothing before re-use.

P370 In case of fire:

P378 Use fine water spray, alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder) to extinguish.

Storage:

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Poisons Schedule (SUSMP): None allocated.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Diethyl phthalate	84-66-2	>60%	-
Aromatic aldehyde(s)	-	1-<10%	H303, H319, H402
Coumarin	91-64-5	1-<10%	H302, H317, H373
Aliphatic acid(s)	-	0.1-<1%	H315, H318
Ingredients determined not to be hazardous	-	to 100%	-

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Fine water spray, alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards arising from the substance or mixture:

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon.

Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

7. HANDLING AND STORAGE

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Diethyl phthalate: 8hr TWA = 5 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Wear overalls, chemical goggles and impervious gloves. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Clear Liquid



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Colour: Pale Brown to Brown
Odour: Coffee Mocha
Odour Threshold: Not available
Specific Gravity: 1.097 - 1.117 @ 20°C
Relative Vapour Density (air=1): Not available
Vapour Pressure (20 °C): Not available
Flash Point (°C): 71 (CC)
Flammability Limits (%): Not available

Autoignition Temperature (°C): Not available
Solubility in water (g/L): Not available
Melting Point/Range (°C): Not available
Boiling Point/Range (°C): Not available
Decomposition Point (°C): Not available
pH: Not available
Viscosity: Not available
Partition Coefficient: Not available

10. STABILITY AND REACTIVITY

Reactivity: No information available.
Chemical stability: Stable under normal conditions of use.
Possibility of hazardous reactions: Hazardous polymerisation will not occur.
Conditions to avoid: Avoid exposure to heat, sources of ignition, and open flame.
Incompatible materials: Incompatible with oxidising agents.
Hazardous decomposition products: Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: No adverse effects expected, however, large amounts may cause nausea and vomiting.
Eye contact: An eye irritant.
Skin contact: Contact with skin may result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Inhalation:	Breathing in vapour, mists or aerosols may produce respiratory irritation.
Acute toxicity:	No LD50 data available for the product.
Skin corrosion/irritation:	Not expected to cause irritation. The product has not been tested; the classification is based on the components of the mixture.
Serious eye damage/irritation:	Irritant. The product has not been tested; the classification is based on the components of the mixture.
Respiratory or skin sensitisation:	A skin sensitiser. The product has not been tested; the classification is based on the components of the mixture.



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

Chronic effects: No information available for the product.

Mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive toxicity: No information available.

Specific Target Organ Toxicity

(STOT) - single exposure:

Specific Target Organ Toxicity No information available.

(STOT) - repeated exposure:



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

Aspiration hazard: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Avoid contaminating waterways.

Persistence/degradability: No information available.

Bioaccumulative potential: No information available.

Mobility in soil: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Flammable liquids - Category 4

Skin Sensitisation - Category 1

Eye Irritation - Category 2A

Hazard Statement(s):

H227 Combustible liquid.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.



All Australian Candle Making
supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking-supplies)

Poisons Schedule (SUSMP): None allocated.