All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemakingsupplies

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Crème Brulee

Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

Use of the substance/mixture : Perfumes, Fragrances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

All Australian Candle Making supplies and kits
3 Geelans Rd, Arcadia 2159, Australia
ABN: 71083221461
Telephone Number +612 96533600
Email Address sales@candlemaking.com.au
Emergency Tel No 131126

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4	H302
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS07 GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Benzyl benzoate

Hazard statements (CLP) : H302 - Harmful if swallowed
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P330 - Rinse mouth.
P391 - Collect spillage.

EUH phrases : EUH208 - Contains Coumarin crystals, Eugenol, Heliotropine crystals, Acetyl Propionyl, Cinnamalva. May produce an allergic reaction

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	57.0035 - 77.035	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7	2.325 - 9.825	Eye Irrit. 2, H319
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	0.62 - 2.62	Acute Tox. 4 (Oral), H302
METHOXYISOPROPANOL substance with a Community workplace exposure limit	(CAS-No.) 107-98-2 (EC-No.) 203-539-1 (EC Index-No.) 603-064-00-3	0.31 - 1.31	Flam. Liq. 3, H226 STOT SE 3, H336
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7	0.1003 - 1.003	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7	0.1 - 1	Skin Sens. 1B, H317
Ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0.1 - 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
acetyl propionyl	(CAS-No.) 600-14-6 (EC-No.) 209-984-8	0.1 - 1	Eye Dam. 1, H318 Flam. Liq. 2, H225 Skin Sens. 1B, H317 STOT RE 2, H373
Cinnamalva	(CAS-No.) 1885-38-7 (EC-No.) 217-552-5	0.1 - 1	Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Oral), H301 Skin Sens. 1B, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.07 - 0.7	Eye Irrit. 2, H319 Skin Sens. 1B, H317

Allergen report available upon request.

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from Keep away from heat, sparks and flame. - No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Avoid breathing fume, mist, vapors.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethyl acetate (141-78-6)		
EU	IOELV TWA (mg/m³)	734 mg/m³
EU	IOELV TWA (ppm)	200 ppm
EU	IOELV STEL (mg/m³)	1468 mg/m³
EU	IOELV STEL (ppm)	400 ppm
Austria	MAK (mg/m³)	1050 mg/m³
Austria	MAK (ppm)	300 ppm
Austria	MAK Short time value (mg/m³)	2100 mg/m³
Austria	MAK Short time value (ppm)	600 ppm
Belgium	Limit value (mg/m³)	1461 mg/m³
Belgium	Limit value (ppm)	400 ppm
Bulgaria	OEL TWA (mg/m³)	800 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm
Czech Republic	Exposure limits (PEL) (mg/m³)	700 mg/m³
Denmark	Limit (long-term) (mg/m³)	540 mg/m³
Denmark	Limit (long-term) (ppm)	150 ppm
Estonia	OEL TWA (mg/m³)	500 mg/m³
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m³)	1100 mg/m³
Estonia	OEL STEL (ppm)	300 ppm
Finland	HTP-arvo (8h) (mg/m³)	730 mg/m³
Finland	HTP-arvo (8h) (ppm)	200 ppm
Finland	HTP-arvo (15 min)	1470 mg/m³
Finland	HTP-arvo (15 min) (ppm)	400 ppm
France	VME (mg/m³)	1400 mg/m³
France	VME (ppm)	400 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	730 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	200 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m³)	1400 mg/m³
Greece	OEL TWA (ppm)	400 ppm
Hungary	Exposure Limit Value	1400 mg/m³
Hungary	CK-érték	1400 mg/m³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Latvia	OEL TWA (mg/m³)	200 mg/m³
Lithuania	IPRV (mg/m³)	500 mg/m³
Lithuania	IPRV (ppm)	150 ppm
Lithuania	NRV (mg/m³)	1100 mg/m³
Lithuania	NRV (ppm)	300 ppm
Poland	NDS (mg/m³)	734 mg/m³
Poland	NDSCh (mg/m³)	1468 mg/m³
Portugal	OEL TWA (ppm)	400 ppm
Romania	OEL TWA (mg/m³)	400 mg/m³

Ethyl acetate (141-78-6)		
Romania	OEL TWA (ppm)	111 ppm
Romania	OEL STEL (mg/m³)	500 mg/m³
Romania	OEL STEL (ppm)	139 ppm
Slovakia	NPHV (priemerná) (mg/m³)	1500 mg/m³
Slovakia	NPHV (priemerná) (ppm)	400 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	1100 mg/m³
Slovenia	OEL TWA (mg/m³)	1400 mg/m³
Slovenia	OEL TWA (ppm)	400 ppm
Slovenia	OEL STEL (mg/m³)	1400 mg/m³
Slovenia	OEL STEL (ppm)	400 ppm
Spain	VLA-ED (mg/m³)	1460 mg/m³
Spain	VLA-ED (ppm)	400 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	500 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	1100 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	300 ppm
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (ppm)	400 ppm
Norway	TWA (AN) (mg/m³)	550 mg/m³
Norway	TWA (AN) (ppm)	150 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	687.5 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	187.5 ppm (value calculated)
Switzerland	MAK (mg/m³)	1400 mg/m³
Switzerland	MAK (ppm)	400 ppm
Switzerland	KZGW (mg/m³)	2800 mg/m³
Switzerland	KZGW (ppm)	800 ppm
Australia	TWA (mg/m³)	720 mg/m³
Australia	TWA (ppm)	200 ppm
Australia	STEL (mg/m³)	1440 mg/m³
Australia	STEL (ppm)	400 ppm
Canada (Quebec)	VEMP (mg/m³)	1440 mg/m³
Canada (Quebec)	VEMP (ppm)	400 ppm
USA - ACGIH	ACGIH TWA (ppm)	400 ppm
USA - IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	1400 mg/m³
USA - NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	400 ppm
METHOXYISOPROPANOL (107-98-2)		
EU	IOELV TWA (mg/m³)	375 mg/m³
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m³)	568 mg/m³
EU	IOELV STEL (ppm)	150 ppm
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	187 mg/m³
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m³)	187 mg/m³
Austria	MAK Short time value (ppm)	50 ppm
Austria	OEL - Ceilings (mg/m³)	187 mg/m³
Austria	OEL - Ceilings (ppm)	50 ppm
Belgium	Limit value (mg/m³)	375 mg/m³
Belgium	Limit value (ppm)	100 ppm
Belgium	Short time value (mg/m³)	568 mg/m³

METHOXYISOPROPANOL (107-98-2)		
Belgium	Short time value (ppm)	150 ppm
Bulgaria	OEL TWA (mg/m³)	375 mg/m³
Bulgaria	OEL TWA (ppm)	100 ppm
Bulgaria	OEL STEL (mg/m³)	568 mg/m³
Bulgaria	OEL STEL (ppm)	150 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	375 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	100 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	568 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	150 ppm
Cyprus	OEL TWA (mg/m³)	375 mg/m³
Cyprus	OEL TWA (ppm)	100 ppm
Cyprus	OEL STEL (mg/m³)	568 mg/m³
Cyprus	OEL STEL (ppm)	150 ppm
Czech Republic	Exposure limits (PEL) (mg/m³)	270 mg/m³
Denmark	Limit (long-term) (mg/m³)	185 mg/m³
Denmark	Limit (long-term) (ppm)	50 ppm
Estonia	OEL TWA (mg/m³)	375 mg/m³
Estonia	OEL TWA (ppm)	100 ppm
Estonia	OEL STEL (mg/m³)	568 mg/m³
Estonia	OEL STEL (ppm)	150 ppm
Finland	HTP-arvo (8h) (mg/m³)	370 mg/m³
Finland	HTP-arvo (8h) (ppm)	100 ppm
Finland	HTP-arvo (15 min)	560 mg/m³
Finland	HTP-arvo (15 min) (ppm)	150 ppm
France	VME (mg/m³)	188 mg/m³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
France	VLE (mg/m³)	375 mg/m³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	370 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	100 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 903 (BGW)	15 mg/l Parameter: 1-Methoxypropan-2-ol - Medium: urine - Sampling time: end of shift
Gibraltar	Eight hours mg/m3	375 mg/m³
Gibraltar	Eight hours ppm	100 ppm
Gibraltar	Short-term mg/m3	568 mg/m³
Gibraltar	Short-term ppm	150 ppm
Greece	OEL TWA (mg/m³)	360 mg/m³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m³)	1080 mg/m³
Greece	OEL STEL (ppm)	300 ppm
Hungary	Exposure Limit Value	375 mg/m³
Hungary	CK-érték	568 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	375 mg/m³
Ireland	OEL (8 hours ref) (ppm)	100 ppm
Ireland	OEL (15 min ref) (mg/m3)	568 mg/m³
Ireland	OEL (15 min ref) (ppm)	150 ppm
Italy	OEL TWA (mg/m³)	375 mg/m³
Italy	OEL TWA (ppm)	100 ppm
Italy	OEL STEL (mg/m³)	568 mg/m³

METHOXYISOPROPANOL (107-98-2)		
Italy	OEL STEL (ppm)	150 ppm
Latvia	OEL TWA (mg/m³)	375 mg/m³
Latvia	OEL TWA (ppm)	100 ppm
Lithuania	IPRV (mg/m³)	190 mg/m³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m³)	300 mg/m³
Lithuania	TPRV (ppm)	75 ppm
Luxembourg	OEL TWA (mg/m³)	375 mg/m³
Luxembourg	OEL TWA (ppm)	100 ppm
Luxembourg	OEL STEL (mg/m³)	568 mg/m³
Luxembourg	OEL STEL (ppm)	150 ppm
Malta	OEL TWA (mg/m³)	375 mg/m³
Malta	OEL TWA (ppm)	100 ppm
Malta	OEL STEL (mg/m³)	568 mg/m³
Malta	OEL STEL (ppm)	150 ppm
Netherlands	Grenswaarde TGG 8H (mg/m³)	375 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	563 mg/m³
Poland	NDS (mg/m³)	180 mg/m³
Poland	NDSCh (mg/m³)	360 mg/m³
Portugal	OEL TWA (mg/m³)	375 mg/m³ (indicative limit value)
Portugal	OEL TWA (ppm)	100 ppm (indicative limit value)
Portugal	OEL STEL (mg/m³)	568 mg/m³ (indicative limit value)
Portugal	OEL STEL (ppm)	150 ppm (indicative limit value)
Romania	OEL TWA (mg/m³)	375 mg/m³
Romania	OEL TWA (ppm)	100 ppm
Romania	OEL STEL (mg/m³)	568 mg/m³
Romania	OEL STEL (ppm)	150 ppm
Slovakia	NPHV (priemerná) (mg/m³)	375 mg/m³
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	568 mg/m³
Slovenia	OEL TWA (mg/m³)	375 mg/m³
Slovenia	OEL TWA (ppm)	100 ppm
Slovenia	OEL STEL (mg/m³)	562.5 mg/m³
Slovenia	OEL STEL (ppm)	150 ppm
Spain	VLA-ED (mg/m³)	375 mg/m³ (indicative limit value)
Spain	VLA-ED (ppm)	100 ppm (indicative limit value)
Spain	VLA-EC (mg/m³)	568 mg/m³
Spain	VLA-EC (ppm)	150 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	190 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	568 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	150 ppm
United Kingdom	WEL TWA (mg/m³)	375 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m³)	560 mg/m³
United Kingdom	WEL STEL (ppm)	150 ppm
Norway	TWA (AN) (mg/m³)	180 mg/m³
Norway	TWA (AN) (ppm)	50 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	225 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	75 ppm (value calculated)
Switzerland	MAK (mg/m³)	360 mg/m³

METHOXYISOPROPANOL (107-98-2)		
Switzerland	MAK (ppm)	100 ppm
Switzerland	KZGW (mg/m³)	720 mg/m³
Switzerland	KZGW (ppm)	200 ppm
Switzerland	Switzerland - BLV	20 mg/l Parameter: 1-Methoxypropanol-2 - Medium: urine - Sampling time: end of shift
Australia	TWA (mg/m³)	369 mg/m³
Australia	TWA (ppm)	100 ppm
Australia	STEL (mg/m³)	553 mg/m³
Australia	STEL (ppm)	150 ppm
Canada (Quebec)	VECD (mg/m³)	553 mg/m³
Canada (Quebec)	VECD (ppm)	150 ppm
Canada (Quebec)	VEMP (mg/m³)	369 mg/m³
Canada (Quebec)	VEMP (ppm)	100 ppm
USA - ACGIH	ACGIH TWA (ppm)	50 ppm
USA - ACGIH	ACGIH STEL (ppm)	100 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	360 mg/m³
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m³)	540 mg/m³
USA - NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
acetyl propionyl (600-14-6)		
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	9.3 ppb
USA - NIOSH	NIOSH REL (STEL) (mg/m³)	31 ppb
Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	<=

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

Odor : Vanilla.

Odor threshold : No data available

pH : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : 62 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid

Vapor pressure : No data available

Relative vapor density at 20 °C : No data available

Relative density	:	No data available
Solubility	:	No data available
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Explosion limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	623.169 mg/kg body weight

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity – single exposure	:	Not classified
Specific target organ toxicity – repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Crème Brulee #18664F	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Crème Brulee #18664F	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3082

UN-No. (IMDG) : 3082

UN-No. (IATA) : 3082

UN-No. (ADN) : 3082

UN-No. (RID) : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9

Hazard labels (ADR) : 9

:



IMDG

Transport hazard class(es) (IMDG) : 9

Hazard labels (IMDG) : 9

:



IATA

Transport hazard class(es) (IATA) : 9

Hazard labels (IATA) : 9

:



ADN

Transport hazard class(es) (ADN) : 9

Hazard labels (ADN) : 9

:



RID

Transport hazard class(es) (RID) : 9

Hazard labels (RID) : 9

:



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC	: •3Z

- Transport by sea

Special provision (IMDG)	: 274, 335, 969
Packing instructions (IMDG)	: P001, LP01
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

- Inland waterway transport

Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: M6
Special provision (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Ethyl acetate - METHOXYISOPROPANOL - acetyl propionyl
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Crème Brulee #18664F - Benzyl benzoate - Eugenol - Ethyl acetate - acetyl propionyl - Cinnamalva
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Crème Brulee #18664F - Benzyl benzoate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components arelisted

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains Coumarin crystals, Eugenol, Heliotropine crystals, Acetyl Propionyl, Cinnamalva. May produce an allergic reaction

FCF SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of All Australian Candle Making., applies to the product as supplied by All Australian Candle Making. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does All Australian Candle Making. assume responsibility for use or reliance upon this data.