

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: <a href="mailto:sales@candlemaking.com.au">sales@candlemaking.com.au</a>
Web: <a href="mailto:www.candlemaking.com.au">www.candlemaking.com.au</a>

facebook: www.facebook.com/candlemaking

supplies

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 PRODUCT IDENTIFIER

PRODUCT NAME DRIFTWOOD AND SALT

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Concentrated material for manufacturing purposes only

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

All Australian Candle Making supplies and kits 3 Geelans Rd, Arcadia 2159 Australia ABN:71083221461 Telephone Number +612 96533600

Email Address <u>sales@candlemaking.com.au</u> Emergency Tel No Emergency No. <u>13 11 26</u>

### SECTION 2. HAZARD IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
CAR 2	Carcinogenicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1

#### 2.2 LABEL ELEMENTS

GHS classification according to Regulation (EC) No 1272/2008

## HAZARD PICTOGRAMS



SIGNAL WORD Warning

#### HAZARD STATEMENTS

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

PRECAUTIONA RY	STATEMENTS
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P308+P313	IF exposed or concerned: Get medical advice.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.

## 2.3 OTHER HAZARDS

Contains nothing known from the allergens list which may produce an allergic reaction No further information available at this time

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

## 3.2 MIXTURES

Complex mixture of fragrance ingredients

## HAZARDOUS COMPONENTS

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate  EH A3 H402	>=25%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH A1,C1 H315,H317,H400,H410	>=10%,<25%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one EH A1,C1 H400,H410	>=5%,<10%
CAS 19870-74-7 EINECS 243-384-7 REACH	[3R-(3a,3aß,6ß,7ß,8aa)]-octahydro-6-methoxy-3,6,8,8-tetramet SCI 3 H316	>=3%,<5%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione SCI 2;EH A2,C2 H315,H401,H411	>=3%,<5%
CAS EINECS REACH	GALAXOLIDE 50% SCI 3;EH A1,C1 H316,H400,H410	>=3%,<5%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402	>=3%,<5%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde ATO 5(3100);SCI 3;SS 1B;EH A1,C2 H303,H316,H317,H400,H411	>=1%,<3%
CAS 1335-46-2 EINECS 215-635-0 REACH	Ionone, methyl- SCI 2;EDI 2A;EH A2,C2 H315,H319,H401,H411	>=1%,<3%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	>=1%,<3%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;ATO 5(3000);EDI 2A;SCI 2;EH A3 H227,H303,H315,H319,H402	>=1%,<3%

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

CAS 81-14-1 EINECS 201-328-9	4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone	>=0.1%,<1%
REACH	CAR 2;EH A1,C1 H351,H400,H410	
CAS 128-37-0 EINECS 204-881-4	2,6-di-tert-butyl-p-cresol	>=0.1%,<1%
REACH	SCI 3;EH A1,C1 H316,H400,H410	,
CAS 21145-77-7 EINECS 244-240-6	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha	>=0.1%,<1%
REACH	ATO 4(1000);EH A1,C1	,
	H302,H400,H410	

Refer to section 16 for the wording of listed classification and hazard statement codes

#### SECTION 4. FIRST AID MEASURES

Take phrases in sections 2 into account

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

#### AFTER INHALATION

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

#### AFTER SKIN CONTACT

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

#### AFTER EYE CONTACT

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

#### AFTER INGESTION

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No further information available at this time

## 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No further information available at this time

SECTION 5. FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

## 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

May produce Carbon dioxide and unidentified organic compounds.

#### 5.3 ADVICE FOR FIRE-FIGHTERS

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Do not discharge directly into drains or the soil. Keep away from surface and ground water

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

#### 6.4 REFERENCE TO OTHER SECTIONS

Refer to information in Sections 7, 8 and 13

## SECTION 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

#### 7.3 SPECIFIC END USE(S)

No further information available

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

#### 8.2 EXPOSURE CONTROLS

#### ENGINEERING CONTROLS

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### INDIVIDUAL PROTECTION MEASURES

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

## EYE/FACE PROTECTION

Use splash-proof safety glasses and face shield where splashing is possible.

#### HAND PROTECTION

Wear chemically resistant disposable gloves.

#### OTHER SKIN PROTECTION

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

#### RESPIRATORY PROTECTION

Not generally required. Use inhalation protection in poorly ventilated areas

#### THERMAL HAZARDS

No information

#### ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT (°C) 103

APPEARANCE Mobile liquid

COLOUR Colourless to pale yellow

ODOUR Zesty, marine, salty, aromatic, musky, sage

ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available

INITIAL BOILING POINT AND Not available

**RANGE** 

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20 deg C

0.959 to 0.979

SOLUBILITIES Insoluble in water

PARTITION COEFF

Not available

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE Not available
DECOMPOSITION TEMPERATURE Not available
VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

## 9.2 OTHER INFORMATION

No further information available

#### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 REACTIVITY

Not determined

## 10.2 CHEMICAL STABILITY

Stable under the recommended storage conditions (see section 7).

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No hazardous reactions if stored under suitable storage conditions.

#### 10.4 CONDITIONS TO AVOID

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

#### 10.5 INCOMPATIBLE MATERIALS

Keep away from oxidising agents and from highly alkaline or acidic material.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY** 

May be harmful if swallowed.

SKIN CORROSION / IRRITATION

Causes skin irritation.

SERIOUS EYE DAMAGE / IRRITATION

May irritate eyes.

RESPIRATORY OR SKIN SENSITISATION

May cause an allergic skin reaction.

GERM CELL MUTAGENICITY

No data

CARCINOGENICITY

Suspected of causing cancer.

REPRODUCTIVE TOXICITY

No data

STO-SINGLE EXPOSURE

No data

STO-REPEATED EXPOSURE

No data

ASPIRATION HAZARD

No data

INFORMATION ON LIKELY ROUTES OF EXPOSURE

No data

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS

No data

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

No data

#### INTERACTIVE EFFECTS

No data

OTHER INFORMATION

No data

#### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 TOXICITY

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

d-Limonene (5989-27-5)

LC50 fish 1(Lethal) - Pimephales promelas (fathead minnow) –  $720\mu g/L$  – 96 h EC50 (GLP) - Daphinia magna – 0.36mg/L – 48 h

Threshold limit 1 (GLP) - Desmodesmus subspicatus (green algae) - 150mg/L - 72 h

#### 12.2 PERSISTENCE AND DEGRADABILITY

No data

#### 12.3 BIOACCUMULATIVE POTENTIAL

No data

#### 12.4 MOBILITY IN SOIL

Prevent contamination of soil, ground and surface water.

#### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No data

## 12.6 OTHER ADVERSE EFFECTS

See sections 6, 7, 13 and 15.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Please refer to the information in section 8 (Exposure controls and personal protection)

#### 13.1 WASTE TREATMENT METHODS

Dispose in accordance with the law and local regulations. Treat as trade effluent.

#### SECTION 14. TRANSPORT INFORMATION

- 14.1 UN number 3082
- 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

#### 14.3 TRANSPORT HAZARD CLASS(ES) 9

#### 14.4 PACKING GROUP III

Tunnel Code (E)

## 14.5 ENVIRONMENTAL HAZARDS

Dangerous for the environment. Marine pollutant.

#### 14.6 SPECIAL PRECAUTIONS FOR USER

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): Hazchem Code:  $\bullet 3Z$ 

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-F

Marine Pollutant: Yes

## 14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

Not applicable

#### SECTION 15. REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Poison Schedule: Not applicable

#### 15.2 CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment has not been carried out

SECTION 16. OTHER INFORMATION

## FULL LIST OF PRECAUTIONARY PHRASES

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P308+P313	IF exposed or concerned: Get medical advice.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.
WORDING OF ANY	HAZARD CLASSES LISTED IN SECTION 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
CAR 2	Carcinogenicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
WORDING OF ANY	HAZARD STATEMENTS LISTED IN SECTION 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H351	Suspected of causing cancer %
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
11444	Table has a supplied life with large landing a fire at-

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

H411

Toxic to aquatic life with long lasting effects

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.	
Page 12 of 12	