Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 6/8/2022

SECTION 1: Product identifier			
1.1. GHS product identifier			
Product form Product name Product code	: Mixture : Lime Liquid Dye #D1830 : D1830		
1.2. Other means of identification			
No additional information available			
1.3. Recommended use of the chemical and restrictions on use			
Recommended use	: colorants		
1.4. Details of manufacturer or importer			
Candlemaking Unit A3, 26 Powers Road Seven Hills , NSW 2147 Australia T +61 96533600 <u>Sales@CandleMaking.com.au</u> <u>candlemaking.com.au</u>			
1.5. Emergency phone number			
Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086		

SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemical		
Classification according to the model Work Health and Safety Regulations (WHS Regulations)		
Acute toxicity (inhalation:dust,mist) Category 4	H332	
Skin corrosion/irritation, Category 2	H315	
Carcinogenicity, Category 1B	H350	
Reproductive toxicity, Category 2	H361	
2.2. GHS Label elements, including precautionary statements		
Hazard pictograms (GHS AU) :		



Exclamation Health hazard mark

- Signal word (GHS AU) Contains Hazard statements (GHS AU)
- : Danger
- : Distillates, petroleum, hydrotreated light naphthenic (45.5 65.5 %)
- : H315 Causes skin irritation
 - H332 Harmful if inhaled
 - H350 May cause cancer

H361 - Suspected of damaging fertility or the unborn child

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P281 - Use personal protective equipment as required.

6/8/2022 (Issue date)

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P332+P313 - If skin irritation occurs: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

SECTION 5. Composition and information			
Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Distillates, petroleum, hydrotreated light naphthenic	64742-53-6	45.5 – 65.5	Acute Tox. 4 (Inhalation), H332 Carc. 1B, H350 Repr. 2, H361 Skin Irrit. 2, H315
Other substances (not contributing to the classification of this product)	-	34.5 – 54.5	-
SECTION 4: First aid measures			
4.1. Description of necessary first-aid measure	es		
First-aid measures general :			
First-aid measures after inhalation	advice (show the label where po Remove person to fresh air and	ssible). Call a p keep comfortab	s person. If you feel unwell, seek medical hysician immediately. le for breathing. Allow affected person to poison center/doctor/physician if you feel
	unwell.		
First-aid measures after skin contact :	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact :	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.		
First-aid measures after ingestion :	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.		
4.2. Symptoms caused by exposure			

Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after ingestion	 Not expected to present a significant hazard under anticipated conditions of normal use. Irritation. May be fatal if swallowed and enters airways. Risk of lung edema.
4.3. Medical attention and special treat	, , ,

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Other medical advice or treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the chem	ical
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and preca	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel	:
Emergency procedures	
	Ventilate spillage area. Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	:
Protective equipment	
	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry to se authorities if product enters sewers or public waters.	ewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify
6.3. Methods and materials for containment	and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Notify authorities if product enters sewers or public waters.

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Precautions for safe handling	:
	Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	
	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Maximum storage period	: 1 year
Storage temperature	: 4 – 37 °C
Storage area	: Store in a well-ventilated place.
6/8/2022 (Issue date)	
Special rules on packaging Packaging materials	: Store in a closed container. : Do not store in corrodable metal.
SECTION 8: Exposure controls and pers	sonal protection
8.1. Control parameters - exposure standard	S
No additional information available	
8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures, such as Personal protective equipment	personal protective equipment (PPE) : Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection. Wear appropriate mask
Personal protective equipment symbol(s)	

6/8/2022 (Issue date)

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Environmental exposure controls	e	Avoid release to the environment. Do not eat, drink or smoke
		during use.
SECTION 9: Physical and o	ch	emical properties
Physical state	:	Liquid
Appearance	:	No data available
Color	:	Conforms to standard
Odor	:	aromatic
Odor threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Melting point / Freezing point	:	Melting point: Not applicable
Boiling point	:	No data available
Flash point	:	> 93.33 °C
Auto-ignition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosive properties	:	No data available
Explosion limits	:	No data available
Minimum ignition energy	:	No data available
Fat solubility	:	No data available

SECTION 10: Stability and reactivity The product is non-reactive under normal conditions of use, storage and transport. Chemical stability : Not established.

ononnour stability	•	Not cotablished.
Possibility of hazardous reactions	:	Not established.

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.
SECTION 11: Transport haza class(es)	Ird
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.
ATE AU (dust,mist)	4.36 mg/l/4h

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	2180 mg/m ³ (Exposure time: 4 h)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Reproductive toxicity STOT-single exposure	: Suspected of damaging fertility or the unborn child. : Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard Potential Adverse human health effects and symptoms	: Not classified : Based on available data, the classification criteria are not met	
SECTION 12: Document changes cont	rol	

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Other information	: Avoid release to the environment.

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
Lime Liquid Dye #D1830	
Persistence and degradability	Not established.
	· · · · · · · · · · · · · · · · · · ·
12.3. Bioaccumulative potential	
Lime Liquid Dye #D1830	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone : I	Not classified
Other adverse effects : I	No additional information available
Lime Liquid Dye #D1830	
Fluorinated greenhouse gases	False
Distillates, petroleum, hydrotreated light napl	hthenic (64742-53-6)
Fluorinated greenhouse gases	False
SECTION 13: Disposal considerations	
Waste treatment methods : I	Dispose of contents/container in accordance with licensed collector's sorting instructions.
	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials : /	Avoid release to the environment. Hazardous waste due to toxicity.

ADG	IMDG	ΙΑΤΑ
4.1. UN number		
Not applicable	Not applicable	Not applicable
4.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
4.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
4.4. Packing group		
Not applicable	Not applicable	Not applicable
4.5. Environmental hazards		
Not applicable	Not applicable	Not applicable

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

14.6. Special precautions for user	
Specific storage requirement Shock sensitivity	: No data available : No data available
14.7. Additional information	
Other information	: No supplementary information available
Transport by road and rail Not applicable	
Transport by sea Not applicable	
Air transport Not applicable	
14.8. Hazchem or Emergency Action Code	
Hazchem Code	: Not applicable
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
Australian Industrial Chemicals Introduction Scheme (AICIS)	
Australian Inventory of Industrial Chemicals (AICIS Inventory) status	: Unlisted introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
15.2 International agreements	

15.2. International agreements No additional information available

SECTION 16: Other information

Other information	: None.

Classification	
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Carc. 1B	H350
Repr. 2	H361

Full text of H-phrases	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Carc. 1B	Carcinogenicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

H315	Causes skin irritation
H332	Harmful if inhaled
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child

Safety Data Sheet (SDS), Australia

The data contained in this Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by French Color & Fragrance Co. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does French Color & Fragrance Co. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact SDS@frenchcolor.com