



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT IDENTIFIER

Product Name **MUSK STICK**

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST
Concentrated material for manufacturing purposes only

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

All Australian Candle Making supplies and kits

3 Geelans Rd, Arcadia 2159

Australia ABN:71083221461

Telephone Number +612 96533600

Email Address sales@candlemaking.com.au

Emergency Tel No Emergency No. [13 11 26](tel:131126)

HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

ATD 5 Acute toxicity, dermal, category 5
SCI 2 Skin corrosion/irritation, category 2
SS 1 Skin sensitisation, category 1
EDI 1 Eye damage/irritation, category 1
CAR 2 Carcinogenicity, category 2
EH A2 Aquatic hazard, acute, category 2
EH C2 Aquatic hazard, chronic, category 2

LABEL ELEMENTS

GHS classification according to Regulation (EC) No 1272/2008

HAZARD PICTOGRAMS

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)



SIGNAL WORD: Danger

HAZARD STATEMENTS

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H351 Suspected of causing cancer

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulation.

OTHER HAZARDS

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

COMPOSITION / INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

MIXTURES

Complex mixture of fragrance ingredients

HAZARDOUS COMPONENTS

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 110-27-0 EINECS 203-751-4 REACH	Isopropyl Myristate SCI 3 H316	>=25%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1600);ATD 3;SCI 2;EDI 2A H302,H311,H315,H319	>=10%, <25%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5(3500);EDI 2A H303,H319	>=5%, <10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;ATO 5(3000);EDI 2A;SCI 2;EH A3 H227,H303,H315,H319,H402	>=5%, <10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol(d,l-Citronellol) ATD 5(2650);ATO 5(3450);SCI 2;EDI 2A;SS 1B;EH A2 H303,H313,H315,H317,H319,H401	>=5%, <10%
CAS 81-14-1 EINECS 201-328-9 REACH	4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone CAR 2;EH A1,C1 H351,H400,H410	>=5%, <10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5(4200);SCI 2;EDI 1;SS 1;EH A2 H303,H315,H317,H318,H401	>=3%, <5%
CAS 87-20-7 EINECS 201-730-4 REACH	isopentyl salicylate SCI 3;EH A2,C2 H316,H401,H411	>=1%, <3%
CAS 491-07-6 EINECS 207-727-4 REACH	isomenthone FL 4;ATO 5(2500);SCI 2;SS 1B;EH A3 H227,H303,H315,H317,H402	>=1%, <3%
CAS 120-57-0 EINECS 204-409-7 REACH	Piperonal ATO 5(2700);SS 1B;EH A2 H303,H317,H401	>=1%, <3%
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	>=1%, <3%

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

CAS 3691-12-1 EINECS - REACH	alpha-Guaiene AH 1; EDI 2A; SCI 2 H304, H315, H319	>=1%, <3%
CAS 5986-55-0 EINECS 227-807-2 REACH	Patchouli alcohol SCI 3 H316	>=1%, <3%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATD 4(1100); ATO 5(2500); EDI 2A; SCI 2; SS 1A; EH A2 H303, H312, H315, H317, H319, H401	>=1%, <3%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	>=1%, <3%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH A2, C3 H315, H317, H401, H412	>=1%, <3%

FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

AFTER INHALATION: Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

AFTER SKIN CONTACT: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

AFTER EYE CONTACT: Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

AFTER INGESTION: Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No further information available at this time

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No further information available at this time

FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: May produce Carbon dioxide and unidentified organic compounds.

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

ADVICE FOR FIRE-FIGHTERS: Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

ENVIRONMENTAL PRECAUTIONS

Do not discharge directly into drains or the soil. Keep away from surface and ground
Water

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

SPECIFIC END USE(S)

No further information available

EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

No exposure standards have been established for this material by Work safe Australia.

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

EXPOSURE CONTROLS

ENGINEERING CONTROLS: Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

INDIVIDUAL PROTECTION MEASURES: Refer to specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

EYE/FACE PROTECTION: Use splash-proof safety glasses and face shield where splashing is possible.

HAND PROTECTION: Wear chemically resistant disposable gloves.

OTHER SKIN PROTECTION: Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

RESPIRATORY PROTECTION: Not generally required. Use inhalation protection in poorly ventilated areas

THERMAL HAZARDS: No information

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT (°C)	95
APPEARANCE	Mobile liquid
COLOUR	Yellow to golden yellow
ODOUR	Musk stick, rose
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20 deg C	0.916 to 0.936
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

OTHER INFORMATION: No further information available

STABILITY AND REACTIVITY

REACTIVITY: Not determined

CHEMICAL STABILITY: Stable under the recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS: No hazardous reactions if stored under suitable storage conditions.

CONDITIONS TO AVOID: Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

INCOMPATIBLE MATERIALS: Keep away from oxidising agents and from highly alkaline or acidic material.

HAZARDOUS DECOMPOSITION PRODUCTS: During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: May be harmful if swallowed. May be harmful in contact with skin.

SKIN CORROSION / IRRITATION: Causes skin irritation.

SERIOUS EYE DAMAGE / IRRITATION: Causes serious eye damage.

RESPIRATORY OR SKIN SENSITISATION: May cause an allergic skin reaction.

GERM CELL MUTAGENICITY: No data

CARCINOGENICITY: Suspected of causing cancer.

REPRODUCTIVE TOXICITY: No data

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

STO-SINGLE EXPOSURE: No data

STO-REPEATED EXPOSURE: No data

ASPIRATION HAZARD: No data

INFORMATION ON LIKELY ROUTES OF EXPOSURE: No data

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS: No data

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND

LONG-TERM EXPOSURE: No data

INTERACTIVE EFFECTS: No data

OTHER INFORMATION: No data

ECOLOGICAL INFORMATION

TOXICITY: Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

PERSISTENCE AND DEGRADABILITY: No data

BIOACCUMULATIVE POTENTIAL: No data

MOBILITY IN SOIL: Prevent contamination of soil, ground and surface water.

RESULTS OF PBT AND VPVB ASSESSMENT: No data

DISPOSAL CONSIDERATIONS

Please refer to the information in Exposure controls and personal protection

WASTE TREATMENT METHODS: Dispose in accordance with the law and local regulations. Treat as trade effluent.

TRANSPORT INFORMATION

UN NUMBER : Not Regulated

UN PROPER SHIPPING NAME: Not Restricted

TRANSPORT HAZARD CLASS(ES)

PACKING GROUP: Tunnel Code

ENVIRONMENTAL HAZARDS: No relevant information available

SPECIAL PRECAUTIONS FOR USER: No relevant information available

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE: Not applicable

REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Poison Schedule: Not applicable

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

CHEMICAL SAFETY ASSESSMENT: A chemical safety assessment has not been carried out

OTHER INFORMATION

FULL LIST OF PRECAUTIONARY PHRASES

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P305 IF IN EYES:

P308+P313 IF exposed or concerned: Get medical advice.

P310 Immediately call a POISON CENTRE.

P312 Call a POISON CENTRE if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P351 Rinse cautiously with water for several minutes.

P362+P364 Take off all contaminated clothing and wash it before reuse.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulation.

WORDING OF ANY HAZARD CLASSES LISTED

FL 3 Flammable liquid, category 3

FL 4 Flammable liquid, category 4

ATO 4 Acute toxicity, oral, category 4

ATO 5 Acute toxicity, oral, category 5

AH 1 Aspiration hazard, category 1

ATD 3 Acute toxicity, dermal, category 3

ATD 4 Acute toxicity, dermal, category 4

ATD 5 Acute toxicity, dermal, category 5

SCI 2 Skin corrosion/irritation, category 2

SCI 3 Skin corrosion/irritation, category 3

SS 1 Skin sensitisation, category 1

SS 1A Skin sensitisation, category 1A

SS 1B Skin sensitisation, category 1B

EDI 1 Eye damage/irritation, category 1

EDI 2A Eye damage/irritation, category 2A

CAR 2 Carcinogenicity, category 2

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

- EH A1 Aquatic hazard, acute, category 1
- EH A2 Aquatic hazard, acute, category 2
- EH A3 Aquatic hazard, acute, category 3
- EH C1 Aquatic hazard, chronic, category 1
- EH C2 Aquatic hazard, chronic, category 2
- EH C3 Aquatic hazard, chronic, category 3

WORDING OF ANY HAZARD STATEMENTS

- H226 Flammable liquid and vapour
- H227 Combustible liquid
- H302 Harmful if swallowed
- H303 May be harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H311 Toxic in contact with skin
- H312 Harmful in contact with skin
- H313 May be harmful in contact with skin
- H315 Causes skin irritation
- H316 Causes mild skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H351 Suspected of causing cancer %
- H400 Very toxic to aquatic life
- H401 Toxic to aquatic life
- H402 Harmful to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies