Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 6/9/2022

SECTION 1: Product identifier	
1.1. GHS product identifier	
Product form Product name Product code	: Mixture : Plum Liquid Dye #D1837 : D1837
1.2. Other means of identification	
No additional information available	
1.3. Recommended use of the chemical and	d restrictions on use
Recommended use	: colorants
1.4. Details of manufacturer or importer	
Candlemaking Unit A3, 26 Powers Road Seven Hills , NSW 2147 Australia T +61 96533600 Sales@CandleMaking.com.au candlemaking.com.au	
1.5. Emergency phone number	
Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemical		
Classification according to the model Work Health a	nd Safety Regulations (WHS Regulations)	
Skin corrosion/irritation, Category 2	H315	
Carcinogenicity, Category 1B	H350	
Reproductive toxicity, Category 2	H361	
2.2. GHS Label elements, including precaution	ary statements	
Hazard pictograms (GHS AU)		

Hazard pictograms (GHS AU)



Exclamation Health hazard mark

- : Danger
 - : Distillates, petroleum, hydrotreated light naphthenic (37.49 64.24 %)
 - : H315 Causes skin irritation
 - H350 May cause cancer
 - H361 Suspected of damaging fertility or the unborn child

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU)	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P308+P313 - IF exposed or concerned: Get medical advice/attention. P332+P313 - If skin irritation occurs: Get medical advice/attention. P405 - Store locked up.

6/9/2022 (Issue date)

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and informatio	n on ingredients		
Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Distillates, petroleum, hydrotreated light naphthenic	64742-53-6	37.49 – 64.24	Acute Tox. 4 (Inhalation), H332 Carc. 1B, H350 Repr. 2, H361 Skin Irrit. 2, H315
Other substances (not contributing to the classification of this product)	1 -	35.76 – 62.51	-
SECTION 4: First aid measures			
4.1. Description of necessary first-aid measu	res		
irst-aid measures general :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical		
First-aid measures after inhalation :	advice/attention. Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.		
First-aid measures after skin contact :	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact :	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.		
First-aid measures after ingestion :	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.		
4.2. Symptoms caused by exposure			
Symptoms/effects : Symptoms/effects after skin contact : Symptoms/effects after ingestion :	Not expected to present a Irritation. May be fatal if swallowed a	-	der anticipated conditions of normal use.

4.3. Medical attention and special treatment

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Other medical eduice entreetment	. Treat a verstage stigally	
Other medical advice or treatment	: Treat symptomatically.	

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	:Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the chemi	cal
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and preca	utions for fire-fighters		
Firefighting instructions	 : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		
Protection during firefighting			
SECTION 6: Accidental release measure	es		
6.1. Personal precautions, protective equipr	nent and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures			
	Evacuate unnecessary personnel. Only qualified personnel equipped with suitable : protective equipment may intervene.		
6.1.2. For emergency responders	:		
Protective equipment			
	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Avoid release to the environment. Prevent entry to se authorities if product enters sewers or public waters.	wers and public waters. Notify authorities if liquid enters sewers or public waters. Notify		
6.3. Methods and materials for containment	and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		

Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Precautions for safe handling	:
	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions	
	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Maximum storage period	: 1 year
Storage temperature	: 4 – 37 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

6/9/2022 (Issue date)

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

8.1. Control parameters - exposure standa	rds
No additional information available	
8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures, such a	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection. Wear appropriate mask
Personal protective equipment symbol(s)	

Environmental exposure controls	: Avoid release to the environment. : Do not eat, drink or smoke		
Other information			
	during use.		
SECTION 9: Physical and chemical properties			
Physical state	: Liquid		

Appearance	:	No data available
Color	:	Conforms to standard
Odor	:	aromatic
Odor threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Melting point / Freezing point	:	Melting point: Not applicable
Boiling point	:	No data available
Flash point	:	> 93.33 °C
Auto-ignition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosive properties	:	No data available

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Explosion limits	:	No data available
Minimum ignition energy	:	No data available
Fat solubility	:	No data available

SECTION 10: Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of : use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	2180 mg/m³ (Exposure time: 4 h)	
Skin corrosion/irritation	auses skin irritation.	
Serious eye damage/irritation	ot classified	
Respiratory or skin sensitization	ot classified	
Germ cell mutagenicity	ot classified	
Carcinogenicity	lay cause cancer.	
Reproductive toxicity STOT-single exposure	uspected of damaging fertility or the unborn ch ot classified	ild.
STOT-repeated exposure	ot classified	
Aspiration hazard Potential Adverse human health effects and symptoms	ot classified Based on available data, the classification crite	ria are not met
SECTION 12: Document changes control		

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Hazardous to the aquatic environment, long–term (chronic)	: Not classified
Other information	: Avoid release to the environment.
Distillates, petroleum, hydrotreated light na	phthenic (64742-53-6)

LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	

Plum Liquid Dye #D1837	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Plum Liquid Dye #D1837	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects	
	: Not classified : No additional information available

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Plum Liquid Dye #D1837	
Fluorinated greenhouse gases False	
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		1
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	1	1
Not applicable	Not applicable	Not applicable
14.4. Packing group		1
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		1
Not applicable	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
14.6. Special precautions for user	· · · ·	,
Specific storage requirement Shock sensitivity	No data availableNo data available	
14.7. Additional information		

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Other information

: No supplementary information available

Transport by road and rail Not applicable

Transport by sea No data available

Air transport No data available

14.8. Hazchem or Emergency Action Code

Hazchem Code

: Not applicable

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
Australian Industrial Chemicals Introduction Sch Australian Inventory of Industrial Chemicals (AICIS Inventory) status	eme (AICIS) : Unlisted introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
15.2. International agreements		
No additional information available		

Classification	
Skin Irrit. 2	H315
Carc. 1B	H350
Repr. 2	H361

Full text of H-phrases	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Carc. 1B	Carcinogenicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H332	Harmful if inhaled
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child

Safety Data Sheet (SDS), Australia

The data contained in this Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by French Color & Fragrance Co. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does French Color & Fragrance Co. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact SDS@frenchcolor.com

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations