Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 6/13/2022

SECTION 1: Product identifier	
1.1. GHS product identifier	
Product form Product name Product code	: Mixture : Red Liquid Dye #D858 : D858
1.2. Other means of identification	
No additional information available	
1.3. Recommended use of the chemical and	d restrictions on use
Recommended use	: colorants
1.4. Details of manufacturer or importer	
Candlemaking Unit A3, 26 Powers Road Seven Hills , NSW 2147 Australia T +61 96533600 <u>Sales@CandleMaking.com.au</u> <u>candlemaking.com.au</u>	
1.5. Emergency phone number	
Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemical		
Classification according to the model Work Health and S	afety Regulations (WHS Regulations)	
Acute toxicity (inhalation:dust,mist) Category 4	H332	
Skin corrosion/irritation, Category 2	H315	
Carcinogenicity, Category 1B	H350	
Reproductive toxicity, Category 2	H361	
2.2. GHS Label elements, including precautionary	statements	
Hazard pictograms (GHS AU) :		



Signal word (GHS AU) Contains Hazard statements (GHS AU) : Danger

: Distillates, petroleum, hydrotreated light naphthenic (30-50 %)

- : H315 Causes skin irritation
 - H332 Harmful if inhaled
 - H350 May cause cancer

H361 - Suspected of damaging fertility or the unborn child

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P281 - Use personal protective equipment as required.

6/13/2022 (Issue date)

P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information	on ingredients		
Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Distillates, petroleum, hydrotreated light naphthenic	64742-53-6	30-50	Acute Tox. 4 (Inhalation), H332 Carc. 1B, H350 Repr. 2, H361 Skin Irrit. 2, H315
Other substances (not contributing to the classification of this product)	-	34.5 – 54.5	-
SECTION 4: First aid measures	1	I	
4.1. Description of necessary first-aid measur	es		
First-aid measures general :			
	Never give anything by mou advice (show the label when		us person. If you feel unwell, seek medical physician immediately.
First-aid measures after inhalation :			ble for breathing. Allow affected person to a poison center/doctor/physician if you feel
First-aid measures after skin contact	Remove affected clothing a	nd wash all expose	d skin area with mild soap and water,
	,		r rash occurs: Get medical advice/attention.
		n. Wash skin with p	ention. on this label). If skin irritation occurs: lenty of water. Take off contaminated dvice/attention.
First-aid measures after eye contact :	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.		
° °			sician. Rinse mouth. Do NOT induce Do not induce vomiting. Call a physician
4.2. Symptoms caused by exposure			
Symptoms/effects :	Not expected to present a s	ignificant hazard ur	nder anticipated conditions of normal use.
Symptoms/effects after skin contact :	Irritation.		

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Symptoms/effects after ingestion

: May be fatal if swallowed and enters airways. Risk of lung edema.

Other medical advice or treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and preca	utions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	s
6.1. Personal precautions, protective equipment	nent and emergency procedures
6.1.1. For non-emergency personnel	:
Emergency procedures	
	Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	:
Protective equipment	
	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry to seve authorities if product enters sewers or public waters.	vers and public waters. Notify authorities if liquid enters sewers or public waters. Notify
6.3. Methods and materials for containment	and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

SECTION 7: Handling and storage

7.1. Precautions for safe handling

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Precautions for safe handling	:
	Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a wellventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	
	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
6/13/2022 (Issue date)	
Maximum storage period	: 1 year
Storage temperature Storage area	: 25 °C : Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials SECTION 8: Exposure controls and per-	: Do not store in corrodable metal.
· · · · ·	
8.1. Control parameters - exposure standard	ls
No additional information available	
8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures, such as	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection. Wear appropriate mask
Personal protective equipment symbol(s)	



Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state	:	Liquid
Appearance	:	No data available
Color	:	Conforms to standard
Odor	:	characteristic
Odor threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Melting point / Freezing point	:	Melting point: Not applicable
Boiling point	:	No data available
Flash point	:	> 94 °C
Auto-ignition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosive properties	:	No data available
Explosion limits	:	No data available
Minimum ignition energy	:	No data available
Fat solubility		: No data available

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 10: Stability and reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.
SECTION 11: Transport haza class(es)	ard
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	2180 mg/m ³ (Exposure time: 4 h)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Reproductive toxicity STOT-single exposure	: Suspected of damaging fertility or the unborn child. : Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard Potential Adverse human health effects and symptoms SECTION 12: Document changes contr	: Not classified : Based on available data, the classification criteria are not met	

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long–term (chronic)	: Not classified
Other information	: Avoid release to the environment.

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	

Red Liquid Dye #D858	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Red Liquid Dye #D858		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		

No additional information available

12.5. Other adverse effects	
Ozone Other adverse effects	: Not classified : No additional information available
Red Liquid Dye #D858	
Fluorinated greenhouse gases	False
Distillates, petroleum, hydrotreated light	naphthenic (64742-53-6)
Fluorinated greenhouse gases	False
SECTION 13: Disposal considerations	3
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials

: Hazardous waste due to toxicity. Avoid release to the environment.

ADG	IMDG	ΙΑΤΑ
4.1. UN number		I
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable

Safety Data Sheet according to the Work Health and Safety (WHS) Regulations

Not applicable	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
14.6. Special precautions for user		
Specific storage requirement Shock sensitivity	: No data available : No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail Not applicable		
Transport by sea No data available		

Air transport No data available 14.8. Hazchem or Emergency Action Code	
Hazchem Code	: Not applicable
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
Australian Industrial Chemicals Introduction Sch	eme (AICIS)
Australian Inventory of Industrial Chemicals (AICIS Inventory) status	: All the chemicals contained in this product are listed introductions

15.2. International agreements

No additional information available

SECTION 16: Other information			
Other information	: None.		
Classification			
Acute Tox. 4 (Inhalation:dust,mist)	H332		
Skin Irrit. 2	H315		
Carc. 1B	H350		
Repr. 2	H361		

Full text of H-phrases	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Carc. 1B	Carcinogenicity Category 1B

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H332	Harmful if inhaled
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child

Safety Data Sheet (SDS), Australia

The data contained in this Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by French Color & Fragrance Co. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does French Color & Fragrance Co. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact SDS@frenchcolor.com