



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Tiger Lily Blossom
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

All Australian Candle Making supplies and kits
3 Geelans Rd, Arcadia 2159
Australia ABN:71083221461
Telephone Number +612 96533600
Email Address sales@candlemaking.com.au
Emergency Tel No Emergency No. **13 11 26**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

Benzyl benzoate; Phenylethyl acetate; Vertenex; Citronellol pure; Geraniol; Butylphenyl methylpropional; Heliotropine crystals; Eugenol; Hydroxy; Triplal (Vertocitral); Eucalyptus oil

Hazard statements (CLP) :

H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

- : P264 - Wash hands thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product.
- P272 - Contaminated work clothing should not be allowed out of the workplace.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	15.87 - 31.74	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Phenylethyl alcohol	(CAS-No.) 60-12-8 (EC-No.) 200-456-2	9.25 - 18.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2	4.305 - 8.61	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7	2.05 - 4.1	Aquatic Chronic 3, H412
Phenylethyl acetate	(CAS-No.) 103-45-7 (EC-No.) 203-113-5	2.45 - 3.45	Eye Dam. 1, H318
Vertenex	(CAS-No.) 32210-23-4 (EC-No.) 250-954-9	1.55 - 3.1	Skin Sens. 1B, H317
Citronellol pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0	1.455 - 2.91	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Isobornyl acetate	(CAS-No.) 125-12-2 (EC-No.) 204-727-6	1.275 - 2.55	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Sandela	(CAS-No.) 66068-84-6 (EC-No.) 266-100-3	1.175 - 2.35	Aquatic Chronic 2, H411 Skin Irrit. 2, H315
Dihydromyrcenol	(CAS-No.) 18479-58-8 (EC-No.) 242-362-4	1.05 - 2.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7	0.9 - 1.8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1	0.75 - 0.8	Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1, H317
Butylphenyl methylpropional	(CAS-No.) 80-54-6 (EC-No.) 201-289-8	0.55 - 0.6	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7	0.275 - 0.55	Skin Sens. 1B, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.25 - 0.5	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hydroxy	(CAS-No.) 107-75-5 (EC-No.) 203-518-7	0.175 - 0.35	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cedarwood oil terpenes	(CAS-No.) 68608-32-2	0.125 - 0.25	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.075 - 0.15	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Eucalyptus oil	(CAS-No.) 8000-48-4 (EC-No.) 616-775-9	0.075 - 0.15	Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317

Diphenyl oxide substance with a Community workplace exposure limit	(CAS-No.) 101-84-8 (EC-No.) 202-981-2	0 - 0.01	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
---	--	----------	---

Allergen report available upon request.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
 Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	<=
Benzyl acetate (140-11-4)		
Belgium	Limit value (mg/m ³)	62 mg/m ³
Belgium	Limit value (ppm)	10 ppm
Denmark	Grænseværdie (langvarig) (mg/m ³)	61 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Portugal	OEL TWA (ppm)	10 ppm
Romania	OEL TWA (mg/m ³)	50 mg/m ³
Romania	OEL TWA (ppm)	8 ppm
Romania	OEL STEL (mg/m ³)	80 mg/m ³
Romania	OEL STEL (ppm)	13 ppm
Spain	VLA-ED (mg/m ³)	62 mg/m ³
Spain	VLA-ED (ppm)	10 ppm
USA - ACGIH	ACGIH TWA (ppm)	10 ppm
Diphenyl oxide (101-84-8)		
EU	IOELV TWA (mg/m ³)	7 mg/m ³
EU	IOELV TWA (ppm)	1 ppm
EU	IOELV STEL (mg/m ³)	14 mg/m ³
EU	IOELV STEL (ppm)	2 ppm
Austria	MAK (mg/m ³)	7 mg/m ³
Austria	MAK (ppm)	1 ppm
Belgium	Limit value (mg/m ³)	7 mg/m ³ (vapor)
Belgium	Limit value (ppm)	1 ppm (vapor)
Belgium	Short time value (mg/m ³)	14 mg/m ³ (vapor)
Belgium	Short time value (ppm)	2 ppm (vapor)
Bulgaria	OEL TWA (mg/m ³)	5 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	7.1 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	1 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	5 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	7 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	1 ppm
Estonia	OEL TWA (mg/m ³)	7 mg/m ³
Estonia	OEL TWA (ppm)	1 ppm
Finland	HTP-arvo (8h) (mg/m ³)	7 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1 ppm
Finland	HTP-arvo (15 min)	21 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	3 ppm
France	VME (mg/m ³)	7 mg/m ³
France	VME (ppm)	1 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	7.1 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Germany	TRGS 900 Occupational exposure limit value (ppm)	1 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Greece	OEL TWA (mg/m ³)	7 mg/m ³ (vapor)

Diphenyl oxide (101-84-8)		
Greece	OEL TWA (ppm)	1 ppm
Ireland	OEL (8 hours ref) (mg/m ³)	7 mg/m ³ (vapour)
Ireland	OEL (8 hours ref) (ppm)	1 ppm (vapour)
Ireland	OEL (15 min ref) (mg/m ³)	21 mg/m ³ (calculated-vapour)
Ireland	OEL (15 min ref) (ppm)	3 ppm (calculated-vapour)
Poland	NDS (mg/m ³)	7 mg/m ³
Poland	NDSch (mg/m ³)	14 mg/m ³
Portugal	OEL TWA (ppm)	1 ppm (vapor)
Portugal	OEL STEL (ppm)	2 ppm (vapor)
Romania	OEL TWA (mg/m ³)	5 mg/m ³
Romania	OEL TWA (ppm)	0.7 ppm
Romania	OEL STEL (mg/m ³)	10 mg/m ³
Romania	OEL STEL (ppm)	1.4 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	7.1 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	1 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	7.1 mg/m ³
Slovenia	OEL TWA (mg/m ³)	7.1 mg/m ³ (vapor)
Slovenia	OEL TWA (ppm)	1 ppm (vapor)
Spain	VLA-ED (mg/m ³)	7.1 mg/m ³ (vapor)
Spain	VLA-ED (ppm)	1 ppm (vapor)
Spain	VLA-EC (mg/m ³)	14.2 mg/m ³ (vapor)
Spain	VLA-EC (ppm)	2 ppm (vapor)
United Kingdom	WEL TWA (mg/m ³)	7.1 mg/m ³ (vapour)
United Kingdom	WEL TWA (ppm)	1 ppm (vapour)
United Kingdom	WEL STEL (mg/m ³)	21.3 mg/m ³ (calculated-vapour)
United Kingdom	WEL STEL (ppm)	3 ppm (calculated-vapour)
Norway	Grenseverdier (AN) (mg/m ³)	7 mg/m ³
Norway	Grenseverdier (AN) (ppm)	1 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	14 mg/m ³ (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	2 ppm (value calculated)
Switzerland	MAK (mg/m ³)	7 mg/m ³ (vapor)
Switzerland	MAK (ppm)	1 ppm (vapor)
Switzerland	KZGW (mg/m ³)	7 mg/m ³ (vapour)
Switzerland	KZGW (ppm)	1 ppm (vapour)
Australia	TWA (mg/m ³)	7 mg/m ³ (vapour)
Australia	TWA (ppm)	1 ppm (vapour)
Australia	STEL (mg/m ³)	14 mg/m ³ (vapour)
Australia	STEL (ppm)	2 ppm (vapour)
Canada (Quebec)	VECD (mg/m ³)	14 mg/m ³ (vapour)
Canada (Quebec)	VECD (ppm)	2 ppm (vapour)
Canada (Quebec)	VEMP (mg/m ³)	7 mg/m ³ (vapour)
Canada (Quebec)	VEMP (ppm)	1 ppm (vapour)
USA - ACGIH	ACGIH TWA (ppm)	1 ppm (vapor)
USA - ACGIH	ACGIH STEL (ppm)	2 ppm (vapor)
USA - IDLH	US IDLH (ppm)	100 ppm (vapor)
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	7 mg/m ³ (vapor)
USA - NIOSH	NIOSH REL (TWA) (ppm)	1 ppm (vapor)
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	7 mg/m ³ (vapor)
USA - OSHA	OSHA PEL (TWA) (ppm)	1 ppm (vapor)

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.01
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	1333.728 mg/kg bodyweight
----------------	---------------------------

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082
UN-No. (ADN)	: 3082
UN-No. (RID)	: 3082


14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9




IMDG

Transport hazard class(es) (IMDG) : 9
 Danger labels (IMDG) : 9




IATA

Transport hazard class(es) (IATA) : 9
 Hazard labels (IATA) : 9




ADN

Transport hazard class(es) (ADN) : 9
 Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
 Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
 Packing group (IMDG) : III
 Packing group (IATA) : III
 Packing group (ADN) : III
 Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
 Marine pollutant : Yes
 Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

- Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

- Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Phenylethyl acetate - Isobornyl acetate
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Eucalyptus oil
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Tiger Lily Blossom #25415F - Benzyl benzoate - Phenylethyl alcohol - Linalool - Phenylethyl acetate - Vertenex - Citronellol pure - Isobornyl acetate - Sandela - Dihydromyrcenol - Geraniol - Butylphenyl methylpropional - Eugenol - Hydroxy - Cedarwood oil terpenes - Triplal (Vertocitral) - Eucalyptus oil
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Tiger Lily Blossom #25415F - Benzyl benzoate - Benzyl acetate - Isobornyl acetate - Sandela - HEXAMETHYLINDANOPYRAN - Butylphenyl methylpropional - Cedarwood oil terpenes - Triplal (Vertocitral) - Eucalyptus oil

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to waters (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Sandela, Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Sandela, Triplal (Vertocitral) are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.