



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT IDENTIFIER

Product Name **WATERMELON**

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST
Concentrated material for manufacturing purposes only

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

All Australian Candle Making supplies and kits

3 Geelans Rd, Arcadia 2159

Australia ABN:71083221461

Telephone Number +612 96533600

Email Address sales@candlemaking.com.au

Emergency Tel No Emergency No. [13 11 26](tel:131126)

HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

SCI 3 Skin corrosion/irritation, category 3

SS 1 Skin sensitisation, category 1

REP 2 Reproductive toxicity, category 2

EH A3 Aquatic hazard, acute, category 3

EH C3 Aquatic hazard, chronic, category 3

HAZARD PICTOGRAMS



SIGNAL WORD: Warning

HAZARD STATEMENTS

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H361 Suspected of damaging fertility or the unborn child

H402 Harmful to aquatic life

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemakingsupplies)

H412 Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P308+P313 IF exposed or concerned: Get medical advice.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulation.

OTHER HAZARDS

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

COMPOSITION / INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

MIXTURES

Complex mixture of fragrance ingredients

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 110-27-0 EINECS 203-751-4 REACH	Isopropyl Myristate SCI 3 H316	>=25%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A3 H402	>=5%, <10%
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 3;EDI 2A;EH A3 H227,H303,H316,H319,H402	>=3%, <5%
CAS 107-75-5 EINECS 203-518-7 REACH	7-hydroxycitronellal SCI 2;SS 18;EDI 2A H315,H317,H319	>=1%, <3%
CAS 80-54-6 EINECS 201-289-8 REACH	2-(4-tert-butylbenzyl)propionaldehyde ATO 4(1390);SCI 2;SS 1;REP 2;EH A2,C2 H302,H315,H317,H361,H401,H411	>=1%, <3%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5(4200);SCI 2;SS 1;EDI 1;EH A3,C3 H303,H315,H317,H318,H402,H412	>=0.1%, <1%
CAS 128-37-0 EINECS 204-861-4 REACH	2,6-di-tert-butyl-p-cresol SCI 3;EH A1,C1 H316,H400,H410	>=0.1%, <1%

FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking_supplies

AFTER INHALATION: Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

AFTER SKIN CONTACT: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

AFTER EYE CONTACT: Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

AFTER INGESTION: Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No further information available at this time

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No further information available at this time

FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: May produce Carbon dioxide and unidentified organic compounds.

ADVICE FOR FIRE-FIGHTERS: Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

ENVIRONMENTAL PRECAUTIONS

Do not discharge directly into drains or the soil. Keep away from surface and ground
Water

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

SPECIFIC END USE(S)

No further information available

EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

EXPOSURE CONTROLS

ENGINEERING CONTROLS: Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

INDIVIDUAL PROTECTION MEASURES: Refer to specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

EYE/FACE PROTECTION: Use splash-proof safety glasses and face shield where splashing is possible.

HAND PROTECTION: Wear chemically resistant disposable gloves.

OTHER SKIN PROTECTION: Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

RESPIRATORY PROTECTION: Not generally required. Use inhalation protection in poorly ventilated areas

THERMAL HAZARDS: No information

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT (°C): 120

PEARANCE: Mobile liquid

COLOUR: Colourless

ODOUR: Fresh, watermelon

ODOUR THRESHOLD: Not available

pH @20 DEG C: Not available

MELTING/FREEZING POINT: Not available

INITIAL BOILING POINT AND RANGE: Not available

EVAPORATION RATE: Not available

FLAMMABILITY (SOLID/GAS): Not available

UPPER/LOWER FLAMMABILITY LIMITS: Not available

VAPOUR PRESSURE: Not available

VAPOUR DENSITY: Not available

SPECIFIC GRAVITY @ 20 deg C 0.860 to 0.890

SOLUBILITIES: Insoluble in water

PARTITION COEFF N-OCTANAL/WATER: Not available

AUTO-IGNITION TEMPERATURE: Not available

DECOMPOSITION TEMPERATURE: Not available

VISCOSITY @ 20 DEG C: Not available

EXPLOSIVE PROPERTIES: Not available

STABILITY AND REACTIVITY

REACTIVITY: Not determined

CHEMICAL STABILITY: Stable under the recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS: No hazardous reactions if stored under suitable storage conditions.

CONDITIONS TO AVOID: Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

INCOMPATIBLE MATERIALS: Keep away from oxidising agents and from highly alkaline or acidic material.

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

HAZARDOUS DECOMPOSITION PRODUCTS: During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: May be harmful if swallowed.

SKIN CORROSION / IRRITATION: Causes skin irritation.

SERIOUS EYE DAMAGE / IRRITATION: Causes serious eye damage.

RESPIRATORY OR SKIN SENSITISATION: May cause an allergic skin reaction.

GERM CELL MUTAGENICITY: No data

CARCINOGENICITY: No data

REPRODUCTIVE TOXICITY: Suspected of damaging fertility or the unborn child.

STO-SINGLE EXPOSURE: No data

STO-REPEATED EXPOSURE: No data

ASPIRATION HAZARD: No data

INFORMATION ON LIKELY ROUTES OF EXPOSURE: No data

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS: No data

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND

LONG-TERM EXPOSURE: No data

INTERACTIVE EFFECTS: No data

OTHER INFORMATION: No data

ECOLOGICAL INFORMATION

TOXICITY: Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

PERSISTENCE AND DEGRADABILITY: No data

BIOACCUMULATIVE POTENTIAL: No data

MOBILITY IN SOIL: Prevent contamination of soil, ground and surface water.

RESULTS OF PBT AND VPVB ASSESSMENT: No data

REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE
SUBSTANCE OR MIXTURE

POISON SCHEDULE: S5 CAUTION HS Tariff Code: 3302.90.00

CHEMICAL SAFETY ASSESSMENT: A chemical safety assessment has not been carried out

OTHER INFORMATION

FULL LIST OF PRECAUTIONARY PHRASES

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing fumes.

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362+P364 Take off all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulation.

WORDING OF ANY HAZARD CLASSES LISTED

FL 4 Flammable liquid, category 4

ATO 4 Acute toxicity, oral, category 4

ATO 5 Acute toxicity, oral, category 5

SCI 2 Skin corrosion/irritation, category 2

SCI 3 Skin corrosion/irritation, category 3

SS 1 Skin sensitisation, category 1

SS 1B Skin sensitisation, category 1B

EDI 1 Eye damage/irritation, category 1

EDI 2A Eye damage/irritation, category 2A

REP 2 Reproductive toxicity, category 2

EH A1 Aquatic hazard, acute, category 1

EH A2 Aquatic hazard, acute, category 2

EH A3 Aquatic hazard, acute, category 3

EH C1 Aquatic hazard, chronic, category 1

EH C2 Aquatic hazard, chronic, category 2

EH C3 Aquatic hazard, chronic, category 3

WORDING OF ANY HAZARD STATEMENTS LISTED

H227 Combustible liquid

H302 Harmful if swallowed

H303 May be harmful if swallowed

H315 Causes skin irritation

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child % %

H400 Very toxic to aquatic life

H401 Toxic to aquatic life

H402 Harmful to aquatic life

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies