

**RESICHEM 501 CRXL BASE COMPONENT** 

Page: 1 Compilation date: 21/09/2018

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: RESICHEM 501 CRXL BASE COMPONENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: Resimac Limited

Unit B, Park Barn Estate Station Road Topcliffe, Thirsk North Yorkshire YO7 3SE United Kingdom Tel: +44 (0) 1845 577498 Email: info@resimac.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1845 577498

Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CHIP:	Xi: R36/38; Sens.: R43; N: R51/53
Classification under CLP:	Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; -:
	EUH205
Most important adverse effects:	Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic
	organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements	
Label elements:	
Hazard statements:	EUH205: Contains epoxy constituents. May produce an allergic reaction.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H411: Toxic to aquatic life with long lasting effects.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
	GHS09: Environmental

## **RESICHEM 501 CRXL BASE COMPONENT**

Precautionary statements: P102: Keep out of reach of children.

P273: Avoid release to the environment.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container to hazardous or special waste collection point.

## Label elements under CHIP:

Hazard symbols: Irritant.

Dangerous for the environment.

×	¥_
---	----

Risk phrases:	R36/38: Irritating to eyes and skin.
	R43: May cause sensitisation by skin contact.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Safety phrases:	S2: Keep out of the reach of children.
	S24: Avoid contact with skin.
	S29: Do not empty into drains.
	S37: Wear suitable gloves.
	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

#### Hazardous ingredients:

#### BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}

EINECS CAS CHIP Classification CLP Classification Percent
---

**Page:** 2

## RESICHEM 501 CRXL BASE COMPONENT

500-033-5	25068-38-6	Xi: R36/38; Sens.: R43; N: R51/53	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	10-30%
BISPHENOL	F TYPE EPOXY F	RESIN		
500-108-2	28064-14-4	Xi: R36/38; N: R51/53; Sens.: R43	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317; Aquatic Chronic 2: H411	10-30%
DXIRANE, MO	DNO[(C12-14ALK	YLOXY)METHYL] DERIVATIVES		
271-846-8	68609-97-2	Xi: R38; Sens.: R43	Skin Irrit. 2: H315; Skin Sens. 1: H317	1-10%

## Section 4: First aid measures

## 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Dry chemical powder. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

## Section 6: Accidental release measures

Demes 0

## **RESICHEM 501 CRXL BASE COMPONENT**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight. Avoid incompatible materials and conditions - see section 10 of SDS.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses.Skin protection:Impermeable protective clothing.Environmental:Prevent from entering in public sewers or the immediate environment.

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

## **RESICHEM 501 CRXL BASE COMPONENT**

			Page:	5
Colour:	Various			
Odour:	Barely perceptible odour			
Evaporation rate:	Negligible			
Oxidising:	Non-oxidising (by EC criteria)			
Solubility in water:	Insoluble			
Viscosity:	Non-viscous			
Boiling point/range°C:	>200	Flash point°C: >150		
Relative density:	1.75g/cc			
thar information				

## 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Flames.

10.5. Incompatible materials

Materials to avoid: Strong acids. Strong oxidising agents. Amines. Alkalis.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### Section 11: Toxicological information

11.1. Information on toxicological effects

#### **Toxicity values:**

Route	Species	Test	Value	Units
ORAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

## **RESICHEM 501 CRXL BASE COMPONENT**

Hazardous ingredients:

## **BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}**

ORL	MUS	LD50	15600	mg/kg
ORL	RAT	LD50	11400	mg/kg
SKN	RBT	LD50	>20	ml/kg

## OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES

ORL RAT LD50	17100	mg/kg
--------------	-------	-------

## Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

## Section 12: Ecological information

12.1. Toxicity

## **Ecotoxicity values:**

Species	Test	Value	Units
FISH	96H LC50	2	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## **RESICHEM 501 CRXL BASE COMPONENT**

#### 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

## Section 13: Disposal considerations

# 13.1. Waste treatment methods Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Mixed material, once fully cured, can be disposed as solid waste. Waste code number: 08 04 09 Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN3082

# 14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT})

# 14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

#### 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

## Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

# **RESICHEM 501 CRXL BASE COMPONENT**

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH205: Contains epoxy constituents. May produce an allergic reaction.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H411: Toxic to aquatic life with long lasting effects.
	R36/38: Irritating to eyes and skin.
	R38: Irritating to skin.
	R43: May cause sensitisation by skin contact.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.