

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

## **Reprotec Acidcheck - Curing Agent**

 Revision
 0

 Revision date
 2018-10-16

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Reprotec Acidcheck - Curing Agent	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product Use	<ul> <li>[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;</li> <li></li> <li>[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);</li> </ul>	
1.3. Details of the supplier of the safety data sheet		
Company	RM Suppliers Ltd	

Company	RM Suppliers Ltd	
Address	38 High Street North	
	Langley Moor	
	County Durham	
	DH7 8JG	
Web	www.rmsuppliers.com	
Telephone	0191 3897067	
Email address of the	sales@rmsuppliers.com	
competent person		

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic
1272/2008	Chronic 3: H412;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.



2.2. Label elements	
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P321 - Specific treatment (see on this label).
	P330 - Rinse mouth.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

### SECTION 3: Composition/information on ingredients

3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	20 - 30% Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	20 - 30% Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.	
Eye contact	Risk of serious damage to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.	
4.3. Indication of any immediate	medical attention and special treatment needed	
Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention.	
SECTION 5: Firefighting me	asures	

5.1. Extinguishing media



5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam, Water. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self contained breathing apparatus and protective clothing.
Further information	
	Dispose of as special waste in compliance with official regulations.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	g
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves. Butyl rubber gloves.
Skin protection - Other	Wear suitable protective clothing.



 Revision
 0

 Revision date
 2018-10-16

# 8.2. Exposure controls Respiratory protection Wear suitable respiratory equipment when necessary. Occupational exposure controls Keep away from food, drink and animal feedingstuffs.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
Flash point	113 °C
Viscosity	300 mPas (Cone & Plate)
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Fat Solubility	No data available
Soluble in	No data available
Miscible in	No data available
Partition coefficient	
(n-octanol/water)	
Partition coefficient	
Autoignition temperature	
Decomposition temperature	
Solubility	No data available

#### 9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	
compounds)	
SADT	No data available
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions



10.3. Possibility of hazardous reactions				
	Reacts with Acids, Alkalis, Oxidising Agents.			
10.4. Conditions to avoid				
	Heat.			
10.5. Incompatible materials				
	Strong oxidising agents.			
10.6. Hazardous decomposition	products			
	No data is available on this product.			
SECTION 11: Toxicological	information			
11.1. Information on toxicologica	al effects			
Skin corrosion/irritation	Causes burns.			
Serious eye damage/irritation	Risk of serious damage to eyes.			
Respiratory or skin sensitisation	May cause sensitisation by skin contact.			
Germ cell mutagenicity	No mutagenic effects reported.			
Reproductive toxicity	No observed effect level. No teratogenic effects reported.			
11.1.4. Toxicological Information	n			
Benzyl alcohol	Oral Rat LD50: 1230mg/kg Dermal Rabbit LD50: 2000mg/kg			
11.1.13. Other information				
	Swallowing will lead to a strong caustic effect on mouth and throat and danger of perforation of esophagus and stomach.			
SECTION 12: Ecological info	ormation			
12.1. Toxicity				
Benzyl alcohol	Daphnia EC50/48h:         400.0000 mg/l         Algae IC50/72h:         640.0000 mg/l           Fish LC50/96h:         645.0000 mg/l         mg/l         640.0000 mg/l         mg/l			
12.2. Persistence and degradab	ility			
	No data is available on this product.			
PBT	·			
	Not applicable.			
12.3. Bioaccumulative potential	•			
	No data is available on this product.			
Partition coefficient				
	Reprotec Acidcheck - Curing No data available Agent			
12.4. Mobility in soil				
	Slightly miscible in water.			
12.5. Results of PBT and vPvB				
	No data is available on this product.			
12.6. Other adverse effects				
	No data is available on this product.			



 Revision
 0

 Revision date
 2018-10-16

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	
	<ul> <li>08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS.</li> <li>08 02 wastes from MFSU of other coatings (including ceramic materials).</li> <li>08 02 99 wastes not otherwise specified.</li> </ul>
Disposal methods	·
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.

#### SECTION 14: Transport information

#### Hazard pictograms



#### 14.1. UN number

UN2735

#### 14.2. UN proper shipping name

	AMINES, LIQUID, CORROSIVE N.O.S. (m-xylylwnwdiamine)	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	-	
IMDG	8	
Subsidiary risk	-	
ΙΑΤΑ	8	
Subsidiary risk	-	
14.4. Packing group		
Packing group	III	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for user		

Copyright © 2020 ChemSoft. All rights reserved.



14.6. Special precautions for us	er
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For transport approval see regulatory information.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
ΙΑΤΑ	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	ent
	This product contains substances for which Chemical Safety Assessments are still required.
SECTION 16: Other informa	tion
Other information	
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H332 - Harmful if inhaled. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Maximum content of VOC	0 g/l.
Further information	

#### Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--

