



**SAFETY DATA SHEET**  
according to Regulation (EU) 2015/830

**Reprotec Chemprime - Base**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product name	Reprotec Chemprime - Base
--------------	---------------------------

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); ----- [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
-------------	--

**1.3. Details of the supplier of the safety data sheet**

Company	RM Suppliers Ltd
Address	38 High Street North Langley Moor County Durham DH7 8JG
Web	www.rmsuppliers.com
Telephone	0191 3897067
Email address of the competent person	sales@rmsuppliers.com

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
--------------------------------------	---

**2.2. Label elements**

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Reprotec Chemprime - Base

Revision 0

Revision date 2018-10-15

## 2.2. Label elements

Precautionary Statement: Disposal	P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P391 - Collect spillage.
	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
bisphenol F-epoxy resin		9003-36-5	500-006-8	01-2119454392-40	70 - 80%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Carbon oxides. Do NOT use water jet. Dry chemical. Foam. Use extinguishing media appropriate to the surrounding fire conditions.
--	--

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear self contained breathing apparatus and protective clothing. Do not allow runoff water to enter sewers or drains.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with skin and eyes. Ensure adequate ventilation of the working area.
--	--

### 6.2. Environmental precautions

# Reprotec Chemprime - Base

Revision 0

Revision date 2018-10-15

## 6.2. Environmental precautions

Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## 6.4. Reference to other sections

See section 8 for further information.  
See section 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in original container.

### 7.3. Specific end use(s)


See section 1.2 for further information.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No exposure limit known. If this product contains ingredients with exposure limits, personal workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures. This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### 8.2.2. Individual protection measures

Wear suitable protective equipment. Keep away from food, drink and animal feedingstuffs.

#### Eye / face protection

Safety glasses.

#### Skin protection - Handprotection

Wear suitable gloves. Butyl rubber gloves. Nitrile rubber gloves.

#### Skin protection - Other

Wear suitable protective clothing.

#### Respiratory protection

Not normally required. Wear suitable respiratory equipment when necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# Reprotec Chemprime - Base

Revision 0

Revision date 2018-10-15

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Viscous liquid.
<b>Colour</b>	Clear
<b>Odour</b>	Slight
<b>Flash point</b>	200 °C
<b>Relative density</b>	1.32 (H <sub>2</sub> O = 1 @ 20 °C)
<b>Fat Solubility</b>	No data available
<b>Partition coefficient (n-octanol/water)</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Initial boiling point</b>	No data available
<b>Solubility</b>	Insoluble in water

## 9.2. Other information

<b>Benzene Content</b>	0 %
<b>Lead content</b>	0 %
<b>VOC (Volatile organic compounds)</b>	0 g/l
<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Softening point</b>	No data available
<b>Gas group</b>	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

Heat will increase pressure in sealed containers.

### 10.5. Incompatible materials

Carbon oxides.

### 10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

## SECTION 11: Toxicological information

# Reprotec Chemprime - Base

Revision 0  
Revision date 2018-10-15

## 11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported. No cumulative effects reported.
Reproductive toxicity	No teratogenic effects reported.
Repeated or prolonged exposure	Sensitizer, Skin.

### 11.1.4. Toxicological Information

bisphenol F-epoxy resin	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >5000mg/kg
-------------------------	-----------------------------	---------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

bisphenol F-epoxy resin	Daphnia EC50/48h: 1.6000 mg/l Fish LC50/96h: 0.5500 mg/l	Algae IC50/72h: 1.8000 mg/l Algae EC50/72h: 1.8
-------------------------	---	--

### 12.2. Persistence and degradability

	Not readily biodegradable.
--	----------------------------

### 12.3. Bioaccumulative potential

	Low.
--	------

### Partition coefficient

	Reprotec Chemprime - Base No data available
--	---

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	Toxic to aquatic organisms.
--	-----------------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	Dispose of as special waste in compliance with all local and national regulations.
--	--

### General information

	08 02 99 wastes not otherwise specified.
--	--

### Disposal methods

	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and
--	--

# Reprotec Chemprime - Base

Revision 0

Revision date 2018-10-15

## Disposal methods


runoff and contact with soil, waterways, drains and sewers.

## Disposal of packaging

Do not empty into drains. Do NOT reuse empty containers. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SECTION 14: Transport information

### Hazard pictograms



### 14.1. UN number

UN3082

### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol F Epoxy Resin)

### 14.3. Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-

### 14.4. Packing group

Packing group III

### 14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

See regulatory information for transport approvals.

### ADR/RID

Hazard ID	90
Tunnel Category	(E)

### IMDG

EmS Code	F-A S-F
----------	---------

### IATA

Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L

## SECTION 15: Regulatory information

# Reprotec Chemprime - Base

Revision 0

Revision date 2018-10-15

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Regulations</b>	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	--

## 15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

### Other information

<b>Text of Hazard Statements in Section 3</b>	<p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p>
<b>Maximum content of VOC</b>	0 g/l.