

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Reprotec Chemprime - Curing Agent

Revision 0 Revision date 2018-10-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	Reprotec Chemprime - Curing Agent			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);			
1.3. Details of the supplier of the	e safety data sheet			
Company Address	RM Suppliers Ltd 38 High Street North Langley Moor			
	County Durham			

Telephone 0191 3897067 Email address of the sales@rmsuppliers.com

DH7 8JG

www.rmsuppliers.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic
1272/2008	Chronic 3: H412;

2.2. Label elements

Web

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H332 - Harmful if inhaled. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do no eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.

Revision 0 Revision date 2018-10-16

2.2. Label elements

	P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.			
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .			
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse			
	skin with water/shower.			
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P310 -Immediately call a POISON CENTER/doctor/ .			
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.			
	P321 - Specific treatment (see on this label).			
	P330 - Rinse mouth.			
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.			
	P363 - Wash contaminated clothing before reuse.			
Precautionary Statement:	P405 - Store locked up.			
Storage				
Precautionary Statement:	P501 - Dispose of contents/container to			
Disposal				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	20 - 30%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	20 - 30%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1. Description of first aid measures

····			
Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Risk of serious damage to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.		
401 " " 1 " "			

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).		
Eye contact	Seek medical attention.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Seek medical attention.		

SECTION 5: Firefighting measures

5.1. Extinguishing media

Revision 0 Revision date 2018-10-16

	Revision date 2010-10-10		
5.1. Extinguishing media			
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam, Water. Do NOT use water jet.		
5.2. Special hazards arising fron	n the substance or mixture		
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.		
5.3. Advice for firefighters			
	Wear self contained breathing apparatus and protective clothing.		
Further information			
	Dispose of as special waste in compliance with official regulations.		
SECTION 6: Accidental relea	ase measures		
	ctive equipment and emergency procedures		
o.i.i ersonar precautions, prote	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. Avoid contact with skin and eyes.		
6.2. Environmental precautions	protocave equipment. 7 total contact with citin and eyes.		
oizi Environmental productione	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for co			
0.5. Metrious and material for co	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean		
	spillage area thoroughly with plenty of water.		
6.4. Reference to other sections			
	See section 8 for further information. See section 13 for further information.		
SECTION 7: Handling and st	forage		
7.1. Precautions for safe handlin			
7.1.1 recautions for safe fianding	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best		
	Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.		
7.3. Specific end use(s)			
	See section 1.2 for further information.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
o. i. Control parameters	This product does not contain any relevant quantities of materials with critical values that have to		
	be monitored in the workplace.		
8.2. Exposure controls			
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.		
8.2.2. Individual protection measures	Wear suitable protective clothing.		
Eye / face protection	Approved safety goggles.		
Skin protection - Handprotection	Chemical resistant gloves. Butyl rubber gloves.		
Skin protection - Other	Wear suitable protective clothing.		

Revision 0 Revision date 2018-10-16

8.2. Exposure controls

Respiratory protection	Wear suitable respiratory equipment when necessary.		
Occupational exposure	Keep away from food, drink and animal feedingstuffs.		
controls			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
Flash point	113 °C
Viscosity	300 mPas (Cone & Plate)
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Fat Solubility	No data available
Soluble in	No data available
Miscible in	No data available
Partition coefficient	No data available
(n-octanol/water) Partition coefficient	No data available
Autoignition temperature	
Decomposition temperature	
Solubility	No data available
Solubility	140 data available

9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	
compounds)	
SADT	No data available
Conductivity	No data available
Surface tension	No data available
Gas group	No data available
_	

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under norma	I conditions.
--------------------	---------------

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Revision 0 Revision date 2018-10-16

		Revision date 2018-10-1
10.3. Possibility of hazardous re	actions	
	Reacts with Acids, Alkalis, Oxidising Agents.	
10.4. Conditions to avoid		
	Heat.	
10.5. Incompatible materials		
	Strong oxidising agents.	
10.6. Hazardous decomposition	products	
	No data is available on this product.	
SECTION 11: Toxicological	information	
11.1. Information on toxicological		
Skin corrosion/irritation	Causes burns.	
Serious eye damage/irritation	Risk of serious damage to eyes.	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects reported.	
11.1.4. Toxicological Information	1	
Benzyl alcohol	Oral Rat LD50: 1230mg/kg	Dermal Rabbit LD50: 2000mg/kg
11.1.13. Other information		
	Swallowing will lead to a strong caustic effect on mouth ar esophagus and stomach.	nd throat and danger of perforation of
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Benzyl alcohol	Daphnia EC50/48h: 400.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
	Fish LC50/96h: 645.0000 mg/l	
12.2. Persistence and degradab	ility	
	No data is available on this product.	
PBT	·	
	Not applicable.	
12.3. Bioaccumulative potential		
<u> </u>		
	No data is available on this product.	
Partition coefficient		
	Reprotec Chemprime - Curing No data available	
	Agent	
12.4. Mobility in soil		
<u> </u>	Slightly miscible in water.	
12.5. Results of PBT and vPvB	· · ·	
	No data is available on this product.	
12.6. Other adverse effects	1	
	T.,	
	No data is available on this product.	

Revision 0
Revision date 2018-10-16

SECTION 13: Disposal considerations 13.1. Waste treatment methods Dispose of in compliance with all local and national regulations. General information 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS. 08 02 wastes from MFSU of other coatings (including ceramic materials). 08 02 99 wastes not otherwise specified. Disposal methods The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers. Disposal of packaging Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers. SECTION 14: Transport information Hazard pictograms 14.1. UN number UN2735 14.2. UN proper shipping name AMINES, LIQUID, CORROSIVE N.O.S. (m-xylylwnwdiamine) 14.3. Transport hazard class(es) ADR/RID 8 Subsidiary risk **IMDG** 8 Subsidiary risk **IATA** 8 Subsidiary risk 14.4. Packing group Ш Packing group 14.5. Environmental hazards **Environmental hazards** No Marine pollutant No 14.6. Special precautions for user

Revision 0
Revision date 2018-10-16

14.6. Special precautions for user			
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.		
14.7. Transport in bulk accordir	ng to Annex II of MARPOL 73/78 and the IBC Code		
	For transport approval see regulatory information.		
ADR/RID			
Hazard ID	80		
Tunnel Category	(E)		
MDG			
EmS Code	F-A S-B		
ATA			
Packing Instruction (Cargo)	856		
Maximum quantity	60 L		
Packing Instruction (Passenger)	852		
Maximum quantity	5 L		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information

Text of Hazard	Statements	in
Section 3		

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H332 - Harmful if inhaled.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Maximum content of VOC

0 g/l.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.