

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

# Reprotec Deepfill - Curing Agent

Revision n Revision date 2018-10-16

#### 1.1. Product identifier

Product name	Reprotec Deepfill - Curing Agent
--------------	----------------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or
	brushing; [ERC2] Formulation of preparations;

#### 1.3. Details of the supplier of the safety data sheet

Company	RM Suppliers Ltd		
Address	38 High Street North		
	Langley Moor County Durham		
	County Durham		
	DH7 8JG		

www.rmsuppliers.com

**Telephone** 0191 3897067

Email address of the sales@rmsuppliers.com competent person

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic
1272/2008	Chronic 3: H412;

#### 2.2. Label elements

Web

Hazard pictograms
-------------------





# Signal Word

Danger **Hazard Statement** Acute Tox. 4: H302 - Harmful if swallowed.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Acute Tox. 4: H332 - Harmful if inhaled.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

# **Precautionary Statement:**

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Revision 0 Revision date 2018-10-16

#### 2.2. Label elements

Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P321 - Specific treatment (see on this label).
	P330 - Rinse mouth.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	
2.3 Other hazards	

#### 2.3. Other hazards

Other hazards	No data is available on this product.
---------------	---------------------------------------

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
3-Aminomethyl-3,5,5-trimethylcyclo hexylamine	612-067-00-9	2855-13-2	220-666-8	01-2119514687-32	30 - 40%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	30 - 40%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	10 - 20%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

•	
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Move the exposed person to fresh air. Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

	<u> </u>
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Risk of serious damage to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Seek medical attention.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).		
Eye contact	Seek medical attention.		
Skin contact	Seek medical attention if irritation or symptoms persist.		

Revision 0 Revision date 2018-10-16

4.3. Indication of any immediate	4.3. Indication of any immediate medical attention and special treatment needed				
Ingestion	Seek medical attention.				
SECTION 5: Firefighting me	asures				
5.1. Extinguishing media					
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.				
5.2. Special hazards arising from	n the substance or mixture				
	Burning produces irritating, toxic and obnoxious fumes.				
5.3. Advice for firefighters					
	Wear self contained breathing apparatus and protective clothing.				
Further information					
	Dispose of as special waste in compliance with official regulations.				
SECTION 6: Accidental rele	ase measures				
6.1. Personal precautions, prote	ective equipment and emergency procedures				
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.				
6.2. Environmental precautions					
	Do not allow product to enter drains. Prevent further spillage if safe.				
6.3. Methods and material for co	ontainment and cleaning up				
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.				
6.4. Reference to other sections					
	See section 8 for further information. See section 13 for further information.				
SECTION 7: Handling and s	torage				
7.1. Precautions for safe handling	ng				
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.				
7.2. Conditions for safe storage	, including any incompatibilities				
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.				
7.3. Specific end use(s)					
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.				
SECTION 8: Exposure contr	rols/personal protection				
8.1. Control parameters					
	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.  WEL-8hr Limit - 90mg/m3, (Benzyl Alcohol).				
8.2. Exposure controls					

Revision 0 Revision date 2018-10-16

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.	
8.2.2. Individual protection	Wear protective clothing.	
measures		
Eye / face protection	Approved safety goggles.	
Skin protection -	Wear suitable gloves.	
Handprotection		
Skin protection - Other	Wear suitable protective clothing.	
Respiratory protection	Wear suitable respiratory equipment when necessary.	
Occupational exposure	Keep away from food, drink and animal feedingstuffs.	
controls		

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid				
Colour	Light yellow				
Odour	aracteristic				
Flash point	100 °C				
Vapour pressure	10 Pa				
Autoignition temperature	380 °C				
Viscosity	200 mPas (Cone & Plate)				
Relative density	1.06 (H2O = 1 @ 20 °C)				
Fat Solubility	No data available				
Partition coefficient	No data available				
Explosive properties	No data available				
Oxidising properties	No data available				
Vapour density	No data available				
Evaporation rate	No data available				
Flammability (solid, gas)	No data available				
pH	No data available				
Melting point	No data available				
Freezing Point	No data available				
Initial boiling point	> 200 °C				
Solubility	Insoluble in water				

## 9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

# SECTION 10: Stability and reactivity

1	n	1	R		ctiv	vit.	,
	v		П	ca	Cur	VILV	ſ

	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		

#### 10.3. Possibility of hazardous reactions

Revision 0 Revision date 2018-10-16

	Revision date 2010-10-10
10.3. Possibility of hazardous re	actions
	Reacts with. Acids. Alkalis. Oxidising agents.
10.4. Conditions to avoid	
	No data is available on this product.
10.5. Incompatible materials	
	Strong oxidising agents.
10.6. Hazardous decomposition	products
	No data is available on this product.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	
Skin corrosion/irritation Serious eye damage/irritation	May cause severe irritation to skin, eyes and mucous membranes.  Risk of serious damage to eyes. Strong caustic effect.
Respiratory or skin	May cause sensitisation by skin contact.
sensitisation	
Germ cell mutagenicity	No mutagenic effects reported.
Reproductive toxicity	No observed effect level. No teratogenic effects reported.
11.1.4. Toxicological Information	1
3-Aminomethyl-3,5,5-trimethylcy	Dermal Rat LD50: >2000mg/kg Oral Rat LD50: 1030mg/kg
clohexylamine	Dermal Rabbit LD50: 1840mg/kg
Benzyl alcohol	Oral Rat LD50: 1230mg/kg Dermal Rabbit LD50: 2000mg/kg
44 4 40. Other information	
11.1.13. Other information	
	Swallowing will lead to a strong caustic effect on mouth and throat and danger of perforation of esophagus and stomach.
SECTION 12: Ecological info	
	oniation ————————————————————————————————————
12.1. Toxicity	
3-Aminomethyl-3,5,5-trimethylcy clohexylamine	<b>Daphnia EC50/48h:</b> 23 mg/l <b>Algae IC50/72h:</b> 50.0000 mg/l
olonoxylamino	Fish LC50/96h: 110.0000 mg/l
Benzyl alcohol	<b>Daphnia EC50/48h:</b> 400.0000 mg/l <b>Algae IC50/72h:</b> 640.0000 mg/l
	Fish LC50/96h: 645.0000 mg/l
12.2. Persistence and degradab	ility
	No data is available on this product.
PBT	· · · · · · · · · · · · · · · · · · ·
	Not applicable.
12.3. Bioaccumulative potential	I was all bases.
	No data is available on this product.
Partition coefficient	· · · · · · · · · · · · · · · · · · ·
	Reprotec Deepfill - Curing Agent No data available
	. tep. 5.55 Soopini Caling , gotte 110 data available
12.4. Mobility in soil	
	No data is available on this product.
	The data is available on this product.

Revision 0

	Revision date 2018-10-10
12.5. Results of PBT and vPvB	
	No data is available on this product.
12.6. Other adverse effects	T
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	<u> </u>
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS.  08 02 wastes from MFSU of other coatings (including ceramic materials).  08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	
	mauon
Hazard pictograms	Г.
14.1. UN number	
	UN2735
14.2. UN proper shipping name	
	AMINES, LIQUID, CORROSIVE N.O.S. (Isophoronediamine)
14.3. Transport hazard class(es	· )
ADR/RID	8
Subsidiary risk	1 -
IMDG	8
Subsidiary risk	] -
IATA	8
Subsidiary risk	-
14.4. Packing group	

Revision 0 Revision date 2018-10-16

14.4. Packing group		
Packing group	III	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for us	er	
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.	
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	For transport approval see regulatory information.	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
IATA		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction (Passenger)	852	
Maximum quantity	5 L	
SECTION 15: Deculatory information		

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

#### **SECTION 16: Other information**

### Other information

Text of	Hazard	Statements	in
Section	3		

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Acute Tox. 4: H332 - Harmful if inhaled.

0 g/l.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

Maximum content of VOC

Revision 0 Revision date 2018-10-16

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.