

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Reprotec Easiflor - Base

Revision 1

Page

1/8

Revision date 2019-09-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	Reprotec Easiflor - Base		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Product Use	 [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC11] Non industrial spraying; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC11] Non industrial spraying; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC7] Industrial spraying; 		
1.3. Details of the supplier of the safety data sheet			
Company	RM Suppliers Ltd		
Address	38 High Street North		

Address	38 High Street North
	Langley Moor
	County Durham
	DH7 8JG
Web	www.rmsuppliers.com
Telephone	0191 3897067
Email address of the	sales@rmsuppliers.com
competent person	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.

 Revision
 1

 Revision date
 2019-09-30

2.2. Label elements		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .	
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
	P321 - Specific treatment (see on this label).	
	P332+P313 - If skin irritation occurs: Get medical advice/attention.	
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	
	P391 - Collect spillage.	
Precautionary Statement:	P501 - Dispose of contents/container to	
Disposal		
2.3. Other hazards		
Other hazards	No data is available on this product.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Bisphenol A-(epichlorhydrin)	603-074-00-8	25068-38-6	500-033-5	01-2119456619-26		Eye Irrit. 2: H319; Skin Irrit. 2:
(reaction product)						H315; Skin Sens. 1: H317;
						Aquatic Chronic 2: H411;
bisphenol F-epoxy resin		9003-36-5	500-006-8	01-2119454392-40		Skin Irrit. 2: H315; Skin Sens.
						1: H317; Eye Irrit. 2: H319;
						Aquatic Chronic 2: H411;
Oxiran, Mono[(C12-14-	603-103-00-4	68609-97-2	271-846-8	01-2119485289-22		Skin Irrit. 2: H315; Skin Sens.
alkyloxy)methyl]- derivative						1: H317;

SECTION 4: First aid measures 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).
SECTION 5: Firefighting me	asures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.

5.2. Special hazards arising from the substance or mixture



5.2. Special hazards arising from the substance or mixture				
	Burning produces irritating, toxic and o	pnoxious fumes.		
5.3. Advice for firefighters				
	Wear self contained breathing apparate sewers or drains.	is and protective clothing. Do not allow runoff water to enter		
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedu	res		
	Ensure adequate ventilation of the wor	king area. Avoid contact with skin and eyes.		
6.2. Environmental precautions				
	Do not allow product to enter drains. Do safe.	o not flush into surface water. Prevent further spillage if		
6.3. Methods and material for co	ntainment and cleaning up			
	Transfer to suitable, labelled containers water.	for disposal. Clean spillage area thoroughly with plenty of		
6.4. Reference to other sections	1			
	See section 8 for further information. See section 13 for further information.			
SECTION 7: Handling and st	torage			
7.1. Precautions for safe handlin	g			
	Ensure adequate ventilation of the wor Manual Handling considerations when	king area. Avoid contact with eyes and skin. Adopt best handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities			
	Keep containers tightly closed. Keep in containers.	a cool, dry, well ventilated area. Store in correctly labelled		
7.3. Specific end use(s)	-			
	See section 1.2. Relevant identified use further information.	es of the substance or mixture and uses advised against for		
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
	No exposure limit value known. If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods of the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.			
8.1.1. Exposure Limit Values				
Bisphenol A-(epichlorhydrin) (reaction product)	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 12.3		
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:		
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:		
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total		

8.2. Exposure controls



respirable dust:

respirable dust:

Revision 1 Revision date 2019-09-30

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Butyl rubber gloves. Chemical resistant gloves. Polyvinyl chloride - PVC ().
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Occupational exposure controls	Keep away from food, drink and animal feedingstuffs.
controis	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
••	Various
Odour	Slight
Initial boiling point	
Flash point	
-	1.13 (H2O = 1 @ 20 °C)
	700 mPas (Cone & Plate)
Explosive properties	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	No data available
Lower Explosive Limit	No data available
Vapour pressure	No data available
Vapour density	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Oxidising properties	No data available
Solubility	Slightly soluble in water

9.2. Other information

0 %
0 %
0 g/l
No data available
No data available
No data available

SECTION 10: Stability and reactivity



Revision 1 Revision date 2019-09-30

10.1. Reactivity			
	Stable under normal conditions.		
10.2. Chemical stability	1		
	Stable under normal conditions.		
10.3. Possibility of hazardous re	actions		
	No data is available on this product.		
10.4. Conditions to avoid	•		
	Heat will increase pressure in sealed containers.		
10.5. Incompatible materials	· ·		
	Carbon oxides.		
10.6. Hazardous decomposition	products		
	Will not decompose if stored and used as recommended.		
SECTION 11: Toxicological	information		
11.1. Information on toxicologica			
Skin corrosion/irritation	May cause irritation to skin.		
Serious eye damage/irritation	May cause irritation to eyes.		
Respiratory or skin	May cause sensitisation by skin contact.		
sensitisation			
Germ cell mutagenicity	No mutagenic effects reported.		
Carcinogenicity	No carcinogenic effects reported.		
Reproductive toxicity	No observed effect level. No teratogenic effects reported.		
Repeated or prolonged exposure	Once sensitised, an allergic reaction may occur when subsequently exposed to very low levels.		
11.1.4. Toxicological Information	1		
Bisphenol A-(epichlorhydrin)	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >2000mg/kg	
(reaction product)	Inhalation Rat LC50/4 h: >0.15mg/l		
bisphenol F-epoxy resin	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >5000mg/kg	
OFOTION 42: Feelegiest inf			
SECTION 12: Ecological info	onnauon		
12.1. Toxicity			
Bisphenol A-(epichlorhydrin) (reaction product)	Daphnia EC50/48h: 1.7000 mg/l	Algae IC50/72h: 9.4000 mg/l	
(·····	Fish LC50/96h: 1.5000 mg/l		
bisphenol F-epoxy resin	Daphnia EC50/48h: 1.6000 mg/l	Algae IC50/72h: 1.8000 mg/l	
	Fish LC50/96h: 0.5500 mg/l	Algae EC50/72h: 1.8	
12.2. Persistence and degradab	ility		
	Not readily biodegradable.		
12.3. Bioaccumulative potential			
F = - 2 / 1 / 1 / 1			
	Low.		
Partition coefficient	1		



Reprotec Easiflor - Base No data available

	Revision date 2019-09-30
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	
	08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN3082
14.2. UN proper shipping name	
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A-Epoxy Resin)
14.3. Transport hazard class(es)	
ADR/RID	9
Subsidiary risk	-
IMDG	9

-9

-

Ш

Subsidiary risk

Subsidiary risk

Packing group

14.4. Packing group

IATA



Revision 1 Revision date 2019-09-30

14.5. Environmental hazards		
Environmental hazards	Yes	
Marine pollutant	Yes	
14.6. Special precautions for user		
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
	For transport approval see regulatory information.	
ADR/RID		
Hazard ID	90	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-F	
ΙΑΤΑ		
Packing Instruction (Cargo)	964	
Maximum quantity	450 L	
Packing Instruction	964	
(Passenger) Maximum quantity	450 L	
· · ·		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
15.2. Chemical safety assessment		
	This product contains substances for which Chemical Safety Assessments are still required.	
SECTION 16: Other information		
Other information		

Revision	This document differs from the previous version in the following areas:.	
	4 - Eye contact.	
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.	
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
Maximum content of VOC	0 g/l.	
Further information		

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and



Further information	
	belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

