

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Reprotec Epoxybond - Base

Revision 1 Revision date 2019-09-30

Page

1/8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	Reprotec Epoxybond - Base		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Product Use	 [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC11] Non industrial spraying; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC11] Non industrial spraying; [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC7] Industrial spraying; 		
1.3. Details of the supplier of the safety data sheet			
Company	PM Suppliers Ltd		

CompanyRM Suppliers LtdAddress38 High Street North
Langley Moor
County Durham
DH7 8JGWebwww.rmsuppliers.comTelephone0191 3897067Email address of the
competent personsales@rmsuppliers.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Warning	
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.	
	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.	
Prevention	P264 - Wash thoroughly after handling.	
	P272 - Contaminated work clothing should not be allowed out of the workplace.	
	P273 - Avoid release to the environment.	

Revision 1 **Revision date** 2019-09-30

2.2. Label elements	
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	 P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P391 - Collect spillage.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to
2.3. Other hazards	
Other hazards	No data is available on this product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Bisphenol A-(epichlorhydrin)	603-074-00-8	25068-38-6	500-033-5	01-2119456619-26		Eye Irrit. 2: H319; Skin Irrit. 2:
(reaction product)						H315; Skin Sens. 1: H317;
						Aquatic Chronic 2: H411;
bisphenol F-epoxy resin		9003-36-5	500-006-8	01-2119454392-40		Skin Irrit. 2: H315; Skin Sens.
						1: H317; Eye Irrit. 2: H319;
						Aquatic Chronic 2: H411;
Oxiran, Mono[(C12-14-	603-103-00-4	68609-97-2	271-846-8	01-2119485289-22		Skin Irrit. 2: H315; Skin Sens.
alkyloxy)methyl]- derivative						1: H317;

4.1. Description of first aid measures

4.1. Description of first aid me				
Inhalation	Move the exposed person to fresh air.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing.			
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.			
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.			
4.2. Most important symptoms and effects, both acute and delayed				
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.			
Eye contact	May cause irritation to eyes.			
Skin contact	May cause irritation to skin.			
Ingestion	Ingestion may cause nausea and vomiting.			
4.3. Indication of any immedia	te medical attention and special treatment needed			
Inhalation	Seek medical attention if irritation or symptoms persist.			
Eye contact	Seek medical attention if irritation or symptoms persist.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	If you feel unwell, seek medical advice (show the label where possible).			
SECTION 5: Firefighting n	neasures			
5.1 Extinguishing media				

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.

5.2. Special hazards arising from the substance or mixture



5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and ol	pnoxious fumes.
5.3. Advice for firefighters	<u>.</u>	
	Wear self contained breathing apparatu sewers or drains.	is and protective clothing. Do not allow runoff water to enter
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedu	res
	Ensure adequate ventilation of the work	king area. Avoid contact with skin and eyes.
6.2. Environmental precautions		
	Do not allow product to enter drains. Do safe.	o not flush into surface water. Prevent further spillage if
6.3. Methods and material for co	ntainment and cleaning up	
	Transfer to suitable, labelled containers water.	for disposal. Clean spillage area thoroughly with plenty of
6.4. Reference to other sections		
	See section 8 for further information. See section 13 for further information.	
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handlin		
	• I	king area. Avoid contact with eyes and skin. Adopt best
	Manual Handling considerations when	
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep containers tightly closed. Keep in containers.	a cool, dry, well ventilated area. Store in correctly labelled
7.3. Specific end use(s)		
	See section 1.2. Relevant identified use further information.	es of the substance or mixture and uses advised against for
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters	_ · _ ·	
	workplace atmosphere or biological mo the ventilation or other control measure equipment. Reference should be made	roduct contains ingredients with exposure limits, personal, nitoring may be required to determine the effectiveness of s and/or the necessity to use respiratory protective to European Standard EN 689 for methods of the o chemical agents and national guidance documents for dous substances.
8.1.1. Exposure Limit Values		
Bisphenol A-(epichlorhydrin) (reaction product)	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 12.3
	WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:

8.2. Exposure controls



8.2. Exposure controls

Page 4/8

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.	
controls		
8.2.2. Individual protection	Wear protective clothing.	
measures		
Eye / face protection	Approved safety goggles.	
Skin protection -	Butyl rubber gloves. Chemical resistant gloves. Polyvinyl chloride - PVC ().	
Handprotection		
Skin protection - Other	Wear suitable protective clothing.	
Respiratory protection	Wear suitable respiratory equipment when necessary.	
Occupational exposure	Keep away from food, drink and animal feedingstuffs.	
controls		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Various
Odour	Slight
Initial boiling point	100 °C
Flash point	130 °C
Relative density	1.13 (H2O = 1 @ 20 °C)
Viscosity	700 mPas (Cone & Plate)
pH	No data available
Melting point	No data available
Freezing Point	No data available
Explosive properties	No data available
Oxidising properties	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	
Lower Explosive Limit	
	No data available
Vapour density	No data available
Solubility	Slightly soluble in water

9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	0 g/l
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity



Revision 1 Revision date 2019-09-30

10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
40.2 Descibility of borondous re		
10.3. Possibility of hazardous re		
	No data is available on this product.	
10.4. Conditions to avoid	I	
	Heat will increase pressure in sealed containers.	
10.5. Incompatible materials		
	Carbon oxides.	
10.6. Hazardous decomposition	products	
	Will not decompose if stored and used as recommended.	
SECTION 11: Toxicological	information	
11.1. Information on toxicologica	al effects	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Carcinogenicity	No carcinogenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects reported.	
Repeated or prolonged exposure	Once sensitised, an allergic reaction may occur when subs	sequently exposed to very low levels.
11.1.4. Toxicological Information	1	
Bisphenol A-(epichlorhydrin) (reaction product)	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >2000mg/kg
	Inhalation Rat LC50/4 h: >0.15mg/l	
bisphenol F-epoxy resin	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >5000mg/kg
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Bisphenol A-(epichlorhydrin)	Daphnia EC50/48h: 1.7000 mg/l	Algae IC50/72h: 9.4000 mg/l
(reaction product)	Fish LC50/96h: 1.5000 mg/l	
bisphenol F-epoxy resin	Daphnia EC50/48h: 1.6000 mg/l	Algae IC50/72h: 1.8000 mg/l
	Fish LC50/96h: 0.5500 mg/l	Algae EC50/72h: 1.8
12.2. Persistence and degradab	ility	
	Not readily biodegradable.	
12.3. Bioaccumulative potential	1	
	Low.	
Partition coefficient	1	



Reprotec Epoxybond - Base No data available

12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal consi	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	
	08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport infor	mation
Hazard pictograms	
14.1. UN number	
	UN3082
14.2. UN proper shipping name	
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A-Epoxy Resin)
14.3. Transport hazard class(es)	
ADR/RID	9
Subsidiary risk	-
IMDG	9

-9

-

Ш

Subsidiary risk

Subsidiary risk

Packing group

14.4. Packing group

IATA



	Revision date 2019-09-00
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
14.6. Special precautions for us	er
	Always transport in closed containers that are upright and secure. Ensure that persons
	transporting the product know what to do in the event of a spillage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For transport approval see regulatory information.
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
ΙΑΤΑ	
Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction	964
(Passenger)	
Maximum quantity	450 L
SECTION 15: Regulatory int	formation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	ent

Т

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	4 - Eye contact.
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Maximum content of VOC	0 g/l.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and



Further information	
	belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

