

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

## **Reprotec Flexiflor - Curing Agent**

Revision 0 Revision date 2018-10-16

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product name	Reprotec Flexiflor - Curing Agent			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers;			
1.3. Details of the supplier of the safety data sheet				
Company	RM Suppliers Ltd			
Address	38 High Street North Langley Moor County Durham DH7 8JG			
Web	www.rmsuppliers.com			
Telephone	0191 3897067			
Email address of the competent person	sales@rmsuppliers.com			

#### **SECTION 2: Hazards identification**

2.1. Classification of the substan	ce or mixture		
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;		
2.2. Label elements			
Hazard pictograms			
Signal Word	Danger		
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.		
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.		
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.		
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.		
	P264 - Wash thoroughly after handling.		
	P270 - Do no eat, drink or smoke when using this product.		
	P272 - Contaminated work clothing should not be allowed out of the workplace.		
	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.		
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .		



2.2. Label elements	
	<ul> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 -Immediately call a POISON CENTER/doctor/ .</li> <li>P321 - Specific treatment (see on this label).</li> <li>P330 - Rinse mouth.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P363 - Wash contaminated clothing before reuse.</li> </ul>
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
3-Aminomethyl-3,5,5-trimethylcyclo hexylamine	612-067-00-9	2855-13-2	220-666-8	01-2119514687-32	10 - 20%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	10 - 20%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;
trimethylhexamethylenediamine		25620-58-0	247-134-8	01-2119560598-25	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Move the exposed person to fresh air.		
Rinse immediately with plenty of water for 15 minutes holding the eyelids open.		
Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.		
nd effects, both acute and delayed		
Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Risk of serious damage to eyes.		
May cause irritation to skin.		
Causes burns. Ingestion may cause nausea and vomiting.		
medical attention and special treatment needed		
If you feel unwell, seek medical advice (show the label where possible).		
Seek medical attention.		
Seek medical attention if irritation or symptoms persist.		
Seek medical attention.		

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media



5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam, Water. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self contained breathing apparatus and protective clothing.
Further information	
	Dispose of as special waste in compliance with official regulations.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	ng
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves. Butyl rubber gloves.
Skin protection - Other	Wear suitable protective clothing.



# 8.2. Exposure controls Respiratory protection Wear suitable respiratory equipment when necessary. Occupational exposure Keep away from food, drink and animal feedingstuffs.

controls

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
Flash point	132 °C
Viscosity	350 mPas (Cone & Plate)
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
рН	No data available
Melting point	No data available
Freezing Point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Initial boiling point	> 100 °C
Solubility	Slightly soluble in water

#### 9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	Reacts with Acids, Alkalis, Oxidising Agents.	
10.4. Conditions to avoid		
	Heat.	
10.5. Incompatible materials		
	Strong oxidising agents.	
10.6. Hazardous decomposition products		

#### 10.6. Hazardous decomposition products

	No data is available on this product.				
SECTION 11: Toxicological	SECTION 11: Toxicological information				
11.1. Information on toxicologica	al effects				
Skin corrosion/irritation	Causes burns.				
Serious eye damage/irritation	Risk of serious damage to eyes.				
Respiratory or skin sensitisation	May cause sensitisation by skin contact.				
Germ cell mutagenicity	No mutagenic effects reported.				
Reproductive toxicity	No observed effect level. No teratogenic effects reported.				
11.1.4. Toxicological Information	ı				
3-Aminomethyl-3,5,5-trimethylcy clohexylamine	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: 1030mg/kg			
	Dermal Rabbit LD50: 1840mg/kg				
Benzyl alcohol	Oral Rat LD50: 1230mg/kg	Dermal Rabbit LD50: 2000mg/kg			
trimethylhexamethylenediamine	Oral Rat LD50: 910mg/kg				

11.1.13. Other information

Swallowing will lead to a strong caustic effect on mouth and throat and danger of perforation of esophagus and stomach.

#### **SECTION 12: Ecological information**

12.1. Toxicity

3-Aminomethyl-3,5,5-trimethylcy clohexylamine	Daphnia EC50/48h: 23 mg/l	Algae IC50/72h: 50.0000 mg/l
	Fish LC50/96h: 110.0000 mg/l	
Benzyl alcohol	Daphnia EC50/48h: 400.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
	Fish LC50/96h: 645.0000 mg/l	
trimethylhexamethylenediamine	Daphnia EC50/48h: 31.5 mg/l	Algae IC50/72h: 29.5000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	

#### 12.2. Persistence and degradability

	No data is available on this product.		
PBT			
	Not applicable.		
12.3. Bioaccumulative potential			

	No data is available on this product.		
Partition coefficient			
	Reprotec Flexiflor - Curing Agent No data available		
12.4. Mobility in soil			
	Slightly miscible in water.		
12.5. Results of PBT and vPvB assessment			
	No data is available on this product.		
12.6. Other adverse effects			
	No data is available on this product.		



 Revision
 0

 Revision date
 2018-10-16

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	Dispose of in compliance with all local and national regulations.	
General information		
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS. 08 02 wastes from MFSU of other coatings (including ceramic materials). 08 02 99 wastes not otherwise specified.	
Disposal methods		
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.	
Disposal of packaging		
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.	

#### **SECTION 14: Transport information**

#### Hazard pictograms



#### 14.1. UN number

UN2735

#### 14.2. UN proper shipping name

	AMINES, LIQUID, CORROSIVE N.O.S. (Contains Isophorone Diamine)	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	-	
IMDG	8	
Subsidiary risk	-	
ΙΑΤΑ	8	
Subsidiary risk	-	
14.4. Packing group		
Packing group	111	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for user		

Copyright © 2020 ChemSoft. All rights reserved.



14.6. Special precautions for us	er
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For transport approval see regulatory information.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
ΙΑΤΑ	·
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L
SECTION 15: Regulatory in	formation
15.1. Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,
	amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	ent
	This product contains substances for which Chemical Safety Assessments are still required.
SECTION 16: Other information	tion
Other information	
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 4: H332 - Harmful if inhaled. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
Maximum content of VOC	0 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.



combination with any other materials or in any other process.