



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Reprotec Maxigrip - Base

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|--------------------------|
| Product name | Reprotec Maxigrip - Base |
|--------------|--------------------------|

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|---|
| Product Use | [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; ----- [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC11] Non industrial spraying; ----- [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC7] Industrial spraying; |
|-------------|---|

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------------------------|--|
| Company | RM Suppliers Ltd |
| Address | 38 High Street North Langley Moor County Durham DH7 8JG |
| Web | www.rmsuppliers.com |
| Telephone | 0191 3897067 |
| Email address of the competent person | sales@rmsuppliers.com |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| | |
|--------------------------------------|---|
| 2.1.2. Classification - EC 1272/2008 | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411; |
|--------------------------------------|---|

2.2. Label elements

| | |
|-------------------------------------|---|
| Hazard pictograms | |
| Signal Word | Warning |
| Hazard Statement | Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. |
| Precautionary Statement: Prevention | P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. |

Reprotec Maxigrip - Base

Revision 0
Revision date 2018-10-11

2.2. Label elements

| | |
|--|---|
| Precautionary Statement: Response | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P302+P352 - IF ON SKIN: Wash with plenty of water/ . |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P321 - Specific treatment (see on this label). |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| Precautionary Statement: Disposal | P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| | P391 - Collect spillage. |
| | P501 - Dispose of contents/container to |

2.3. Other hazards

| | |
|----------------------|---------------------------------------|
| Other hazards | No data is available on this product. |
|----------------------|---------------------------------------|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|---------------------------|--------------|---|
| Bisphenol A-(epichlorhydrin) (reaction product) | 603-074-00-8 | 25068-38-6 | 500-033-5 | 01-2119456619-26 | 50 - 60% | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; |
| bisphenol F-epoxy resin | | 9003-36-5 | 500-006-8 | 01-2119454392-40 | 10 - 20% | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411; |
| Oxiran, Mono[(C12-14-alkyloxy)methyl]- derivative | 603-103-00-4 | 68609-97-2 | 271-846-8 | 01-2119485289-22 | 1 - 10% | Skin Irrit. 2: H315; Skin Sens. 1: H317; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. |
| Ingestion | Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Inhalation | Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. |
| Eye contact | May cause irritation to eyes. |
| Skin contact | May cause irritation to skin. |
| Ingestion | Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------|--|
| Inhalation | Seek medical attention if irritation or symptoms persist. |
| Eye contact | Seek medical attention if irritation or symptoms persist. |
| Skin contact | Seek medical attention if irritation or symptoms persist. |
| Ingestion | If you feel unwell, seek medical advice (show the label where possible). |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|--|
| | Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet. |
|--|--|

5.2. Special hazards arising from the substance or mixture

Reprotec Maxigrip - Base

Revision 0

Revision date 2018-10-11

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear self contained breathing apparatus and protective clothing. Do not allow runoff water to enter sewers or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 8 for further information.
See section 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.

7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limit value known. If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods of the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

8.1.1. Exposure Limit Values

| | | |
|--|--|--|
| Bisphenol A-(epichlorhydrin) (reaction product) | WEL 8-hr limit ppm: | WEL 8-hr limit mg/m3: 12.3 |
| | WEL 15 min limit ppm: | WEL 15 min limit mg/m3: |
| | WEL 8-hr limit mg/m3 total inhalable dust: | WEL 15 min limit mg/m3 total inhalable dust: |
| | WEL 8-hr limit mg/m3 total respirable dust: | WEL 15 min limit mg/m3 total respirable dust: |


8.2. Exposure controls

Reprotec Maxigrip - Base

Revision 0

Revision date 2018-10-11

8.2. Exposure controls

| | |
|---|---|
| |  |
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. |
| 8.2.2. Individual protection measures | Wear protective clothing. |
| Eye / face protection | Approved safety goggles. |
| Skin protection - Handprotection | Butyl rubber gloves. Chemical resistant gloves. Polyvinyl chloride - PVC (). |
| Skin protection - Other | Wear suitable protective clothing. |
| Respiratory protection | Wear suitable respiratory equipment when necessary. |
| Occupational exposure controls | Keep away from food, drink and animal feedingstuffs. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------|-------------------------------------|
| Appearance | Liquid |
| Colour | Black |
| Odour | Slight |
| Initial boiling point | 100 °C |
| Flash point | 130 °C |
| Relative density | 1.13 (H ₂ O = 1 @ 20 °C) |
| Viscosity | 700 mPas (Cone & Plate) |
| pH | No data available |
| Melting point | No data available |
| Freezing Point | No data available |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Fat Solubility | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper Explosive Limit | No data available |
| Lower Explosive Limit | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Solubility | Slightly soluble in water |

9.2. Other information

| | |
|----------------------------------|-------------------|
| Benzene Content | 0 % |
| Lead content | 0 % |
| VOC (Volatile organic compounds) | 0 g/l |
| Conductivity | No data available |
| Surface tension | No data available |
| Gas group | No data available |

SECTION 10: Stability and reactivity

Reprotec Maxigrip - Base

Revision 0
Revision date 2018-10-11

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Heat will increase pressure in sealed containers.

10.5. Incompatible materials

Carbon oxides.

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | May cause irritation to skin. |
| Serious eye damage/irritation | May cause irritation to eyes. |
| Respiratory or skin sensitisation | May cause sensitisation by skin contact. |
| Germ cell mutagenicity | No mutagenic effects reported. |
| Carcinogenicity | No carcinogenic effects reported. |
| Reproductive toxicity | No observed effect level. No teratogenic effects reported. |
| Repeated or prolonged exposure | Once sensitised, an allergic reaction may occur when subsequently exposed to very low levels. |

11.1.4. Toxicological Information

| | | |
|--|------------------------------------|---------------------------|
| Bisphenol A-(epichlorhydrin) (reaction product) | Dermal Rat LD50: >2000mg/kg | Oral Rat LD50: >2000mg/kg |
| | Inhalation Rat LC50/4 h: >0.15mg/l | |
| bisphenol F-epoxy resin | Dermal Rat LD50: >2000mg/kg | Oral Rat LD50: >5000mg/kg |

SECTION 12: Ecological information

12.1. Toxicity

| | | |
|--|-------------------------------|-----------------------------|
| Bisphenol A-(epichlorhydrin) (reaction product) | Daphnia EC50/48h: 1.7000 mg/l | Algae IC50/72h: 9.4000 mg/l |
| | Fish LC50/96h: 1.5000 mg/l | |
| bisphenol F-epoxy resin | Daphnia EC50/48h: 1.6000 mg/l | Algae IC50/72h: 1.8000 mg/l |
| | Fish LC50/96h: 0.5500 mg/l | Algae EC50/72h: 1.8 |

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

Low.

Partition coefficient

Reprotec Maxigrip - Base No data available

12.4. Mobility in soil

Reprotec Maxigrip - Base

Revision 0

Revision date 2018-10-11

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.

General information

08 02 99 wastes not otherwise specified.

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Disposal of packaging

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN3082

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A-Epoxy Resin)

14.3. Transport hazard class(es)

| | |
|-----------------|---|
| ADR/RID | 9 |
| Subsidiary risk | - |
| IMDG | 9 |
| Subsidiary risk | - |
| IATA | 9 |
| Subsidiary risk | - |

14.4. Packing group

Packing group III

Reprotec Maxigrip - Base

Revision 0

Revision date 2018-10-11

14.5. Environmental hazards

| | |
|-----------------------|-----|
| Environmental hazards | Yes |
| Marine pollutant | Yes |

14.6. Special precautions for user

| | |
|--|---|
| | Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage. |
|--|---|

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

| | |
|--|--|
| | For transport approval see regulatory information. |
|--|--|

ADR/RID

| | |
|-----------------|-----|
| Hazard ID | 90 |
| Tunnel Category | (E) |

IMDG

| | |
|----------|---------|
| EmS Code | F-A S-F |
|----------|---------|

IATA

| | |
|---------------------------------|-------|
| Packing Instruction (Cargo) | 964 |
| Maximum quantity | 450 L |
| Packing Instruction (Passenger) | 964 |
| Maximum quantity | 450 L |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|-------------|--|
| Regulations | <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> |
|-------------|--|

15.2. Chemical safety assessment

| | |
|--|--|
| | This product contains substances for which Chemical Safety Assessments are still required. |
|--|--|

SECTION 16: Other information

Other information

| | |
|--|--|
| Text of Hazard Statements in Section 3 | <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p> |
| Maximum content of VOC | 0 g/l. |

Further information

| | |
|--|--|
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in |
|--|--|

Reprotec Maxigrip - Base

Revision 0

Revision date 2018-10-11

Further information

| | |
|--|---|
| | combination with any other materials or in any other process. |
|--|---|
