

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

## Reprotec Maxigrip - Curing Agent

Revision n Revision date 2018-10-16

SECTION 1: Identification of the substance/mixture and of the	ne company/undertaking
1.1. Product identifier	

Product name	Reprotec Maxigrip - Curing Agent
--------------	----------------------------------

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a]
	Coatings and paints, thinners, paint removers;

#### 1.3. Details of the supplier of the safety data sheet

Company RM Suppliers	
Address	38 High Street North
	Langley Moor
	County Durham

County Durham DH7 8JG

Web www.rmsuppliers.com

**Telephone** 0191 3897067

Email address of the sales@rmsuppliers.com competent person

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	
1272/2008	

Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

#### 2.2. Label elements

#### Hazard pictograms





### Signal Word

# Danger

**Hazard Statement** Acute Tox. 4: H302 - Harmful if swallowed.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

#### **Precautionary Statement:**

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** 

Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+P352 - IF ON SKIN: Wash with plenty of water/ .

Revision 0 Revision date 2018-10-16

#### 2.2. Label elements

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/.

P321 - Specific treatment (see on this label).

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

Precautionary Statement: Storage

P405 - Store locked up.

Precautionary Statement:

P501 - Dispose of contents/container to

Disposal

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
3-Aminomethyl-3,5,5-trimethylcyclo hexylamine	612-067-00-9	2855-13-2	220-666-8	01-2119514687-32	10 - 20%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	10 - 20%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;
trimethylhexamethylenediamine		25620-58-0	247-134-8	01-2119560598-25	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.		

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.	
Eye contact	Risk of serious damage to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.	

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention.	

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Revision 0 Revision date 2018-10-16

	Revision date 2016-10-10
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam, Water. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self contained breathing apparatus and protective clothing.
Further information	
	Dispose of as special waste in compliance with official regulations.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
on a contain procedure its, procedure its, procedure its containing in the containing its contai	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. Avoid contact with skin and eyes.
6.2. Environmental precautions	h construction of the cons
,	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	· · · · · · · · · · · · · · · · · · ·
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	g
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure contro	ols/personal protection
8.1. Control parameters	
у по от того и по от того от т	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.
8.2. Exposure controls	· · · · · · · · · · · · · · · · · · ·
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves. Butyl rubber gloves.
Skin protection - Other	Wear suitable protective clothing.

Revision 0 Revision date 2018-10-16

#### 8.2. Exposure controls

Respiratory protection	Wear suitable respiratory equipment when necessary.	
Occupational exposure	Keep away from food, drink and animal feedingstuffs.	
controls		

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

	Liquid
Colour A	Amber
Odour C	Characteristic
Flash point 1	132 °C
Viscosity 3	350 mPas (Cone & Plate)
Explosive properties N	No data available
Oxidising properties N	No data available
Odour threshold N	No data available
pH N	No data available
Melting point N	No data available
Freezing Point N	No data available
Evaporation rate N	No data available
Flammability (solid, gas)	No data available
Vapour pressure N	No data available
Vapour density N	No data available
Relative density N	No data available
Fat Solubility N	No data available
Partition coefficient N	No data available
Autoignition temperature N	No data available
Initial boiling point >	> 100 °C
Solubility S	Slightly soluble in water

#### 9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	0 g/l
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

# SECTION 10: Stability and reactivity

10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	Reacts with Acids, Alkalis, Oxidising Agents.	
10.4. Conditions to avoid		
	Heat.	
10.5. Incompatible materials		
	Strong oxidising agents.	

Revision 0 Revision date 2018-10-16

10.6. Hazardous decomposition products						
	No data is available on this product.					
SECTION 11: Toxicological	SECTION 11: Toxicological information					
11.1. Information on toxicological effects						
Skin corrosion/irritation	Causes burns.					
Serious eye damage/irritation	Risk of serious damage to eyes.					
Respiratory or skin	May cause sensitisation by skin contact.					
sensitisation						
Germ cell mutagenicity	No mutagenic effects reported.					
Reproductive toxicity	No observed effect level. No teratogenic effects reported.					
11.1.4. Toxicological Information						
3-Aminomethyl-3,5,5-trimethylcy clohexylamine	Dermal Rat LD50: >2000mg/kg Ora	al Rat LD50: 1030mg/kg				
Goriexylamilie	Dermal Rabbit LD50: 1840mg/kg					
Benzyl alcohol	Oral Rat LD50: 1230mg/kg Dermal R	Rabbit LD50: 2000mg/kg				
trimethylhexamethylenediamine	Oral Rat LD50: 910mg/kg					
11.1.13. Other information						
11.1.13. Other information	Cuallouing will lead to a strong countin offeet on mouth and threat and	donger of perferetion of				
	Swallowing will lead to a strong caustic effect on mouth and throat and esophagus and stomach.	danger of perforation of				
SECTION 12: Ecological info	ormation					
12.1. Toxicity						
3-Aminomethyl-3,5,5-trimethylcy	Daphnia EC50/48h: 23 mg/l Alga	ne IC50/72h: 50.0000 mg/l				
clohexylamine	Fish LC50/96h: 110.0000 mg/l					
Benzyl alcohol		ne IC50/72h: 640.0000 mg/l				
•	Fish LC50/96h: 645.0000 mg/l					
trimethylhexamethylenediamine	Daphnia EC50/48h: 31.5 mg/l Alga	ne IC50/72h: 29.5000 mg/l				
	Fish LC50/96h: 1000.0000 mg/l					
12.2. Persistence and degradab	oility	_				
	No data is available on this product.					
PBT						
	Not applicable.					
12.3. Bioaccumulative potential						
	No data is available on this product.					
Partition coefficient						
	Reprotec Maxigrip - Curing Agent No data available					
12.4. Mobility in soil						
	Slightly miscible in water.					
12.5. Results of PBT and vPvB						
	No data is available on this product.					
12.6. Other adverse effects						
	No data is available on this product.					
	Two data is available off this product.					

Revision (

OFOTION 40. Diseased as	Revision date 2018-10-16
SECTION 13: Disposal co	
13.1. Waste treatment metho	
	Dispose of in compliance with all local and national regulations.
General information	
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS.  08 02 wastes from MFSU of other coatings (including ceramic materials).  08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport in	nformation
Hazard pictograms	
14.1. UN number	•
	UN2735
14.2. UN proper shipping nan	
1 1 11 0	AMINES, LIQUID, CORROSIVE N.O.S. (Contains Isophorone Diamine)
14.3. Transport hazard class(	
ADR/RID	8
Subsidiary risk IMDG	- 8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for	user

Revision 0
Revision date 2018-10-16

14.6. Special precautions for user				
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.			
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code				
	For transport approval see regulatory information.			
ADR/RID				
Hazard ID	80			
Tunnel Category	(E)			
IMDG				
EmS Code	F-A S-B			
IATA				
Packing Instruction (Cargo)	856			
Maximum quantity	60 L			
Packing Instruction (Passenger)	852			
Maximum quantity	5 L			
OCCITION 45: De miletere information				

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

#### **SECTION 16: Other information**

#### Other information

Text of Hazard	Statements	in
Section 3		

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

ChemSoft EH&S

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Acute Tox. 4: H332 - Harmful if inhaled.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

#### Maximum content of VOC

0 g/l.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.