

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 1/6/2023 Revision date: 1/6/2023 Supersedes version of: 1/6/2023 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product form Product name Product code	: Mixture : Sprayco K1-60 : 05000		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
1.2.1. Relevant identified uses			
Use of the substance/mixture	: Cold applied bitumen emulsion tack coat		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the safet	y data sheet		
Jobling Purser Paradise Works Scotswood Road NE15 6BZ Newcastle – Tyne And Wear England T 0191 2732331 (Office Hours 7am - 5pm) - F info@joblingpurser.com - www.joblingpurser.com			
1.4. Emergency telephone number			
Emergency number	: 0191 2732331		
SECTION 2: Hazards identification			
2.1. Classification of the substance or	mixture		
Classification according to Regulation (EC)	No. 1272/2008 [CLP]		
Hazardous to the aquatic environment — Chro Full text of H and EUH statements: see section			
Adverse physicochemical, human health ar	nd environmental effects		
Harmful to aquatic life with long lasting effects.			
2.2. Label elements			
Labelling according to Regulation (EC) No.	1272/2008 [CLP]		
Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	 - H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 		
2.3. Other hazards			

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

32	Mixtures
·	mixtui oo

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Asphalt substance with national workplace exposure limit(s) (GB)	CAS-No.: 8052-42-4 EC-No.: 232-490-9	< 10	Not classified
Amines, N-(C16-18 (even numbered) and C18- unsatd. alkyl) trimethylene-, thoxylated (01- 2119962190-43)	CAS-No.: 1290049-56-7 EC-No.: 800-029-6	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
HYDROCHLORIC ACID100% substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-01-X	< 5	Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
DI METHOXYPROPANOL substance with a Community workplace exposure limit	CAS-No.: 34590-94-8	< 5	Not classified

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
HYDROCHLORIC ACID100%	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-01-X	(10 ≤C ≤ 25) Skin Irrit. 2, H315 (10 ≤C ≤ 25) Eye Irrit. 2, H319 (10 ≤C < 100) STOT SE 3, H335 (25 ≤C < 100) Skin Corr. 1B, H314	

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the sub	stance or mixture
Hazardous decomposition products in case of fire	e ː Toxic fumes may be released.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measur	es
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	and cleaning up
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Asphalt (8052-42-4)		
United Kingdom - Occupational Exposure Limits		
WEL TWA [1]	5 mg/m³	
WEL STEL	10 mg/m ³	
DI METHOXYPROPANOL (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m ³	
IOEL TWA [ppm]	50 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

HYDROCHLORIC ACID100% (7647-01-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL STEL	15 mg/m³	
IOEL STEL [ppm]	10 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA [1]	2 mg/m ³	
WEL TWA [2]	1 ppm	
WEL STEL	8 mg/m³	
WEL STEL (ppm)	5 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liguid
Colour	: Black.
Odour	: Characteristic odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: N/A
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1 Information on toxicological effect	ots		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Asphalt (8052-42-4)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 inhalation rat (mg/l)	> 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Amines, N-(C16-18 (even numbered) and C18	-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7)	
LD50 oral rat	200 – 2000 mg/kg	
HYDROCHLORIC ACID100% (7647-01-0)		
LD50 oral rat	2222 mg/kg	
LD50 dermal rabbit	5010 mg/kg	
LC50 inhalation rat (mg/l)	45.6 mg/l	
Skin corrosion/irritation :	Not classified	
HYDROCHLORIC ACID100% (7647-01-0)		
рН	<1	
Serious eye damage/irritation :	Not classified	
HYDROCHLORIC ACID100% (7647-01-0)		
рН	< 1	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
, ,	Not classified	
Amines, N-(C16-18 (even numbered) and C18-	-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7)	
NOAEL (animal/male, F0/P)	1 mg/kg bodyweight	
NOAEL (animal/female, F0/P)	> 25 mg/kg bodyweight	
NOAEL (animal/male, F1)	> 25 mg/kg bodyweight	
NOAEL (animal/female, F1)	> 25 mg/kg bodyweight	
STOT-single exposure :	Not classified	
HYDROCHLORIC ACID100% (7647-01-0)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Asphalt (8052-42-4)		
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.0207 mg/l air Animal: rat, Guideline: other:OECD 451	
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7)		
NOAEL (oral, rat, 90 days)	0.4 mg/kg bodyweight/day	
NOAEL (subacute, oral, animal/male, 28 days)	0.4 mg/kg bodyweight	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information 12.1. Toxicity : Harmful to aquatic life with long lasting effects. Ecology - general Hazardous to the aquatic environment, short-term : Not classified (acute) : Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7) LC50 - Fish [1] 0.13 mg/l EC50 - Daphnia [1] 0.31 mg/l ErC50 other aquatic plants 0.016 mg/l EC10, daphnia 0.02 mg/l (21 days) NOEC, algae 0.01 mg/l NOAEC, Soil 500 mg/l HYDROCHLORIC ACID...100% (7647-01-0) LC50 - Fish [1] 20.5 mg/l EC50 - Daphnia [1] 0.73 mg/l EC50 - Other aquatic organisms [2] 0.23 mg/l EC50 72h - Algae [1] 0.73 mg/l 12.2. Persistence and degradability Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7) Biodegradation 61 % 12.3. Bioaccumulative potential Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7) Partition coefficient n-octanol/water (Log Pow) 2.8 25° 12.4. Mobility in soil

Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylene-, thoxylated (01-2119962190-43) (1290049-56-7) Organic Carbon Normalized Adsorption Coefficient 43274 (Log Koc)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information				
n accordance with ADR / IMI	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name	· ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	· ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	on available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.