

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Reprotec Tufflor Cold Cure - Curing Agent

Revision 0 Revision date 2018-10-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	Reprotec Tufflor Cold Cure - Curing Agent
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [ERC2] Formulation of preparations;
1.3. Details of the supplier of the	safety data sheet
Company	RM Suppliers Ltd
Address	38 High Street North Langley Moor County Durham DH7 8JG
Web	www.rmsuppliers.com
Telephone	0191 3897067
Email address of the competent person	sales@rmsuppliers.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;
2.2. Label elements	

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.



2.2. Label elements	
Precautionary Statement: Response	 P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of water/. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to
2.3. Other hazards	
Other hazards	No data is available on this product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	20 - 30% Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	20 - 30% Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Move the exposed person to fresh air. Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Risk of serious damage to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Seek medical attention.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention.
SECTION 5: Firefighting mea	asures



5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self contained breathing apparatus and protective clothing.
Further information	
	Dispose of as special waste in compliance with official regulations.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	g
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.
7.3. Specific end use(s)	
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.
SECTION 8: Exposure contro	ols/personal protection
8.1. Control parameters	
	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace. WEL-8hr Limit - 90mg/m3, (Benzyl Alcohol).
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.



 Revision
 0

 Revision date
 2018-10-16

8.2. Exposure controls	
Eye / face protection	Approved safety goggles.
Skin protection -	Wear suitable gloves.
Handprotection	
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Occupational exposure	Keep away from food, drink and animal feedingstuffs.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light yellow
Odour	Characteristic
Flash point	100 °C
Vapour pressure	10 Pa
Autoignition temperature	380 °C
Viscosity	200 mPas (Cone & Plate)
Relative density	1.06 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Explosive properties	No data available
Oxidising properties	No data available
Vapour density	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	> 200 °C
Solubility	Insoluble in water

9.2. Other information

Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic	0 g/l
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity	
	Stable under normal conditions.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Reacts with. Acids. Alkalis. Oxidising agents.
10.4. Conditions to avoid	
	No data is available on this product.



		Revision date 2018-10-
10.5. Incompatible materials		
	Strong oxidising agents.	
10.6. Hazardous decomposition	n products	
	No data is available on this product.	
SECTION 11: Toxicological	information	
11.1. Information on toxicologic		
Skin corrosion/irritation	May cause severe irritation to skin, eyes and muco	us membranes.
Serious eye damage/irritation	Risk of serious damage to eyes. Strong caustic effe	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects rep	ported.
11.1.4. Toxicological Information	n	
Benzyl alcohol	Oral Rat LD50: 1230mg/kg	Dermal Rabbit LD50: 2000mg/kg
11.1.13. Other information		
	Swallowing will lead to a strong caustic effect on m esophagus and stomach.	outh and throat and danger of perforation of
SECTION 12: Ecological inf	ormation	
12.1. Toxicity		
12.1. Toxicity Benzyl alcohol	Daphnia EC50/48h: 400.0000 mg/l Fish LC50/96h: 645.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol	Fish LC50/96h: 645.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
-	Fish LC50/96h: 645.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat	Fish LC50/96h: 645.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. Agent No data is available on this product. Agent No data is available on this product. Agent	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. assessment No data is available on this product. No data is available on this product.	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB 12.6. Other adverse effects	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. Assessment No data is available on this product. No data is available on this product. assessment No data is available on this product. Siderations	Algae IC50/72h: 640.0000 mg/l
Benzyl alcohol 12.2. Persistence and degradat PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons	Fish LC50/96h: 645.0000 mg/l bility No data is available on this product. Not applicable. No data is available on this product. Reprotec Tufflor Cold Cure - No data available Curing Agent No data is available on this product. Assessment No data is available on this product. No data is available on this product. assessment No data is available on this product. Siderations	



General information	
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS.
	08 02 wastes from MFSU of other coatings (including ceramic materials). 08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	ormation
Hazard pictograms	
14.1. UN number	
	UN2735
14.2. UN proper shipping name	
	AMINES, LIQUID, CORROSIVE N.O.S. (Isophoronediamine)
14.3. Transport hazard class(es	3)
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	
IATA Subaidian diak	8
Subsidiary risk	-
14.4. Packing group	1
Packing group	
14.5. Environmental hazards	1
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for us	
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage. g to Annex II of MARPOL 73/78 and the IBC Code

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



	For transport approval see regulatory information.	
ADR/RID		
Hazard ID	80	
Funnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
ΙΑΤΑ		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction	852	
Passenger)		
Maximum quantity	5 L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information

Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Acute Tox. 4: H332 - Harmful if inhaled.
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Maximum content of VOC	0 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

