

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

# Reprotec Tufflor Rapid - Curing Agent

Revision 0 Revision date 2018-10-16

#### 1.1. Product identifier

Product name	Reprotec Tufflor Rapid - Curing Agent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or
	brushing; [ERC2] Formulation of preparations;

1.3. Details of the supplier of the safety data sheet		
Company	RM Suppliers Ltd	
Address	38 High Street North	
	Langley Moor	
	County Durham	
	DH7 8JG	
Web	www.rmsuppliers.com	
Telephone	0191 3897067	
Email address of the	sales@rmsuppliers.com	

# **SECTION 2: Hazards identification**

competent person

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic
1272/2008	Chronic 3: H412;

12/2/2008	Chronic 3: H412;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Danger	
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.	
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.	
	Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H332 - Harmful if inhaled.	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.	
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.	
	P264 - Wash thoroughly after handling.	
	P270 - Do no eat, drink or smoke when using this product.	
	P271 - Use only outdoors or in a well-ventilated area.	
	P272 - Contaminated work clothing should not be allowed out of the workplace.	
	P273 - Avoid release to the environment.	

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Revision 0 Revision date 2018-10-16

#### 2.2. Label elements

Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.			
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
Response	_			
	P302+P352 - IF ON SKIN: Wash with plenty of water/			
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse			
	skin with water/shower.			
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P310 -Immediately call a POISON CENTER/doctor/ .			
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.			
	P321 - Specific treatment (see on this label).			
	P330 - Rinse mouth.			
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.			
	P363 - Wash contaminated clothing before reuse.			
Precautionary Statement:	P405 - Store locked up.			
Storage	, in the second			
Precautionary Statement:	P501 - Dispose of contents/container to			
Disposal				

#### 2.3. Other hazards

Other hazards	No data is available on this product.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	20 - 30%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	20 - 30%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	Move the exposed person to fresh air. Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.	

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Risk of serious damage to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	Seek medical attention.		

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention.	

# SECTION 5: Firefighting measures

Revision 0 Revision date 2018-10-16

5.1.	Exting	guishing	media

gg	
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self contained breathing apparatus and protective clothing.
Further information	
	Dispose of as special waste in compliance with official regulations.
SECTION 6: Accidental release	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	ng
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.
7.3. Specific end use(s)	
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

WEL Shr Limit 100mg/m3 (Report) Alcohol)

WEL-8hr Limit - 90mg/m3, (Benzyl Alcohol).

# 8.2. Exposure controls



further information.





8.2.1. Appropriate engineering

controls
8.2.2. Individual protection

measures

Ensure adequate ventilation of the working area.

Wear protective clothing.

Revision 0 Revision date 2018-10-16

8.2. Exposure controls

Eye / face protection	Approved safety goggles.			
Eye / lace protection	pproved sarety goggres.			
Skin protection -	Wear suitable gloves.			
Handprotection				
Skin protection - Other	Wear suitable protective clothing.			
Respiratory protection	Wear suitable respiratory equipment when necessary.			
Occupational exposure	Keep away from food, drink and animal feedingstuffs.			
controls				

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid			
Colour	ight yellow			
Odour	haracteristic			
Flash point	0 °C			
Vapour pressure	) Pa			
Autoignition temperature	30 °C			
Viscosity	00 mPas (Cone & Plate)			
Relative density	1.06 (H2O = 1 @ 20 °C)			
Fat Solubility	No data available			
Partition coefficient	No data available			
Explosive properties	No data available			
Oxidising properties	o data available			
Vapour density	No data available			
Evaporation rate	No data available			
Flammability (solid, gas)	No data available			
рH	No data available			
Melting point	No data available			
Freezing Point	No data available			
Initial boiling point	> 200 °C			
Solubility	Insoluble in water			

### 9.2. Other information

Lead content 0 %	
VOC (Volatile organic compounds)	
compounds)	
Conductivity No data available	
Surface tension No data available	
Gas group No data available	

## SECTION 10: Stability and reactivity

10.1. Reactivity			
	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	Reacts with. Acids. Alkalis. Oxidising agents.		
10.4. Conditions to avoid			

No data is available on this product.

Revision 0

	Revision date 2018-10-
10.5. Incompatible materials	
	Strong oxidising agents.
10.6. Hazardous decomposition	ı products
	No data is available on this product.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	
Skin corrosion/irritation	May cause severe irritation to skin, eyes and mucous membranes.
Serious eye damage/irritation	Risk of serious damage to eyes. Strong caustic effect.
Respiratory or skin	May cause sensitisation by skin contact.
sensitisation	, , , , , , , , , , , , , , , , , , ,
Germ cell mutagenicity	No mutagenic effects reported.
Reproductive toxicity	No observed effect level. No teratogenic effects reported.
11.1.4. Toxicological Information	n
Benzyl alcohol	Oral Rat LD50: 1230mg/kg Dermal Rabbit LD50: 2000mg/kg
44.4.4.2. Other information	
11.1.13. Other information	
	Swallowing will lead to a strong caustic effect on mouth and throat and danger of perforation of esophagus and stomach.
0505101140 5 1 1 116	
SECTION 12: Ecological info	ormation
12.1. Toxicity	
Benzyl alcohol	<b>Daphnia EC50/48h:</b> 400.0000 mg/l <b>Algae IC50/72h:</b> 640.0000 mg/l
	Fish LC50/96h: 645.0000 mg/l
12.2. Persistence and degradab	
	No data is available on this product.
PBT	Two data is available on this product.
FDI	Mat and Backla
40.0 71 1.0 1.0 1.0	Not applicable.
12.3. Bioaccumulative potential	
	In the second se
	No data is available on this product.
Partition coefficient	
	Reprotec Tufflor Rapid - Curing No data available
	Agent
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	<u>·</u>
	No data is available on this product.
OFOTION 40 B	
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	

Revision 0 Revision date 2018-10-16

Print date 2020-08-03

General information	
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS.  08 02 wastes from MFSU of other coatings (including ceramic materials).  08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	rmation
Hazard pictograms	
	8
14.1. UN number	<del></del>
	UN2735
14.2. UN proper shipping name	
	AMINES, LIQUID, CORROSIVE N.O.S. (Isophoronediamine)
14.3. Transport hazard class(es	
ADR/RID Subsidiary risk IMDG	8 - 8
Subsidiary risk IATA	- 8
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards  Marine pollutant	No No
14.6. Special precautions for us	er
	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of a spillage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Revision 0
Revision date 2018-10-16

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
The state of the s	For transport approval see regulatory information.		
ADR/RID	·		
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
IATA			
Packing Instruction (Cargo)	856		
Maximum quantity	60 L		
Packing Instruction	852		
(Passenger)			
Maximum quantity	5 L		

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

R	_	_	 ı _	4	_	_	_
×	_	п	 12	11	n	n	•

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

### SECTION 16: Other information

### Other information

Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.			
Section 3	Acute Tox. 4: H332 - Harmful if inhaled.			
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled			
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.			
	Skin Sens. 1: H317 - May cause an allergic skin reaction.			
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.			
Maximum content of VOC	0 g/l.			

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.