

## **MILSIG Modular Blaster System**

# MMBS

### INTRODUCTION

Latest updated: June 30, 2021

MADE IN TAIWAN



#### INSTRUCTIONS

1. MILSIG blaser series is design as modular system which call MMBS.


2. MMBS are constract as different parts below,


STOCK, HANDGUARD, BARREL, BOLT, MAGAZINE...etc.

3. All parts belong to MMBS can be install in MMBS blaster.

4. Different part installed affect the blaster performance which include the velocity, dart/round type in the same set up of air pressure supply.

#### MILSIG MODULAR BLASTER SYSTEM (MMBS)





## MMBS CONSTRUCTIONS


#### MMBS CONSTRUCTION FIGURE




### HANDGUARD

00000








#### MODULE

SCAR/MUZZLE	BARREL	HANDGUARD
METAL CAP MUZZLE GMD SCAR	200mm x 19mm short barrel 300mm x 19mm standard barre 400mm x 19mm long barrel	short handguard standard handguard long handguard

MAGAZINE	BOLT	<b>STOCK</b>
Half-length	universal bolt for Half-length foam dart and 13mm round	13CI HPA TANK STOCK
foam dart magazine		CO2 CARTRIDGE STOCK
13mm round magazine		<b>REMOTE STOCK</b>
14.8 round magazine round bolt for 14.8 round	EXTERNAL HPA TANK CONNECTOR	
		MULTI-FUNCTION STOCK



#### HEAT CORE



#### FUNCTION

OPEN BOLT HPA CORE SAFETY / SEMI AUTO / FULL AUTO FIRE SELECT 2nd stage REGULATOR = velocity adjustment

MAXIMUM AIR PRESSURE INPUT 800psi

MATERIAL-UPPER RECEIVER 6061-T6 ALUMINUM

MATERIAL-MAGZAINE WELL & PISTOL GRIP PA66 GF35 POLYAMIDE (NYLON)

## MMBS SCAR/MUZZLE

**MUZZLE (ORANGE TIP)** 

MUZZLE

GMD SCAR (20 STRING)



※ : BUILD TO ORDER

FUNCTION DECORATION

COLOR Orange

MATERIAL PC

FUNCTION DECORATION

**COLOR** BLACK

MATERIAL 6061-T6 ALUMINUM

FUNCTION

TWIST-RATE ADJUSTABLE COMPATIBLE to : foam dart / 13mm/14.8 round +ACCUARCY -VELOCITY

MATERIAL PVC 4



#### 200mm x 19mm SHORT BARREL

.

COMMON DATA MATERIAL 6061-T6 ALUMINUM

#### THREAD

M18x1.5 (BARREL install side) M18x1 (MUZZLE install side)

**DIAMETER** 13mm (INNER)

#### **FUNCTION**

CHAMBER of foam dart / 13mm round PROJECTILE ACCELERATE DISTANCE AIR SEAL BWTWEEN BARREL and PROJECTILE

**ROJECTILE TYPE** 

MA foam dart / 13mm round

#### **FUNCTION**

CHAMBER of foam dart / 13mm round PROJECTILE ACCELERATE DISTANCE AIR SEAL BWTWEEN BARREL and PROJECTILE +VELOCITY

#### **ROJECTILE TYPE**

MA foam dart / 13mm round

#### 400mm x 19mm LONG BARREL



CHAMBER of foam dart / 13mm round PROJECTILE ACCELERATE DISTANCE AIR SEAL BWTWEEN BARREL and PROJECTILE ++VELOCITY

#### **ROJECTILE TYPE**


MA foam dart / 13mm round

300mm x 19mm STANDARD BARREL

**※** : BUILD TO ORDER



#### SHORT HANDGUARD



**FUNCTION** 

PICATINNY RAIL M-LOK ACCESSORY INSTALL


MATERIAL 6061-T6 ALUMINUM

COLOR (ANODIZING) RED BLUE GOLD

#### STANDARD HANDGUARD

00000 °

#### LONG HANDGUARD



※:BUILD TO ORDER

#### FUNCTION PICATINNY RAIL M-LOK ACCESSORY INSTALL

MATERIAL 6061-T6 ALUMINUM

COLOR (ANODIZING) RED BLUE GOLD

#### **FUNCTION**


PICATINNY RAIL M-LOK ACCESSORY INSTALL

MATERIAL 6061-T6 ALUMINUM

COLOR (ANODIZING) RED BLUE GOLD



#### HALF-LENGTH FOAM DART MAGAZINE



#### FUNCTION

HALF-LENGTH FOAM DART-STORAGE AND FEEDING DEVICE SINGLE-SIDE PROJECTILE SUPPLY

#### 13mm ROUND MAGAZINE



#### FUNCTION

13mm ROUND PROJECTILE -STORAGE AND FEEDING DEVICE DOUBLE-SIDE PROJECTILE SUPPLY

#### 14.8mm ROUND MAGAZINE




#### **FUNCTION**

14.8mm ROUND PROJECTILE -STORAGE AND FEEDING DEVICE DOUBLE-SIDE PROJECTILE SUPPLY



#### **13CI HPA TANK STOCK**




#### **FUNCTION**

RECOIL STABILITY HELD AGAINST THE USER'S SHOULDER STOCK POSITION ADJUSTMENT HPA TANK CONNECT TO AIR SOURCE ADAPTOR


#### POWER SOURCE 13CI HPA TANK

FULL AUTO FUNCTION SUPPORT

#### **CO2 CARTRIDGE STOCK**



#### **REMOTE STOCK**



#### FUNCTION

RECOIL STABILITY HELD AGAINST THE USER'S SHOULDER STOCK POSITION ADJUSTMENT

POWER SOURCE 16G CO2 CARTRIDGE\*

FULL AUTO FUNCTION DO NOT SUPPORT

 ※ : SPEC OF 16G CO2 CARTRIDGE Length 88.4mm (3 1/2")
Width 22mm (7/8")
Neck Width 9mm (3/8")

#### FUNCTION

RECOIL STABILITY HELD AGAINST THE USER'S SHOULDER STOCK POSITION ADJUSTMENT EXTERINAL HPA TANK CONNECTABLE HPA TUBE CONNECTABLE (NECESSARY)

POWER SOURCE EXTERNAL HPA TANK

FULL AUTO FUNCTION SUPPORT



#### **EXTERNAL HPA TANK CONNECTOR**

#### FUNCTION

EXTERINAL HPA TANK CONNECTABLE HPA TUBE CONNECTABLE (NECESSARY)

POWER SOURCE EXTERNAL HPA TANK

FULL AUTO FUNCTION SUPPORT

#### **MULTI-FUNCTION STOCK**

#### **FUNCTION**

RECOIL STABILITY HELD AGAINST THE USER'S SHOULDER STOCK POSITION ADJUSTMENT HPA TANK CONNECT TO AIR SOURCE ADAPTOR EXTERINAL HPA TANK CONNECTABLE HPA TUBE CONNECTABLE

#### **POWER SOURCE**

13CI HPA TANK EXTERNAL HPA TANK

FULL AUTO FUNCTION SUPPORT