

## Product Cut Sheet

## Stone Street

SKU

AANYSS172



Pattern | Parquet

SPECIES White Oak (North American) THICKNESS CONSTRUCTION Solid WIDTH Groove/Groove JOINT LENGTH GRADE Select СUТ **Rift & Ouartered** SURFACE Brushed EDGES Bevel TREATMENT **Reactive Stain** FINISH **Custom Poly** GLOSS Matte

## Sustainability

RAW MATERIAL SOURCING	Lacey Act Compliant	Acco
INDOOR AIR QUALITY / EMISSIONS	CARB Phase 2 Compliant	– me lose
PERFORMANCE & SAFETY TESTING	Janka Rating: 1360	pera perf cont
GREEN BUILDING INITIATIVE CREDITS	*CAN POTENTIALLY CONTRIBUTE TO	rang year
FSC 132211 Therand of responsible forestry	LEED V4	Woo tain
	Living Building Challenge	plan sapv
	WELL	feato mate
	Green Globes	togr char
		Only

According to the National Wood Flooring Association (NWFA), wood is hygroscopic in nature – meaning it will expand and contract as it gains or loses moisture due to changes in the ambient temperature and relative humidity. Wood flooring will perform best when the interior environment is controlled to maintain a consistent and adequate range in temperate and relative humidity, year-round.

Wood is a product of nature and, as such, will contain variations in color, grain, and character from plank to plank. Variations can include knots, cracks, sapwood, mineral streaks, burls, and other distinct features, none of which constitute a defect in the material. No single sample, display board, or photograph can fully depict the entire range of visual characteristics in a hardwood floor.

Only the products that are identified as such on this document are FSC certified.

3/4"

32″

32″