

NAME

## Molena

LFO49720

SPECIES	White Oak (European)	THICKNESS
CONSTRUCTION	Engineered	WIDTH
JOINT	Click System	LENGTH
GRADE	Character	WEAR LAYER
CUT	Plain Sawn	PACKAGING
SURFACE	Brushed	
EDGES	Micro-Bevel	
TREATMENT	N/A	
FINISH	Oil (1 Coat Required After Installation)	
GLOSS	Matte	



## Sustainability

RAW MATERIAL SOURCING	Lacey Act Compliant	
INDOOR AIR QUALITY / EMISSIONS	CARB Phase 2 Compliant	
PERFORMANCE & SAFETY TESTING	Janka Rating: 1360	
GREEN BUILDING INITIATIVE CREDITS	*CAN POTENTIALLY CONTRIBUTE TO	
	LEED V4	
S S S S S S S S S S S S S S S S S S S	Living Building Challenge	
FSC www.fsc.org	WELL	
The mark of responsible forestry	Green Globes	

Pattern | Plank

According to the National Wood Flooring Association (NWFA), wood is hygroscopic in nature – meaning it will expand and contract as it gains or loses moisture due to changes in the ambient tem-perature and relative humidity. Wood flooring will perform best when the interior environment is controlled to maintain a consistent and adequate range in temperate and relative humidity, year-round.

Wood is a product of nature and, as such, will con-tain variations in color, grain, and character from plank to plank. Variations can include knots, cracks, sapwood, mineral streaks, burls, and other distinct features, none of which constitute a defect in the material. No single sample, display board, or pho-tograph can fully depict the entire range of visual characteristics in a hardwood floor.

Only the products that are identified as such on this document are FSC certified.

9/16"

2.5mm

7-1/16" (180 mm)

29.81 SF/Bundle

86-5/8" w/ starter planks