

Our standard veneer thickness is 4mm (3/16") which allows the floor to last a lifetime and be refinished as many times as needed. All our veneers are sawn from lumber, giving the look and grain pattern of lumber.

Precision machined square edge tongue and groove is cut with diamond tooling for accuracy and consistency. Our pre-sanded face reduces on-site sanding.



The hardness of our wood species is Janka Scale measured. The higher the number, the more dense the wood is.

For each species this circle will contain its Janka rating.



We cut a series of kerfs (slots) in the back of the plywood which relieves any natural stresses in the wood and results in very flat and straight pieces of flooring, making installation a breeze.

We use 9 ply CARB compliant Baltic Birch plywood as the base for our flooring. This 100% birch plywood is the ideal base as it is dense, flat, strong and it nails and glues down well.

ENGINEERED CONSTRUCTION


- CARB compliant (formaldehyde free) adhesive and plywood
- Northern hardwoods for consistent color and tight grain pattern
- Manufactured in a humidity controlled environment for stability
- Lifetime structural warranty (see full warranty for details)



1360

WHITE OAK

Our Northern White Oak has consistent color and tight grain making it ideal for flooring that lasts a lifetime. Traditionally used for flooring for centuries, White Oak continues to be sought out for its durability and style.



1290

RED OAK

Northern Red Oak has a very beautiful range of light pink to red, adding a natural highlight to any home. Red Oak is the most common species for flooring in America and will remain a top species for years to come.

COMMON/
CHARACTER

SELECT

1010

WALNUT

Black Walnut is America's Exotic wood. Our Walnut comes from the northern range of the species, which brings a consistent brown heartwood with well steamed cream color sap. Though softer than other wood species, Walnut makes a beautiful floor and ages nicely.



COMMON/
CHARACTER

SELECT

1450

HARD MAPLE

Northern Hard Maple is a hard brilliant floor, which will brighten up any room and wears extremely well. The select grade is heavy to the sapwood, delivering a very white floor when stained natural, and the 1 Common grade has an abundance of both sap and heartwood, producing a wonderful character floor.





COMMON/
CHARACTER



SELECT

1820

HICKORY

Hickory is a wood full of character in both the select and 1 Common grades. With a wonderful mix of heartwood and sapwood, mineral streaks and “bird peck”, Hickory is sometimes referred to as the calico wood.

SELECT

1360

RIFT & QUARTERED WHITE OAK

Our select grade of Rift and Quartered cut Northern White Oak, is specially sawn to show the straight grain, rays and flake which make this floor unique. Traditionally used in high end millwork and furnishings, Rift and Quartered White Oak makes distinctive and very stable flooring.

COMMON/
CHARACTER

SELECT

995

CHERRY

The subtle heartwood red and pinks of American Black Cherry will naturally darken and grow more rich with age. Contrasted to the cream and white of the sapwood, Cherry makes a statement as a dynamic floor. While lower on the Janka scale, Cherry wears very well.

