

GHS: According to 2015/830/EU

Code Number: E0100542
Version 5 Revised 24/11/2021

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name CARROT SEED OIL
Code Number E0100542, EOCARS

Alternative Name INCI Name: Daucus Carota Sativa Seed Oil

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026

New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

AH 1*(6.1E) Aspiration hazard, category 1

SCI 2*(6.3A) Skin corrosion/irritation, category 2

SS 1*(6.5B) Skin sensitisation, category 1

EDI 2A*(6.4A) Eye damage/irritation, category 2A EH C3*(9.1C) Aquatic hazard, chronic, category 3

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: EO100542 Version 5 Revised 24/11/2021

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H304 May be fatal if swallowed and enters airwaysH315 Causes skin irritation

H317 May cause an allergic skin reactionH319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

GHS: According to 2015/830/EU

Code Number: EO100542 Version 5 Revised 24/11/2021

2.3 Other Hazards

Contains Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description CARROT SEED OIL

EC/EINECS 284-545-1 CAS Number 84929-61-3 USCAS Number 8015-88-1

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)	
CAS 465-28-1 EINECS - REACH	Carotol	77.1500	
CAS 16661-00-0 EINECS - REACH	Daucene	3.5200	
CAS 495-61-4 EINECS 207-805-8 REACH	beta-Bisabolene (Bisabolene) AH 1;SCI 2;SS 1B H304,H315,H317	olene) 2.4600	
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	1.0600	
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	0.6600	
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317		
CAS 123-35-3 beta-Myrcene EINECS 204-622-5 REACH FL 3;AH 1;SCI 2;EDI 2A H226,H304,H315,H319		0.5200	
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	0.4600	

GHS: According to 2015/830/EU

Code Number: EO100542 Version 5 Revised 24/11/2021

CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	0.4000	
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3; ATO 5(4750); SCI 3; AH 1; EH A2, C2 H226, H303, H304, H316, H401, H411	6,H401,H411 Mentha-1,4-diene) 0.2100	
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316		
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	0.0500	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically

GHS: According to 2015/830/EU

Code Number: E0100542 Version 5 Revised 24/11/2021

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

GHS: According to 2015/830/EU

Code Number: E0100542 Version 5 Revised 24/11/2021

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

GHS: According to 2015/830/EU

Code Number: E0100542 Version 5 Revised 24/11/2021

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 112

APPEARANCE Mobile liquid

COLOUR Pale yellow to amber yellow
ODOUR Pleasant, dry-woody, aromatic

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

INITIAL BOILING POINT AND

Not available

RANGE

EVAPORATION RATE

FLAMMABILITY (SOLID/GAS)

Not available

Not available

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

Not available

SPECIFIC GRAVITY @ 20°C

0.866 to 0.975

SOLUBILITIES

Insoluble in water

PARTITION COEFF Not available

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE Not available
DECOMPOSITION TEMPERATURE Not available
VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

9.2 Other information

No further information available

GHS: According to 2015/830/EU

Code Number: EO100542 Version 5 Revised 24/11/2021

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not Applicable

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

GHS: According to 2015/830/EU

Code Number: EO100542 Version 5 Revised 24/11/2021

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

GHS: According to 2015/830/EU

Code Number: E0100542 Version 5 Revised 24/11/2021

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name Not Restricted

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: Not applicable HS Tariff Code: 3301.29.00

15.2 Chemical safety assessmentHSNO Approval Number: HSR002578

one chieffinean barety abbetternent

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the

workplace.

GHS: According to 2015/830/EU

Code Number: EO100542

Code Number: EO100542		
Version 5 Revised 24/11/2021		

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.
P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2

SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A EH A1 Aquatic hazard, acute, category 1 Aquatic hazard, acute, category 2 EH A2 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226 Flammable liquid and vapour

H227 Combustible liquid
H228 Flammable solid
H302 Harmful if swallowed

GHS: According to 2015/830/EU

Code Number: EO100542

Version 5 Revised 24/11/2021

H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 09/02/2017 Version 2: Minor changes, BV 13/02/2017 Version 3: Minor changes, JR 30/07/2021 Version 4: P statements change, JR 17/09/2021 Version 5: Minor changes, RB 24/11/2021