

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name CINNAMON LEAF OIL UNRECTIFIED

Code Number EO100553 EOCINL

Alternative Name INCI Name: Cinnamomum Zeylanicum Leaf Oil

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

**Pure Ingredients Ltd** 

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

#### Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
ATO 5*(6.1E)	Acute toxicity, oral, category 5
AH 1*(6.1E)	Aspiration hazard, category 1
SS 1*(6.5B)	Skin sensitisation, category 1
EDI 2A*(6.4A)	Eye damage/irritation, category 2A
MUT 2*(6.6B)	Germ cell mutagenicity, category 2
CAR 1B*(6.7A)	Carcinogenicity, category 1B
EH A2*(9.1D)	Aquatic hazard, acute, category 2
EH C3*(9.1C)	Aquatic hazard, chronic, category 3

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word	Danger
-------------	--------

#### **Hazard Statements**

H227 Combustible liquid

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H341 Suspected of causing genetic defects

H350 May cause cancer

H412 Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P308+P313 IF exposed or concerned: Get medical advice.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

P501 Dispose of contents and container in accordance to local

regulations.

#### 2.3 Other Hazards

Contains Benzyl Benzoate, Cinnamal, Coumarin, Eugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

#### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.1 Substances

Description CINNAMON LEAF OIL UNRECTIFIED

EC/EINECS 283-479-0 CAS Number 84649-98-9 USCAS Number 8015-91-6

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol SS 1;EDI 2A H317,H319	78.0000
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	3.6000
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate  ATO 4(1500);EH C2 H302,H411	3.0000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	2.4000
CAS 1504-74-1 EINECS 216-131-3 REACH	trans-methoxycinnamaldehyde EDI 2A;SCI 2 H315,H319	2.3000
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde  ATD 4(1100);ATO 5(2500);EDI 2A;SCI 2;SS 1A;EH A2 H303,H312,H315,H317,H319,H401	1.2000
CAS 94-59-7 EINECS 202-345-4 REACH	Safrole ATO 4(1950);CAR 1B;MUT 2 H302,H341,H350	1.0000

GHS: According to 2015/830/EU

Code Number: E0100553 Version 8 Revised 10/02/2022

CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	0.4600
CAS 1139-30-6 EINECS 214-519-7 REACH	Caryophyllene oxide SCI 3;EH A2,C2 H316,H401,H411	0.4000
CAS 100-52-7 EINECS 202-860-4 REACH	Benzaldehyde  FL 4;ATI 4(1.5);ATO 4(1300);EDI 2A;SCI 3;STO-SE 3(RI);EH A2 H227,H302,H316,H319,H332,H335,H401	0.2000
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	0.0200

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

May be harmful if swallowed and fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

GHS: According to 2015/830/EU

Code Number: EO100553 Version 8 Revised 10/02/2022

#### Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

#### Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

#### Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

GHS: According to 2015/830/EU

Code Number: E0100553 Version 8 Revised 10/02/2022

#### 7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

#### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

#### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

Not applicable.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

**Biological Limit Values** 

No biological limit allocated.

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 90

APPEARANCE Mobile liquid

COLOUR Pale yellow to amber

ODOUR Warm, spicy, somewhat harsh, reminiscent of

eugenol

ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available

INITIAL BOILING POINT AND

**RANGE** 

194 to 234 deg C

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20°C

1.03 to 1.06

SOLUBILITIES Insoluble in water

PARTITION COEFF N-OCTANAL/WATER Not available

AUTO-IGNITION TEMPERATURE Not available
DECOMPOSITION TEMPERATURE Not available
VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

9.2 Other information

No further information available.

GHS: According to 2015/830/EU

Code Number: EO100553 Version 8 Revised 10/02/2022

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Cinnamomum verum (CAS: 8015-91-6) Oral route: LD50 = 2650 mg/kg

May be harmful if swallowed. LD50 oral (rat) - 2650 mg/kg

Skin corrosion / irritation

No known adverse effects.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

GHS: According to 2015/830/EU

Code Number: EO100553 Version 8 Revised 10/02/2022

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

### Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

EC50 (48 h) - Daphnia magna - 1.6 mg/L

EC50 (72 h) - Pseukirchneriella subcapitata - 17 mg/L

12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

GHS: According to 2015/830/EU

Code Number: E0100553 Version 8 Revised 10/02/2022

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

#### Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name Not Restricted

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: S6 POISON HS Tariff Code: 3301.29.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

15.3 HSNO approval Number

Cosmetic Group Standard - HSR002552

Section 16. Other information

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

VC	VC131011 0 NCV13CU 10/02/2022		
	Full list of precautionary phrases		
	P201	Obtain special instructions before use.	
	P202	Do not handle until all safety precautions have been read and understood.	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P261	Avoid breathing fumes.	
	P264	Wash hands thoroughly after handling	
	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves and eye protection	
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
	P302+P352	IF ON SKIN: Wash with plenty of water.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P308+P313	IF exposed or concerned: Get medical advice.	
	P331	Do NOT induce vomiting.	
	P333+P313	If skin irritation or rash occurs: Get medical advice.	
	P337+P313	If eye irritation persists: Get medical attention.	
	P362+P364	Take off contaminated clothing and wash it before reuse.	
	P403+P235	Store in a well-ventilated place. Keep cool.	
	P405	Store locked up.	
	P501	Dispose of contents and container in accordance to local regulations.	
	Wording of any hazard classes listed in section 3		
	FL 3	Flammable liquid, category 3	
	FL 4	Flammable liquid, category 4	
	ATO 3	Acute toxicity, oral, category 3	
	ATO 4	Acute toxicity, oral, category 4	
	ATO 5	Acute toxicity, oral, category 5	
	AH 1	Aspiration hazard, category 1	
	ATD 4	Acute toxicity, dermal, category 4	
	SCI 2	Skin corrosion/irritation, category 2	
	SCI 3	Skin corrosion/irritation, category 3	

GHS: According to 2015/830/EU

Code Number: EO100553

Version 8 Revised 10/02/2022

Version & Reviseu 10/02/2022		
SS 1	Skin sensitisation, category 1	
SS 1A	Skin sensitisation, category 1A	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
ATI 4	Acute toxicity, inhalation, category 4	
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation	
MUT 2	Germ cell mutagenicity, category 2	
CAR 1B	Carcinogenicity, category 1B	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any	hazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
H341	Suspected of causing genetic defects	
H350	May cause cancer	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

GHS: According to 2015/830/EU

Code Number: E0100553 Version 8 Revised 10/02/2022

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 21/11/2016 Version 2: Minor changes, BV 21/11/2016 Version 3: UN number update, BV 24/11/2016 Version 4: Minor changes, BV 26/11/2016 Version 5: Minor changes, BV 28/11/2016 Version 6: System update, BV 25/10/2019 Version 7: Minor changes, BV 07/01/2020

Version 8: Hazard codes updated, RB 10/02/2022