

GHS: According to 2015/830/EU

Code Number: E0100621

Version 2 Revised 15/06/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name CISTUS OIL

Code Number E0100621 - EOCIS

Alternative Name INCI Name: Cistus Ladaniferus Oil

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

### Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 3\*(3.1C) Flammable liquid, category 3

ATO 5\*(6.1E) Acute toxicity, oral, category 5

AH 1\*(6.1E) Aspiration hazard, category 1

SCL 2\*(6.3A) Skip correction/irritation, category

SCI 2\*(6.3A) Skin corrosion/irritation, category 2

SS 1\*(6.5B) Skin sensitisation, category 1

EDI 2A\*(6.4A) Eye damage/irritation, category 2A
EH A1\*(9.1A) Aquatic hazard, acute, category 1
EH C1\*(9.1A) Aquatic hazard, chronic, category 1

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: EO100621 Version 2 Revised 15/06/2022

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Danger
10

#### **Hazard Statements**

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

P501 Dispose of contents and container in accordance to local

regulations.

## 2.3 Other Hazards

Contains Eugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.1 Substances

Description CISTUS OIL EC/EINECS 289-711-7 CAS Number 89997-74-0 USCAS Number 8016-26-0

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes  FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	43.2000
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	5.4000
CAS 76-49-3 EINECS 200-964-4 REACH	Bornyl acetate FL 4; SCI 3; EH A2 H227, H316, H401	4.4000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	3.8000
CAS 19894-98-5 EINECS 243-410-7 REACH	trans-Pinocarveol SCI 2;EDI 2A;STO-SE 3(RI) H315,H319,H335	3.1500
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	2.0000
CAS 2408-37-9 EINECS 219-309-9 REACH	2,2,6-Trimethylcyclohexanone FL 3;ATI 4 H226,H332	1.9000

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

CAS 507-70-0 EINECS 208-080-0 REACH	Borneol FS 2;SCI 3 H228,H316	1.8500
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)  FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	1.5900
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	1.5400
CAS 515-00-4 EINECS 208-193-5 REACH	Myrtenol ATO 4 H302	1.1000
CAS 547-60-4 EINECS 208-926-9 REACH	Pinocamphone ATO 4 H302	1.0000
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene)  FL 3;ATO 4(1680);SCI 3;AH 1;EH A2,C2 H226,H302,H304,H316,H401,H411	0.8400
CAS 483-76-1 EINECS 866-559-5 REACH	delta-Cadinene AH 1;SCI 2 H304,H315	0.8000
CAS 4501-58-0 EINECS 224-815-8 REACH	Alpha-campholenal SCI 2;EDI 2A H315,H319	0.6600
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene  FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1, C1 H226, H303, H304, H315, H317, H400, H410	0.6400
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol)  FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	0.6000
CAS 99-83-2 EINECS 202-792-5 REACH	alpha-Phellandrene FL 3; SCI 3; AH 1 H226,H304,H316	0.5800
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4:SS 1B H227,H317	0.4400
CAS 3691-12-1 EINECS - REACH	alpha-Guaiene AH 1;EDI 2A;SCI 2 H304,H315,H319	0.4400
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SS 1B H226,H303,H317	0.4200

GHS: According to 2015/830/EU

Code Number: EO100621 Version 2 Revised 15/06/2022

CAS 2867-05-2 EINECS 220-686-7 REACH	alpha-thujene (5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene) FL 3;ATO 4;AH 1;SCI 2;SS 1;EH C2 H226,H302,H304,H315,H317,H411	0.1800
CAS 80-57-9 EINECS 201-292-4 REACH	Verbenone ATO 4;SS 1 H302,H317	0.1800
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	0.1000

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

### After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

May be harmful if swallowed and may be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed

  Take phrases in sections 2 and 11 into account. No further information available at this
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

## SAFFTY DATA SHFFT

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

### Section 5. Fire-fighting measures

#### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

#### Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

#### Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

GHS: According to 2015/830/EU

Code Number: EO100621 Version 2 Revised 15/06/2022

### 7.3 Specific end use(s)

No further information available.

### Section 8. Exposure controls / personal protection

#### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

## Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

## Hand protection

Wear chemically resistant disposable gloves.

#### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

### Thermal hazards

No information.

### Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

### National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

#### **Biological Limit Values**

No biological limit allocated.

GHS: According to 2015/830/EU

Code Number: EO100621 Version 2 Revised 15/06/2022

## Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 40°

**APPEARANCE** Viscous mobile liquid

**COLOUR** Golden yellow to amber

**ODOUR** Powerful, warm, herbaceous

**ODOUR THRESHOLD** Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available

**RANGE** 

**EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY

LIMITS

Not available

**VAPOUR PRESSURE** Not available **VAPOUR DENSITY** Not available SPECIFIC GRAVITY @ 20°C 0.895 to 0.997

Insoluble in water **SOLUBILITIES** 

PARTITION COEFF N-OCTANAL/WATER

Not available

**AUTO-IGNITION TEMPERATURE** Not available **DECOMPOSITION TEMPERATURE** Not available VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available **OXIDISING PROPERTIES** Not available

9.2 Other information

No further information available.

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

# Section 10. Stability and reactivity

### 10.1 Reactivity

Risk of ignition if heated. No further information available.

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

#### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

### Section 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity

Cistus ladaniferus (CAS: 8016-26-0) Oral route: Data not available

May be harmful if swallowed.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

### Section 12. Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Cistus Oil is a natural complex substance, the predominant component of which is Pinene (80-56-8):

LC50 (96 h) - Cyprinus carpio (Carp) - 0.27 mg/L

EC50 (48 h) - Daphnia magna - 0.475 mg/L

EC50 (72 h) - Raphidocelis subcapitata - 0.31 mg/L

### 12.2 Persistence and degradability

No tested data available on this product.

### 12.3 Bioaccumulative potential

No data

### 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

GHS: According to 2015/830/EU

Code Number: E0100621 Version 2 Revised 15/06/2022

#### 12.5 Results of PBT and vPvB assessment

No data

#### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

#### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## Section 14. Transport information

### 14.1 UN number

ADR 1169 IATA 1169 IMDG 1169

# 14.2 UN proper shipping name

ADR EXTRACTS, AROMATIC, LIQUID IATA EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID

## 14.3 Transport hazard class(es)

ADR 3
IATA 3
IMDG 3

### 14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (D/E)

#### 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E Marine Pollutant: Yes

GHS: According to 2015/830/EU

Code Number: EO100621 Version 2 Revised 15/06/2022

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code 3Y

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3301.29.00

HSNO Approval Number: HSR002495

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

#### Section 16. Other information

## Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and
	other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.

GHS: According to 2015/830/EU

Code Number: EO100621

Version 2 Revised 15/06/2022

	,,,
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any h	nazard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
Wording of any h	nazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed

GHS: According to 2015/830/EU

Code Number: EO100621

Version 2 Revised 15/06/2022

H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

Version 1: GHS format, BV 20/03/2017

Version 2: Mandatory revision, RB 15/06/2022

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 14 of 14