

GHS: According to 2015/830/EU

Code Number: FR110204 Version 2 Revised 25/11/2020

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	EUCALYPTUS TEA TREE & SPEARMINT FRAGRANCE
Code Number	FR110204 - FM77230
Alternative Name	INCI: Parfum
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for fragrance use

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number	+09 813 5619
Email Address	compliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
AH 1*(6.1E)	Aspiration hazard, category 1
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1B*(6.5B)	Skin sensitisation, category 1B
EH C2*(9.1B)	Aquatic hazard, chronic, category 2

SAFETY DATA SHEET GHS: According to 2015/830/EU		
Code Number: FR110204 Version 2 Revised 25/11/2020		
2.2 Label elements GHS classification Hazard Pictogram	according to Regulation (EC) No 1272/2008	
Signal Word	Danger	
Hazard Stateme	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off all contaminated clothing and wash it before reuse.	
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	

GHS: According to 2015/830/EU

### Code Number: FR110204 Version 2 Revised 25/11/2020

P501

Dispose of contents and container in accordance with local regulation.

#### 2.3 Other Hazards

Contains Citral, Citronellol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SS 1B H226,H303,H317	10% - 30%
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	< 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	< 10%
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	< 10%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	< 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	<10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319	<10%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<10%

GHS: According to 2015/830/EU

## *Code Number: FR110204 Version 2 Revised 25/11/2020*

CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2;SS 1 H315,H317	<10%
CAS 99-49-0 EINECS 202-759-5 REACH	Carvone ATD 5(3800); SS 1B; EH A3 H313,H317,H402	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

### After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

### After eye contact

No known adverse effects from temporary eye contact. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media
  - Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

GHS: According to 2015/830/EU

## *Code Number: FR110204 Version 2 Revised 25/11/2020*

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available

GHS: According to 2015/830/EU

### Code Number: FR110204 Version 2 Revised 25/11/2020

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course, avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

**Biological Limit Values** 

No biological limit allocated.

GHS: According to 2015/830/EU

Section 9. Physical and chemical p	properties
9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	62
APPEARANCE	Mobile liquid
COLOUR	Colourless to almost colourless
ODOUR	Spearmint, eucalyptus, tea tree, lemon
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20 deg C	1.005 to 1.035
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available	

GHS: According to 2015/830/EU

Section 10. Stability and reactivity
10.1 Reactivity
Not determined
10.2 Chemical Stability
Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions
No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials
Keep away from oxidising agents and from highly alkaline or acidic material.s.
10.6 Hazardous decomposition products
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
No data
Skin corrosion / irritation
Causes skin irritation.
Serious eye damage / irritation No data
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data

GHS: According to 2015/830/EU

## Code Number: FR110204 Version 2 Revised 25/11/2020

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

### Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential No data

## 12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

### 12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

GHS: According to 2015/830/EU

<ul> <li>Section 13. Disposal considerations</li> <li>Please refer to the information in section 8 (Exposure controls and personal protection)</li> <li>13.1 Waste treatment methods</li> <li>Dispose in accordance with the law and local regulations. Treat as trade effluent.</li> </ul>		
Section 14. Transport info	ormation	
14.1 UN number	Not Regul	ated
14.2 UN proper shipping	name NOT REST	RICTED
14.3 Transport hazard class(es)		
14.4 Packing group		
Tunnel Code		
14.5 Environmental Hazards No relevant information available		
14.6 Special precautions for user No relevant information available		
HazChem Code N/A		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable		
Section 15. Regulatory in	formation	
15.1 Safety, health and e substance or mixture	nvironmental reg	gulations/legislation specific for the
Poison Schedule: Not applicable HS Tariff Code: 3302.90.00		
15.2 Chemical safety assessment HSNO Approval Number: HSR002490		
A chemical safety assessment has not been carried out		
Section 16. Other informa	tion	
Full list of precautionary phrases		
	eep away from hea her ignition source	t, hot surfaces, sparks, open flames and s. No smoking.
	void breathing fume	
P264 Wash hands thoroughly after handling		

GHS: According to 2015/830/EU

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.
Wording of any haz	zard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

GHS: According to 2015/830/EU

Wording of any hazard statements listed in section 3		
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H228	Flammable solid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
References and furt	her information	
KEY:		
N/A = Not applicable		
Version 1: GHS format, BV 21/10/2020 Version 2: Minor changes, BV 25/11/2020		
Authorised by: JJ 25/1		

Page 12 of 12

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.