

GHS: According to 2015/830/EU

Code Number: EO100491 Version 7 Revised 16/05/2022

## Section 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product Identifier

Product Name FRANKINCENSE OIL
Code Number E0100491 - E0FRA

Alternative Name INCI: Boswellia Serrata Oil

REACH Reg No Not registered

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

## 1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number

+09 813 5619

**Email Address** 

compliance@pureingredients.co.nz

# **1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

## **Section 2. Hazard Identification**

## 2.1 Classification of the substance or mixture

FL 3 *(3.1C)	Flammable liquid, category 3
AH 1 *(6.1E)	Aspiration hazard, category 1
SCI 2 *(6.3A)	Skin corrosion/irritation, category 2
SS 1 *(6.5B)	Skin sensitisation, category 1
MUT 2 *(6.6B)	Germ cell mutagenicity, category 2

CAR 2 \*(6.7B) Carcinogenicity, category 2

EH C1 \*(9.1A) Aquatic hazard, chronic, category 1

## 2.2 Label elements

<sup>\*</sup>Correlation between GHS and New Zealand HSNO Classes and Categories

GHS: According to 2015/830/EU

Code Number: EO100491

Version 7 Revised 16/05/2022

GHS classification according to Regulation (EC) No 1272/2008

## **Hazard Pictograms**



Signal	Word	Danger

## **Hazard Statements**

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H410	Very toxic to aquatic life with long lasting effects

# **Precautionary Statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	d
P261 Avoid breathing fumes.	
P273 Avoid release to the environment.	
P280 Wear protective gloves and eye protection	
P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.	
P308+P313 IF exposed or concerned: Get medical advice.	
P331 Do NOT induce vomiting.	
P333+P313 If skin irritation or rash occurs: Get medical advice.	
P362+P364 Take off contaminated clothing and wash it before reuse.	
P403+P235 Store in a well-ventilated place. Keep cool.	
P405 Store locked up.	

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

P501 Dispose of contents and container in accordance to local

regulations.

## 2.3 Other Hazards

Contains Limonene and Linalool which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

## 3.1 Substances

Description FRANKINCENSE OIL

EC/EINECS 308-366-6 CAS Number 97952-72-2 USCAS Number 8016-36-2

## **Hazardous components**

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 2867-05-2 EINECS 220-686-7 REACH	alpha-thujene (5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene) FL 3;ATO 4;AH 1;SCI 2;SS 1;EH C2 H226,H302,H304,H315,H317,H411	72.3000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes  FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	4.7000
CAS 99-83-2 EINECS 202-792-5 REACH	alpha-Phellandrene FL 3; SCI 3; AH 1 H226,H304,H316	2.4000
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)  FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	2.3000
CAS 140-67-0 EINECS 205-427-8 REACH	Estragole (Methyl chavicol)  FL 4;ATO 4(1230);SCI 3;SS 1B;CAR 2;MUT 2 H227,H302,H316,H317,H341,H351	1.9000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3; ATO 5(4750); SCI 3; AH 1; EH A2, C2 H226, H303, H304, H316, H401, H411	1.4000
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; ATO 5(3850); SCI 3; AH 1 H226,H303,H304,H316	0.8000

GHS: According to 2015/830/EU

Code Number: EO100491 Version 7 Revised 16/05/2022

CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)  FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	0.5000
CAS 3338-55-4 EINECS 222-081-3 REACH	Ocimenes (cis-beta-Ocimene) FL 3;AH 1;SCI 3 H226,H304,H316	0.4000
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene)  FL 3;ATO 4(1680);SCI 3;AH 1;EH A2,C2 H226,H302,H304,H316,H401,H411	0.4000
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	0.3000
CAS 13877-91-3 EINECS 237-641-2 REACH	Ocimene (3,7-Dimethyl-1,3,6-octatriene)  FL 3;AH 1;SCI 3 H226,H304,H316	0.3000
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	0.3000
CAS 93-15-2 EINECS 202-223-0 REACH	Methyl eugenol (Eugenyl methyl ether)  ATO 5;SS 1;MUT 2;CAR 2;EH A2 H303,H317,H341,H351,H401	0.2000
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	0.1000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	0.1000
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	0.1000

Refer to section 16 for the wording of listed classification and hazard statement codes

## **Section 4. First Aid measures**

Take phrases in section 2 into account

## 4.1 Description of first aid measures

## After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

## After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

any signs of tissue damage.

## After eye contact

No known adverse effects from temporary eye contact. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

## After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and seek medical advice immediately. Never give anything by the mouth to an unconscious patient.

## 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

## 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

## 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET.

#### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

## 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

#### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

## 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

#### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

## 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

## 7.3 Specific end use(s)

No further information available

## Section 8. Exposure controls / personal protection

#### **8.1 Control Parameters**

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

## 8.2 Exposure controls

## **Engineering controls**

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

## **Individual protection measures**

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

## **Eye/face protection**

Use splash-proof safety glasses and face shield where splashing is possible.

## **Hand protection**

Wear chemically resistant disposable gloves.

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

#### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

## **Respiratory protection**

Not generally required. Use inhalation protection in poorly ventilated areas

## Thermal hazards

No information

## **Environmental exposure controls**

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

#### **National Exposure Standards**

No exposure standards have been established for this material by Worksafe Australia.

## **Biological Limit Values**

No biological limit allocated.

## Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 41°

APPEARANCE Mobile liquid

COLOUR Colourless to yellow

ODOUR Strong, fresh, balsamic, lemon, unripe apple

backnotes

ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available

INITIAL BOILING POINT AND

RANGE

178°C

EVAPORATION RATE Not available

FLAMMABILITY (SOLID/GAS) Flammable liquid and vapour

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE Not available

GHS: According to 2015/830/EU

Code Number: EO100491 Version 7 Revised 16/05/2022

VAPOUR DENSITY Not available

SPECIFIC GRAVITY @ 20°C 0.835 to 0.86

SOLUBILITIES Insoluble in water

PARTITION COEFF

FF 4.827 log pow

N-OCTANAL/WATER

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

VISCOSITY @ 20 DEG C

EXPLOSIVE PROPERTIES

Not available

OXIDISING PROPERTIES

Not available

#### 9.2 Other information

No further information available

## Section 10. Stability and reactivity

## 10.1 Reactivity

Not determined

## 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

## 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

## 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

## 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

## 11.1 Information on toxicological effects

## **Acute toxicity**

Not Applicable

LD50 oral (rat) >5000 mg/kg

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

LD50 dermal (rabbit) >5000 mg/kg

## Skin corrosion / irritation

Causes skin irritation.

## Serious eye damage / irritation

No data

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Germ cell mutagenicity

Suspected of causing genetic defects.

## Carcinogenicity

Suspected of causing cancer.

## **Reproductive toxicity**

No data

## STO-single exposure

No data

## STO-repeated exposure

No data

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## Information on likely routes of exposure

No data

## Symptoms related to the physical, chemical and toxicological characteristics

No data

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

## **Interactive effects**

No data

## Other information

No data

## Section 12. Ecological information

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

## 12.2 Persistence and degradability

No data

## 12.3 Bioaccumulative potential

No data

## 12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

## 12.5 Results of PBT and vPvB assessment

No data

## 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

## 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent

## **Section 14. Transport information**

## 14.1 UN number

ADR 1169 IATA 1169 IMDG 1169

## 14.2 UN proper shipping name

ADR EXTRACTS, AROMATIC, LIQUID IATA EXTRACTS, AROMATIC, LIQUID IMDG EXTRACTS, AROMATIC, LIQUID

## 14.3 Transport hazard class(es)

ADR 3 IATA 3 IMDG 3

GHS: According to 2015/830/EU

Code Number: E0100491 Version 7 Revised 16/05/2022

## 14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (D/E)

## 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code 3Y

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

P2∩1

## Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: Not applicable

HS tariff code: 3301.29.00
HSNO Approval Number: HSR002502

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

## Full list of precautionary phrases

1 20 1	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ohtain special instructions before use

P241 Use explosion-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing fumes.

GHS: According to 2015/830/EU

Code Number: EO100491 Version 7 Revised 16/05/2022

P264 Wash hands thoroughly after handling	P264	Wash hands thoroughly after handling
---	------	--------------------------------------

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P308+P313 IF exposed or concerned: Get medical advice.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

## Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
MUT 2	Germ cell mutagenicity, category 2
CAR 2	Carcinogenicity, category 2
EH A1	Aquatic hazard, acute, category 1

GHS: According to 2015/830/EU

Code Number: E0100491

Version 7 Revised 16/05/2022

EH A2 Aquatic hazard, acute, category 2
EH A3 Aquatic hazard, acute, category 3
EH C1 Aquatic hazard, chronic, category 1
EH C2 Aquatic hazard, chronic, category 2

## Wording of any hazard statements listed in section 3

Wording or any maza	ila statements fistea ili section s
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
	H226 H227 H228 H302 H303 H304 H313 H315 H316 H317 H319 H341 H351 H400 H401 H402 H410

## References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 07/02/2017 Version 2: Minor changes, BV 07/02/2017 Version 3: NCS update, BV 19/10/2017 Version 4: Minor changes, BV 19/10/2017 Version 5: System update, BV 22/02/2021

Version 6: Hazard statement update, BV 04/06/2021 Version 7: UN number updated, BV 04/06/2021

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.