

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	FRENCH PEAR IN SYRUP
Code Number	FR100114 - FM71665
Alternative Name	
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd 626A Rosebank Road, Avondale Auckland 1026 New Zealand

Telephone Number+09 813 5619Email Addresscompliance@pureingredients.co.nz**1.4 Emergency Tel No**111 / NZ Poisons Centre **0800 POISON** (0800 764 766)Emergency Response:0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 *(3.1D) Flammable liquid, category 4	
SCI 2 *(6.3A) Skin corrosion/irritation, category	2
SS 1A *(6.5B) Skin sensitisation, category 1A	
EDI 2A *(6.4A) Eye damage/irritation, category 2	2A
EH A2 *(9.1D) Aquatic hazard, acute, category 2	2
EH C2 *(9.1B) Aquatic hazard, chronic, category	2

*Correlation between GHS and New Zealand HSNO Classes and Categories

SAFETY DATA GHS: According to 2015/8 Code Number: FR10	30/EU
Version 3 Revised 6,	/01/2020
2.2 Label elements GHS classification a Hazard Pictogram	ccording to Regulation (EC) No 1272/2008 ns
Signal Word	Warning
Hazard Statemen	ts
H227	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Sta	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.

Code Number: I	-D10011/	
/ersion 3 Revise		
P403+P235	Store in a well-ventilated place. Keep coc	bl.
P501	Dispose of contents and container in accorregulation.	ordance with local
2.3 Other Haza	rds	
	yl Alcohol, Benzyl Benzoate, Butylphenyl Methylpro marin, Eugenol, Hexyl Cinnamal, Limonene and Li ergic reaction	
No further info	rmation available at this time	
	oosition / information on ingredients s listed here for hazardous components are for illustrative purposes only	
3.2 Mixtures	ure of ingradiants	
·	ure of ingredients	
Hazardous com	ponents	
ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl Acetate SCI 2; SS 1; EH C3 H315, H317, H412	10% - 30%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B; EH A1,C2 H317,H400,H411	<10%
CAS 80-54-6 EINECS 201-289-8 REACH	2-(4-tert-butylbenzyl)propionaldehyde ATO 4(1390); SCI 2; SS 1; REP 2; EH A2,C2 H302,H315,H317,H361,H401,H411	<10%
CAS 150-84-5 EINECS 205-775-0 REACH	citronellyl acetate SCI 2;EH C2 H315,H411	<10%
CAS 4940-11-8	2-ethyl-3-hydroxy-4-pyrone	
EINECS 225-582-5 REACH	ATO 4(1200) H302	<10%
CAS 121-32-4 EINECS 204-464-7	3-ethoxy-4-hydroxybenzaldehyde	<10%
REACH	EDI 2A H319	

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4;EH A2,C2 H227,H401,H411	< 10%
CAS 100-51-6 EINECS 202-859-9 REACH	benzyl alcohol ATO 4(1620);ATI 4 H302,H332	< 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	< 10%
CAS 7705-14-8 EINECS 231-732-0 REACH	d,I-Limonene (isomer unspecified) FL 3;AH 1;SCI 2;SS 1B;EH A1,C1 H226,H304,H315,H317,H400,H410	< 10%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATD 4(1100);ATO 5(2500);EDI 2A;SCI 2;SS 1A;EH A2 H303,H312,H315,H317,H319,H401	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

No adverse effects anticipated if inhaled. First aid is not generally required. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Seek medical advice if necessary.

After skin contact

Irritating to skin, may cause an allergic skin reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

No adverse effects anticipated if swallowed. As a matter of course; Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further information available at this time

4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

7.3 Specific end use(s) No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

GHS: According to 2015/830/EU

Section 9. Physical and chemical p	properties
9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	75
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Green, pear
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20 deg C	0.99 to 1.01
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available	

GHS: According to 2015/830/EU

Section 10. Stability and reactivity
10.1 Reactivity Not determined
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 I ncompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
May be harmful if swallowed.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Causes serious eye irritation.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity
No data
Reproductive toxicity
No data

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

GHS: According to 2015/830/EU

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)		
13.1 Waste treatment methods		
Dispose in accordance with the law and local regulations. Treat as trade effluent.		
Section 14. Transport ir	nformation	
14.1 UN number	Not Regulated	
14.2 UN proper shippir	ng name Not Restricted	
14.3 Transport hazard class(es)		
14.4 Packing group		
Tunnel Code		
14.5 Environmental Hazards		
No relevant information available		
14.6 Special precaution	ns for user	
No relevant information available		
HazChem Code N/A		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Not applicable		
Section 15. Regulatory	information	
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Poison Schedule: S10 (Diethyl Phthalate) HS Tariff Code: 3302.90.00		
15.2 Chemical safety assessment HSNO Approval Number: HSR002490		
A chemical safety assessment has not been carried out		
Section 16. Other information		
Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.	
D0(1	A usid broothing furnes	
P261	Avoid breathing fumes.	

GHS: According to 2015/830/EU

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local regulation.
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

GHS: According to 2015/830/EU

Code Number: FR100114 Version 3 Revised 6/01/2020

Wording of any hazard statements listed in section 3	
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and fur	ther information
KEY:	
N/A = Not applicable	
Version 1: GHS forma	it. BV 29/05/2017
Version 2: Minor char	nges, BV 29/05/2017
Version 3: Hazard up	
Authorised by: JJ 06/0	5172020

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 12 of 12