

GHS: According to 2015/830/EU

*Code Number*: E0100762 *Version 4 Revised 6/02/2023* 

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	LAVANDIN ESSENTIAL OIL ABP
Code Number	EO100762 - EOLAVAN
Alternative Name	INCI name: Lavandula Intermedia Flower/Leaf/Stem Oil
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number+09 813 5619Email Addresscompliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
SS 1*(6.5B)	Skin sensitisation, category 1
EDI 2A*(6.4A)	Eye damage/irritation, category 2A
EH A3*(9.1D)	Aquatic hazard, acute, category 3
EH C3*(9.1C)	Aquatic hazard, chronic, category 3

2.2 Label elements

ode Number: EO1 ersion 4 Revised 6	
GHS classification Hazard Pictogram	according to Regulation (EC) No 1272/2008 ms
Signal Word	Warning
Hazard Statemer	nts
H227	Combustible liquid
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.
2.3 Other Hazards	

GHS: According to 2015/830/EU

#### Code Number: EO100762 Version 4 Revised 6/02/2023

#### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.1 Substances

Description	LAVANDIN OIL
EC/EINECS	294-470-6
CAS Number	91722-69-9
USCAS Number	8022-15-9

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	34.2200
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	30.4100
CAS 76-22-2 EINECS 200-945-0 REACH	Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2;ATO 4;ATI 4;STO-SE 2;EH A3 H228,H302,H332,H371,H402	7.2200
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3; ATO 5(2480); SS 1B H226, H303, H317	4.8300
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	3.7700
CAS 507-70-0 EINECS 208-080-0 REACH	Borneol FS 2; SCI 3 H228, H316	2.5600
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	1.6600
CAS 18794-84-8 EINECS 242-582-0 REACH	beta-Farnesene AH 1; SCI 3 H304, H316	1.3400
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	0.8800
CAS 3338-55-4 EINECS 222-081-3 REACH	Ocimenes (cis-beta-Ocimene) FL 3; AH 1; SCI 3 H226, H304, H316	0.7400

GHS: According to 2015/830/EU

### Code Number: EO100762 Version 4 Revised 6/02/2023

CAS 98-55-5 EINECS 202-680-6	Terpineol (alpha-Terpineol)	0.7200
REACH	FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A2 H227, H303, H315, H319, H401	0.7200
CAS 123-35-3 EINECS 204-622-5	beta-Myrcene	0 (700
REACH	FL 3; AH 1; SCI 2; EDI 2A H226,H304,H315,H319	0.6700
CAS 37839-63-7 EINECS -	germacrene D	0.6700
REACH	AH 1 H304	0.0700
CAS 105-87-3 EINECS 203-341-5	Geranyl acetate	0.4900
REACH	SCI 2; SS 1; EH C3 H315, H317, H412	0.4700
CAS 5989-33-3 EINECS 227-814-0	cis-linalool oxide	0.3800
REACH	ATO 4: SCI 2: EDI 2A H302, H315, H319	0.3000
CAS 80-56-8 EINECS 201-291-9	Pinenes	0.3700
REACH	FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	0.3700
CAS 127-91-3 EINECS 204-872-5	beta-Pinene	0.2900
REACH	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	0.2700
CAS 2442-10-6 EINECS 219-474-7	1-Octen-3-yl acetate	0.2900
REACH	ATO 4:SS 1 H302,H317	0.2900
CAS 79-92-5	Camphene	0.2600
EINECS 201-234-8 REACH	FS 2; SCI 3; EDI 2A; EH A1,C1 H228,H316,H319,H400,H410	0.2000
CAS 141-12-8 EINECS 205-459-2	Neryl acetate	0.2200
REACH	SCI 2; SS 1; EH C3 H315, H317, H412	0.2200
CAS 483-76-1 EINECS 866-559-5 REACH	delta-Cadinene	0.1900
	AH 1;SCI 2 H304,H315	0.1900
CAS 3391-86-4 EINECS 222-226-0	1-Octen-3-ol	0.1800
REACH	FL 4;ATO 4(340);ATD 5(3300);ATI 4(4);SCI 2;EDI 2A;EH A1 H227,H302,H313,H315,H319,H332,H400	0.1000
CAS 99-85-4 EINECS 202-794-6	gamma-Terpinene (p-Mentha-1,4-diene)	0.1600
REACH	FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	0.1000
CAS 99-87-6 EINECS 202-796-7	para-Cymene	0.1200
REACH	FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.1200

GHS: According to 2015/830/EU

### *Code Number: EO100762 Version 4 Revised 6/02/2023*

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
  - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

#### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

GHS: According to 2015/830/EU

### Code Number: EO100762 Version 4 Revised 6/02/2023

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

GHS: According to 2015/830/EU

### *Code Number: E0100762 Version 4 Revised 6/02/2023*

#### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	76°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to yellow
ODOUR	Camphoraceous, fresh herbaceous, reminiscent of lavender

Code Number: EO100762 /ersion 4 Revised 6/02/2023		
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	<1.0	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	>1.0	
SPECIFIC GRAVITY @ 20°C	0.885 to 0.905	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	У	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).	

GHS: According to 2015/830/EU

### *Code Number: EO100762 Version 4 Revised 6/02/2023*

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Not Applicable Not classified based on available data. LD50 Oral (rat) - >5,000 mg/kg LD50 Dermal (rabbit) - >5,000 mg/kg

Skin corrosion / irritation

Not classified based on available data.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity No data

NU UALA

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

GHS: According to 2015/830/EU

### *Code Number: EO100762 Version 4 Revised 6/02/2023*

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways. LL50 (96 h) - fish - 13 mg/L (QSAR) EL50 (48 h) - Daphnia ssp. - 14 mg/L (QSAR) ErL50 (72 h) - Algae - 21 mg/L (QSAR)

12.2 Persistence and degradability

Readily biodegradable in water.

12.3 Bioaccumulative potential No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment This substance is not PBT / vPvB.

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

SAFETY DATA S GHS: According to 2015/830/	
<i>Code Number: EO1007</i> <i>Version 4 Revised 6/02</i>	
Section 14. Transport i	nformation
14.1 UN number	Not Regulated
14.2 UN proper shippi	ng name Not Restricted
14.3 Transport hazard	l class(es)
14.4 Packing group	
Tunnel Code	
14.5 Environmental Ha No relevant informatio	
14.6 Special precautio Not subject to the prov	ns for user visions of IMDG, IATA, or ADR/RID.
HazChem Code N/A	
14.7 Transport in bulk Not applicable	according to Annex II of MARPOL73/78 and the IBC Code
Section 15. Regulatory	information
15.1 Safety, health an substance or mixture	d environmental regulations/legislation specific for the
Poison Schedule (SUSI	HSNO Approval Number: HSR002574
	on the Australian Inventory of Industrial Chemicals (AIIC).
15.2 Chemical safety as	assessment essment has not been carried out
Section 16. Other infor	mation
Full list of precautio	nary phrases
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
. 270	

GHS: According to 2015/830/EU

### Code Number: EO100762 Version 4 Revised 6/02/2023

P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haz	ard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid

GHS: According to 2015/830/EU

#### Code Number: EO100762 Version 4 Revised 6/02/2023

H228	Flammable solid		
H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H313	May be harmful in contact with skin		
H315	Causes skin irritation		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H332	Harmful if inhaled		
H371	May cause damage to organs		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H402	Harmful to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		
References and	d further information		
Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme			
Version 1: GHS format, BV 31/01/2017 Version 2: System update, BV 13/08/2020 Version 3: Minor changes, BV 21/04/2021 Version 4: Minor changes, RB 6/02/2023			

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 13 of 13