

GHS: According to 2015/830/EU

Code Number: EO100485 Version 2 Revised 14/06/2022

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name	LAVENDER ESSENTIAL OIL - 38/40 NATURAL ABP
Code Number	EO100485 - ESLAVR38N
Alternative Name	
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number	+09 813 5619
Email Address	compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1B*(6.5B)	Skin sensitisation, category 1B
EDI 2A*(6.4A)	Eye damage/irritation, category 2A
EH A3*(9.1D)	Aquatic hazard, acute, category 3
EH C3*(9.1C)	Aquatic hazard, chronic, category 3

2.2 Label elements

SAFETY DATA SHEET GHS: According to 2015/830/EU		
Code Number: EO100485 Version 2 Revised 14/06/2022		
GHS classification acc Hazard Pictograms	cording to Regulation (EC) No 1272/2008	
Signal Word	Warning	
Hazard Statements		
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H412	Harmful to aquatic life with long lasting effects	
Precautionary State	ements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents and container in accordance to local regulations.	

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

2.3 Other Hazards

Contains Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	30% - 60%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	30% - 60%
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	< 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	< 10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	< 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	< 10%
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SS 1B H226,H303,H317	<10%
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1; SS 1B H304,H317	< 10%
CAS 10482-56-1 EINECS 233-986-8 REACH	p-menth-1-en-8-ol FL 4; ATO 5(4300); SCI 2; EDI 2A; STO-SE 3(RI); EH A2 H227, H303, H315, H319, H335, H401	<10%

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

CAS 106-68-3 EINECS 203-423-0	octan-3-one
REACH	FL 3; SCI 3; EDI 2A H226,H316,H319

<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	78°
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Sweet, floral, herbaceous
ODOUR THRESHOLD	Not available

ode Number: EO100485	
Version 2 Revised 14/06/2022	
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.870 to 0.900
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	,
10.1 Reactivity	
No data.	
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored un	
10.4 Conditions to avoid	
Avoid exposure to heat, sources of	ignition, and open flame. Avoid exposure to air.

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No known adverse effects.

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity No data

Carcinogenicity No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

GHS: According to 2015/830/EU

Code Number: EO100485 Version 2 Revised 14/06/2022

Version 2 Revised 14/06/2022	
Delayed and immediate effects as well as chronic e long-term exposure No data	ffects from short and
Interactive effects	
No data	
Other information	
No data	
Section 12. Ecological information 12.1 Toxicity	
Harmful to aquatic life with long lasting effects. Avoid co	ntaminating waterways.
12.2 Persistence and degradability	
No tested data available on this product.	
12.3 Bioaccumulative potential No data	
12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamination.	
12.5 Results of PBT and vPvB assessment No data	
12.6 Other adverse effects See sections 6, 7, 13 and 15.	
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure contr	ols and personal protection)
13.1 Waste treatment methods Dispose in accordance with the law and local regulations.	Treat as trade effluent.
Section 14. Transport information	
14.1 UN number Not Regulated	
14.2 UN proper shipping name Not Restricted	
14.3 Transport hazard class(es)	

GHS: According to 2015/830/EU

Code Number: EO100485 Version 2 Revised 14/06/2022

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.2 Chemical safety assessment

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00 HSNO Approval Number: HSR002490

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

GHS: According to 2015/830/EU

Code Number: EO100485 Version 2 Revised 14/06/2022

	P403+P235	Store in a well-ventilated place. Keep cool.
	P501	Dispose of contents and container in accordance to local regulations.
	Wording of any haza	rd classes listed in section 3
	FL 3	Flammable liquid, category 3
	FL 4	Flammable liquid, category 4
	ATO 4	Acute toxicity, oral, category 4
	ATO 5	Acute toxicity, oral, category 5
	AH 1	Aspiration hazard, category 1
	ATD 5	Acute toxicity, dermal, category 5
	SCI 2	Skin corrosion/irritation, category 2
	SCI 3	Skin corrosion/irritation, category 3
	SS 1	Skin sensitisation, category 1
	SS 1B	Skin sensitisation, category 1B
	EDI 1	Eye damage/irritation, category 1
	EDI 2A	Eye damage/irritation, category 2A
	STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
	EH A1	Aquatic hazard, acute, category 1
	EH A2	Aquatic hazard, acute, category 2
	EH A3	Aquatic hazard, acute, category 3
	EH C1	Aquatic hazard, chronic, category 1
Wording of any hazard statements listed in section 3		rd statements listed in section 3
	H226	Flammable liquid and vapour
	H227	Combustible liquid
	H302	Harmful if swallowed
	H303	May be harmful if swallowed
	H304	May be fatal if swallowed and enters airways
	H313	May be harmful in contact with skin
	H315	Causes skin irritation
	H316	Causes mild skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation

GHS: According to 2015/830/EU

Code Number: EO100485

Version 2 Revised 14/06/2022

H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
References and furth	eferences and further information	
Key: N/A = Not applicable SUSMP = Standard for	the Uniform Scheduling of Medicines and Poisons	
Version 1: GHS format Version 2: Mandatory I		

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.