

GHS: According to 2015/830/EU

Code Number: E0107838

Version 2 Revised 13/01/2023

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name LAVENDER ESSENTIAL OIL - FRENCH ALPINE ABP

Code Number E0107838 - EOLAVA

Alternative Name INCI Name: Lavandula Angustifolia Oil

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
AH 1*(6.1E)	Aspiration hazard, category 1
SS 1A*(6.5B)	Skin sensitisation, category 1A
EDI 2A*(6.4A)	Eye damage/irritation, category 2A
EH A2*(9.1D)	Aquatic hazard, acute, category 2
EH C3*(9.1C)	Aquatic hazard, chronic, category 3

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227 Combustible liquid

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

2.3 Other Hazards

Contains Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description LAVENDER OIL FRENCH ALPINE

EC/EINECS 289-995-2
CAS Number 90063-37-9
USCAS Number 8000-28-0

Hazardous components

ID Numbers Chemical Name, Classification and Hazards		Conc (%)
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	42.2000
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	36.9000
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1:SS 1B H304,H317	3.4000
CAS 18794-84-8 EINECS 242-582-0 REACH	beta-Farnesene AH 1; SCI 3 H304,H316	1.7600
CAS 507-70-0 EINECS 208-080-0 REACH	Borneol FS 2; SCI 3 H228,H316	1.7100
CAS 3338-55-4 EINECS 222-081-3 REACH	Ocimenes (cis-beta-Ocimene) FL 3; AH 1; SCI 3 H226,H304,H316	1.3000
CAS 106-68-3 EINECS 203-423-0 REACH	octan-3-one FL 3; SCI 2 H226, H315	1.2700
CAS 2442-10-6 EINECS 219-474-7 REACH	1-Octen-3-yl acetate ATO 4;SS 1 H302,H317	0.8000

GHS: According to 2015/830/EU

Code Number: EO107838 Version 2 Revised 13/01/2023

CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	0.6600
CAS 76-22-2 EINECS 200-945-0 REACH	Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2;ATO 4;ATI 4;STO-SE 2;EH A3 H228,H302,H332,H371,H402	0.6300
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3; AH 1; SCI 2; EDI 2A H226, H304, H315, H319	0.4800
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH C3 H315, H317, H412	0.4600
CAS 3387-41-5 EINECS 222-212-4 REACH	Thuj-4(10)-ene ATO 4(2000) H302	0.4200
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	0.4000
CAS 589-98-0 EINECS 209-667-4 REACH	3-octanol FL 3;SCI 2 H226,H315	0.3200
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2;SCI 3;EDI 2A;EH A1,C1 H228,H316,H319,H400,H410	0.3100
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	0.2400
CAS 141-12-8 EINECS 205-459-2 REACH	Neryl acetate SCI 2:SS 1;EH C3 H315,H317,H412	0.2400
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	0.2000
CAS 37839-63-7 EINECS - REACH	germacrene D AH 1 H304	0.1500
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.1300
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	0.1000

GHS: According to 2015/830/EU

Code Number: EO107838 Version 2 Revised 13/01/2023

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed

 Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

HazChem Code N/A

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 71°C

APPEARANCE Mobile liquid

COLOUR Colourless to yellow

ODOUR Sweet, floral, herbaceous

GHS: According to 2015/830/EU

Code Number: EO107838 Version 2 Revised 13/01/2023

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

Not available

INITIAL BOILING POINT AND

RANGE

Not available

EVAPORATION RATE <1.0

FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available

VAPOUR DENSITY >1.0

SPECIFIC GRAVITY @ 20°C 0.87 to 0.9

SOLUBILITIES Insoluble in water

PARTITION COEFF

N-OCTANAL/WATER

Not available

AUTO-IGNITION TEMPERATURE Not available
DECOMPOSITION TEMPERATURE Not available
VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not Applicable

LD50 oral (rat) - 5,000 mg/kg

LD50 dermal (rabbit) - >5,000 mg/kg

Skin corrosion / irritation

May cause skin irritation.

Serious eye damage / irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

 $\label{thm:long-lasting-effects} \mbox{Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.}$

LL50 (96 h) - Danio rerio (zebra fish) - 29.173 mg/L

EL50 (48 h) - Daphnia magna - 21.995 mg/L

ErL50 (72 h) - Raphidocelis subcapitata (algae) - 13 mg/L

12.2 Persistence and degradability

Readily biodegradable in water.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

GHS: According to 2015/830/EU

Code Number: EO107838 Version 2 Revised 13/01/2023

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name Not Restricted

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

Not subject to the provisions of IMDG, IATA, or ADR/RID.

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3301.29.00

HSNO Approval Number: HSR002574

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any ha	zard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

GHS: According to 2015/830/EU

Code Number: E0107838 Version 2 Revised 13/01/2023

Wording of any hazard statements listed in section 3	
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 22/02/2018

Version 2: Mandatory revision, RB 13/01/2023

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.