

GHS: According to 2015/830/EU

Code Number: E0100814

Version 5 Revised 21/11/2022

# Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name LIME OIL COLD PRESSED ORGANIC

Code Number EO100814 - EOLIMCPO

Alternative Name INCI Name: Citrus Aurantifolia Peel Oil

REACH Reg No Not registered

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only.

### 1.3 Details of the supplier of the safety data sheet

Pure Ingredients

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

## **Section 2. Hazard Identification**

## 2.1 Classification of the substance or mixture

FL 3 (3.1C)

AH 1 (6.1E)

SCI 2 (6.3A)

Skin corrosion/irritation, category 2

SS 1 (6.5B)

Skin sensitisation, category 1

EH A2

Aquatic hazard, acute, category 2

Aquatic hazard, chronic, category 2

Aquatic hazard, chronic, category 2

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

GHS classification according to Regulation (EC) No 1272/2008

## **Hazard Pictograms**



Signal Word Danger

## **Hazard Statements**

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

### 2.3 Other Hazards

Contains Citral, Citronellol, Limonene and Linalool which may produce an allergic reaction

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

## 3.1 Substances

Description LIME OIL COLD PRESSED ORGANIC

EC/EINECS 290-010-3 CAS Number 90063-52-8 USCAS Number 8008-26-2

## **Hazardous components**

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)  FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	54.6400
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	14.4400
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	12.4900
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial(3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	2.1100
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	2.0700
CAS 3387-41-5 EINECS 222-212-4 REACH	Thuj-4(10)-ene ATO 4(2000) H302	1.7800
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3;AH 1;SCI 2;EDI 2A H226,H304,H315,H319	1.3800
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	1.3700
CAS 495-61-4 EINECS 207-805-8 REACH	beta-Bisabolene (Bisabolene)  AH 1;SCI 2;SS 1B H304,H315,H317	1.2700

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

CAS 13474-59-4 EINECS 603-860-0 REACH	trans-alpha-Bergamotene AH 1 H304	1.2200
CAS 141-12-8 EINECS 205-459-2 REACH	Neryl acetate SCI 2;SS 1;EH C3 H315,H317,H412	1.0100
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	0.6100
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	0.5700
CAS 2867-05-2 EINECS 220-686-7 REACH	alpha-thujene(5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene) FL 3;ATO 4;AH 1;SCI 2;SS 1;EH C2 H226,H302,H304,H315,H317,H411	0.5100
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol(alpha-Terpineol)  FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	0.3200
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene  FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.3100
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene)  FL 3;ATO 4(1680);SCI 3;AH 1;EH A2,C2 H226,H302,H304,H316,H401,H411	0.2400
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate  SCI 2;SS 1;EH C3 H315,H317,H412	0.2300
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	0.2100
CAS 106-22-9 EINECS 203-375-0 REACH	Citronello(d,I-CitronelloI) SCI 2;SS 1B;EDI 2A H315,H317,H319	0.1700
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)  FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	0.1500

Refer to section 16 for the wording of listed classification and hazard statement codes

GHS: According to 2015/830/EU

Code Number: EO100814 Version 5 Revised 21/11/2022

#### **Section 4. First Aid measures**

Take phrases in section 2 into account

## 4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

## After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

#### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

## 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

### Section 5. Fire-fighting measures

## 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

# 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

# **5.3 Advice for fire-fighters**

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

GHS: According to 2015/830/EU

Code Number: EO100814 Version 5 Revised 21/11/2022

#### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

#### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

### Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

## 7.3 Specific end use(s)

No further information available.

## Section 8. Exposure controls / personal protection

## **8.1 Control Parameters**

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

## 8.2 Exposure controls

## **Engineering controls**

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

#### **Individual protection measures**

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

## **Eye/face protection**

Use splash-proof safety glasses and face shield where splashing is possible.

### **Hand protection**

Wear chemically resistant disposable gloves.

## Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

## **Respiratory protection**

Not generally required. Use inhalation protection in poorly ventilated areas.

#### Thermal hazards

No information.

### **Environmental exposure controls**

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

#### **National Exposure Standards**

No exposure standards have been established for this material by Worksafe Australia.

### **Biological Limit Values**

No biological limit allocated.

## Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 49°C

APPEARANCE Mobile liquid

COLOUR Pale yellow to dark green/brown

ODOUR Fresh, fruity, citrus odour of lime peel

ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available

GHS: According to 2015/830/EU

Code Number: EO100814 Version 5 Revised 21/11/2022

INITIAL BOILING POINT AND

**RANGE** 

176°C

**EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available

UPPER/LOWER FLAMMABILITY

LIMITS

0.7 to 6.1% by volume

VAPOUR PRESSURE 2.3 hPa

**VAPOUR DENSITY** Not available SPECIFIC GRAVITY @ 20°C 0.85 to 0.88

**SOLUBILITIES** Insoluble in water

PARTITION COEFF

N-OCTANAL/WATER

Not available

255°C **AUTO-IGNITION TEMPERATURE** 

**DECOMPOSITION TEMPERATURE** Not available VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available OXIDISING PROPERTIES Not available

#### 9.2 Other information

No further information available.

### Section 10. Stability and reactivity

## 10.1 Reactivity

No data.

## 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

#### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

GHS: According to 2015/830/EU

Code Number: EO100814 Version 5 Revised 21/11/2022

#### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

## **Acute toxicity**

Not Applicable Not classified based on available data. LD50 oral (rat) - >5,000 mg/kg LD50 dermal (rabbit) - >5,000 mg/kg

## Skin corrosion / irritation

Causes skin irritation.

## Serious eye damage / irritation

Not classified based on available data.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

## **Germ cell mutagenicity**

No data

# Carcinogenicity

No data

## Reproductive toxicity

No data

## **STO-single exposure**

No data

## STO-repeated exposure

No data

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## Information on likely routes of exposure

No data

# Symptoms related to the physical, chemical and toxicological characteristics

No data

GHS: According to 2015/830/EU

Code Number: EO100814 Version 5 Revised 21/11/2022

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

#### **Interactive effects**

No data

#### Other information

No data

## Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

LL50 (96 h) - Oncorhynchus mykiss (fish) - >18 mg/L

EL50 (48 h) - Daphnia magna - 5 mg/L

ErL50 (72 h) - Pseudokirchneriella subcapitata - 8 mg/L

NOEL (48 h) - Daphnia magna - 2.2 mg/L

NOEL (72 h) - Pseudokirchneriella subcapitata - 3.2 mg/L

## 12.2 Persistence and degradability

Readily biodegradable.

## 12.3 Bioaccumulative potential

No data

## 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

## 12.5 Results of PBT and vPvB assessment

No data

#### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

#### Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

#### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## **Section 14. Transport information**

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

#### 14.1 UN number

ADR 1197 IATA 1197 IMDG 1197

### 14.2 UN proper shipping name

ADR EXTRACTS, LIQUID, for flavour or aroma

IATA EXTRACTS, LIQUID, FOR FLAVOUR OR AROMA

IMDG EXTRACTS, LIQUID, FOR FLAVOUR OR AROMA

## 14.3 Transport hazard class(es)

ADR 3
IATA 3
IMDG 3

### 14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (D/E)

## 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-D

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code 3Y

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

## Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule: S5 CAUTION HS Tariff Code: 3301.14.00

HSNO Group Standard Number: HSR002495

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

# 15.1 Safety, health and environmental regulations/legislation specific for the

This material is listed on the Australian Inventory of Industrial Chemicals (AIIC).

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

### **Section 16. Other information**

## Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

Wording of any hazard classes listed in section 3		
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of ar	ny hazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	

GHS: According to 2015/830/EU

Code Number: E0100814 Version 5 Revised 21/11/2022

H412

Harmful to aquatic life with long lasting effects

## **References and further information**

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 10/07/2017 Version 2: System update, BV 30/03/2020 Version 3: Minor changes, BV 07/07/2020 Version 4: Minor changes, JR 23/09/2021 Version 5: Minor changes, RB 21/11/2022

Version 5.1: UN number change, RB 23/01/2023

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 14 of 14