

SAFETY DATA GHS: According to 2015/83	
Code Number: E010 Version 2 Revised 6/	
Section 1. Identifica 1.1 Product Identifi Product Name	tion of the substance/mixture and of the company/undertaking er NEROLI BIGARADE OIL
Code Number Alternative Name REACH Reg No	EO100686 - EONER INCI Name: Citrus Aurantium Flower Oil Not registered
1.2 Relevant identif	ied uses of the substance or mixture and uses advised against
Concentrated mater	rial for manufacturing purposes only.
1.3 Details of the su	upplier of the safety data sheet
	Pure Ingredients 626A Rosebank Road, Avondale Auckland 1026 New Zealand
Telephone Number Email Address	+09 813 5619 compliance@pureingredients.co.nz
	No 111 / NZ Poisons Centre 0800 POISON (0800 764 766) 0800 CHEMCALL / 0800 243 622 (24hr)
Section 2. Hazard Id	entification
2.1 Classification of	the substance or mixture
FL 4 (3.1D) AH 1 (6.1E) SCI 2 (6.3A) SS 1 (6.5B) EDI 2A (6.4A) EH A1 (9.1A) EH C1 (9.1A) 2.2 Label elements	Flammable liquid, category 4 Aspiration hazard, category 1 Skin corrosion/irritation, category 2 Skin sensitisation, category 1 Eye damage/irritation, category 2A Aquatic hazard, acute, category 1 Aquatic hazard, chronic, category 1

SAFETY DATA S	
Code Number: EO100 Version 2 Revised 6/0	
GHS classification acc Hazard Pictograms	cording to Regulation (EC) No 1272/2008
Signal Word	Danger
Hazard Statements	
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Precautionary State	ements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Code Number: E /ersion 2 Revised		
P501	Dispose of contents and container in accorregulations.	ordance to local
2.3 Other Hazar Contains Citral, reaction	ds Eugenol, Geraniol, Limonene and Linalool which	may produce an allergi
No further infor	mation available at this time	
	Disition / information on ingredients listed here for hazardous components are for illustrative purposes only	
Description	NEROLI BIGARADE OIL	
EC/EINECS	277-143-2	
CAS Number	72968-50-4	
USCAS Number	8016-38-4	
Hazardous comp	ponents	
ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 78-70-6	Linalool	
EINECS 201-134-4 REACH	FL 4;SS 1B H227,H317	44.1900
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	19.5400
	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	19.3400
CAS 115-95-7 EINECS 204-116-4	Linalyl acetate	13,0600
REACH	FL 4; SCI 2; EDI 2A; EH A3 H227,H315,H319,H402	13.0000
CAS 127-91-3	beta-Pinene	5 1000
EINECS 204-872-5 REACH	FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	5.1000
CAS 98-55-5	Terpineol (alpha-Terpineol)	2.0(00
EINECS 202-680-6 REACH	FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A2 H227, H303, H315, H319, H401	3.0600
CAS 105-87-3	Geranyl acetate	2.0500
EINECS 203-341-5 REACH	SCI 2;SS 1;EH C3 H315,H317,H412	2.0500
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene	1.4700

GHS: According to 2015/830/EU

CAS 7212-44-4 EINECS 230-597-5	Nerolidol	1.4500
REACH	SCI 3;EDI 2A;EH A1,C1 H316,H319,H400,H410	1.4500
CAS 141-12-8 EINECS 205-459-2	Neryl acetate	1.1000
REACH	SCI 2;SS 1;EH C3 H315,H317,H412	1.1000
CAS 106-24-1 EINECS 203-377-1	Geraniol	0.8100
REACH	SCI 2;SS 1;EDI 1 H315,H317,H318	
CAS 106-25-2 EINECS 203-378-7 REACH	Nerol	0.6900
	ATO 5(4500);EDI 2A;SCI 2;SS 1B;EH A2 H303,H315,H317,H319,H401	0.0900
CAS 106-28-5 EINECS 679-283-3	(2E,6E)-3,7,11-trimethyldodeca-2,6,10-trien-1-ol ((E,E)-farnesol)	0.5300
REACH	SS 1 H317	
CAS 3387-41-5 EINECS 222-212-4	Thuj-4(10)-ene	0.5000
REACH	ATO 4(2000) H302	0.3000
CAS 3338-55-4 EINECS 222-081-3	Ocimenes (cis-beta-Ocimene)	0.4900
REACH	FL 3;AH 1;SCI 3 H226,H304,H316	0.4700
CAS 99-85-4 EINECS 202-794-6	gamma-Terpinene (p-Mentha-1,4-diene)	0.4100
REACH	FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	0.4100
CAS 80-56-8 EINECS 201-291-9	Pinenes	0.3800
REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	
CAS 87-44-5 EINECS 201-746-1	Caryophyllene	0.2700
REACH	AH 1;SS 1B H304,H317	0.2700
CAS 99-87-6 EINECS 202-796-7	para-Cymene	0.2100
REACH	FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.2100
CAS 562-74-3 EINECS 209-235-5	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)	0.1500
REACH	FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	
CAS 141-27-5 EINECS 205-476-5	Geranial (3,7-Dimethyl-2,6-octadienal)	0.1300
REACH	SCI 2; SS 1B; EDI 2A H315,H317,H319	
CAS 134-20-3 EINECS 205-132-4	Methyl anthranilate	0.1200
REACH	ATO 5(2910); SCI 3; EDI 2A; EH A2 H303,H316,H319,H401	0.1200

GHS: According to 2015/830/EU

Code Number: EO100686 Version 2 Revised 6/02/2023

CAS 120-72-9 EINECS 204-420-7 REACH	Indole ATO 4(1000);ATD 3(790) H302,H311	0.1100
CAS 140-29-4 EINECS 205-410-5 REACH	Benzyl nitrile ATO 3(260); ATD 3(270); ATI 1(0.2); EH A3 H301,H311,H330,H402	0.1100

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

GHS: According to 2015/830/EU

Code Number: EO100686 Version 2 Revised 6/02/2023

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin.

GHS: According to 2015/830/EU

Code Number: EO100686 Version 2 Revised 6/02/2023

Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C) 68°C

GHS: According to 2015/830/EU

	Mobile liquid
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to amber-yellow
ODOUR	Intense but light, refreshing, floral
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.86 to 0.89
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	4
10.1 Reactivity	
No data.	

GHS: According to 2015/830/EU

10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 I ncompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organi- compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity Not Applicable Not classified based on available data.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Causes serious eye irritation.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data

GHS: According to 2015/830/EU

Code Number: EO100686 Version 2 Revised 6/02/2023

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. EC50 (48 h) - Daphnia magna - 0.445 mg/L (QSAR) EC50 (96 h) - Algae - 0.766 mg/L (QSAR)

12.2 Persistence and degradability

Readily biodegradable in water.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

GHS: According to 2015/830/EU

	sposal considerations the information in section 8 (Exposure controls and personal protection)
	reatment methods
Dispose in a	ccordance with the law and local regulations. Treat as trade effluent.
Section 14. Tr	ansport information
14.1 UN num	ber
ADR	3082
ΙΑΤΑ	3082
IMDG	3082
14.2 UN prop	er shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
14.3 Transpo	rt hazard class(es)
ADR	9
ΙΑΤΑ	9
IMDG	9
14.4 Packing	group
ADR	
ΙΑΤΑ	111
IMDG	111
Tunnel Code	(E)
14 5 Environ	mental Hazards
	for the environment. Marine pollutant.
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes	
Road and Ra	ail Transport (Australian Dangerous Goods Code (ADG Code)):

Code Number: EO100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Version 2 Revised 6/0	02/2023
HazChem Code •	3Z
14.7 Transport in bu Not applicable	Ik according to Annex II of MARPOL73/78 and the IBC Code
Section 15. Regulator	ry information
15.1 Safety, health a substance or mixture	and environmental regulations/legislation specific for the e
	SMP): Not applicable HS Tariff Code: 3301.29.00 HSNO Approval Number: HSR002490 d on the Australian Inventory of Industrial Chemicals (AIIC).
15.2 Chemical safety	assessment sessment has not been carried out
A chemical salety as	
Full list of precaut P210	ionary phrases Keep away from heat, hot surfaces, sparks, open flames and
	other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Avoid breathing fumes. Wash hands thoroughly after handling
	Avoid breathing fumes.
P264	Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the
P264 P272	Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace.
P264 P272 P273	Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
P264 P272 P273 P280	Avoid breathing fumes.Wash hands thoroughly after handlingContaminated work clothing should not be allowed out of the workplace.Avoid release to the environment.Wear protective gloves and eye protection
P264 P272 P273 P280 P301+P310	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE.
P264 P272 P273 P280 P301+P310 P302+P352	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P264 P272 P273 P280 P301+P310 P302+P352 P305+P351+P338	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P264 P272 P273 P280 P301+P310 P302+P352 P305+P351+P338	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting.
P264 P272 P273 P280 P301+P310 P302+P352 P305+P351+P338 P331 P333+P313	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice.
P264 P272 P273 P280 P301+P310 P302+P352 P305+P351+P338 P331 P333+P313 P337+P313	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice. If eye irritation persists: Get medical attention.
P264 P272 P273 P280 P301+P310 P302+P352 P305+P351+P338 P331 P333+P313 P337+P313 P362+P364	 Avoid breathing fumes. Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection IF SWALLOWED: Immediately call a POISON CENTRE. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash it before reuse.

GHS: According to 2015/830/EU

P501	Dispose of contents and container in accordance to local regulations.
Wording	of any hazard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 3	Acute toxicity, dermal, category 3
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 1	Acute toxicity, inhalation, category 1
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording	of any hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation

GHS: According to 2015/830/EU

Code Number: EO100686 Version 2 Revised 6/02/2023

H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H330	Fatal if inhaled	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References a	nd further information	
AIIC = Austral	licable Idard for the Uniform Scheduling of Medicines and Poisons ian Inventory of Industrial Chemicals alian Industrial Chemicals Introduction Scheme	
Version 1: GHS	S format, BV 14/02/2017	
	ndatory revision, RB 6/02/2023	

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 14 of 14