

Olivem 1000

Pure Ingredients Ltd

Chemwatch: **5211-46** Version No: **5.1.1.1** Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 1

Issue Date: **02/05/2017** Print Date: **23/01/2019** S.GHS.NZL.EN.RISK

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Olivem 1000
Synonyms	Stock Code: O2003-0
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Raw material for cosmetic use, cosmetic.

Details of the supplier of the safety data sheet

Registered company name	Pure Ingredients Ltd	Pure Nature	
Address	21b Akatea Road, Glendene, Auckland 0602 New Zealand	34B Te Pai Place, Henderson, Auckland 0640 New Zealand	
Telephone	ne 09 8135619 09-8139412		
Fax	Fax Not Available Not Available		
Website	Website www.pureingredients.co.nz www.purenature.co.nz		
Email	compliance@pureingredients.co.nz	info@purenature.co.nz	

Emergency telephone number

Association / Organisation	Not Available	111
Emergency telephone numbers	111	Not Available
Other emergency telephone numbers	0800 764 766	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	1		
Toxicity	0		0 = Minimum
Body Contact	0		1 = Low 2 = Moderate
Reactivity	1		3 = High
Chronic	0		4 = Extreme

Classification	Not Applicable
Determined by Chemwatch	Not Available
using GHS/HSNO criteria	*LIMITED EVIDENCE

Label elements

Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE
	<u> </u>

Hazard statement(s)

Not Applicable

*LIMITED EVIDENCE

Version No: 5.1.1.1

Olivem 1000

Issue Date: 02/05/2017 Print Date: 23/01/2019

Supplementary statement(s)

Not Applicable

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
85116-80-9	50-70	fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters	
Not Available		as fatty acids, C16-18 and C18-unsaturated, C16-18 alkyl esters [CAS 92797-33-6]	
92202-01-2	30-50	sorbitan olivate	
Not Available		as sorbitan olivate [CAS 97358-61-7]	

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.		
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.		
Inhalation Inhala			
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 		

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- ▶ Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Fighting

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

- Alert Fire Brigade and tell them location and nature of hazard.
 - Wear breathing apparatus plus protective gloves.
 - ▶ Prevent, by any means available, spillage from entering drains or water courses.
 - ► Use water delivered as a fine spray to control fire and cool adjacent area.

Chemwatch: 5211-46 Page 3 of 8 Issue Date: 02/05/2017 Version No: 5.1.1.1 Print Date: 23/01/2019

Olivem 1000

	 DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.
Fire/Explosion Hazard	 Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion. In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (LEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC). When processed with flammable liquids/vapors/mists,ignitable (hybrid) mixtures may be formed with combustible dusts. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) acrolein other pyrolysis products typical of burning organic material. May emit poisonous furnes. May emit poisonous furnes. CARE: Water in contact with hot

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

nethous and material for containment and cleaning up		
Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal. 	
Major Spills	Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible.	

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Suitable container

Storage incompatibility

Precautions for safe handling ► Avoid all personal contact, including inhalation. ▶ Wear protective clothing when risk of exposure occurs. ▶ Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils Safe handling ► Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions) ▶ Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts. Particular attention should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary" explosion. Store in original containers. ▶ Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Other information Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. ▶ Observe manufacturer's storage and handling recommendations contained within this SDS. Conditions for safe storage, including any incompatibilities

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

► Polyethylene or polypropylene container.

▶ Avoid reaction with oxidising agents

► Check all containers are clearly labelled and free from leaks.

Issue Date: **02/05/2017**Print Date: **23/01/2019**

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Olivem 1000	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters	Not Available		Not Available	
sorbitan olivate	Not Available		Not Available	

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Personal protection









Eye and face protection

- ► Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing
 of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the
 class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment
 should be readily available.

Skin protection

See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Hands/feet protection

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- ▶ polychloroprene.
- nitrile rubber.
- ► butyl rubber.
- fluorocaoutchouc.
- ▶ polyvinyl chloride.

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C. apron.
- Barrier cream.Skin cleansing cream.
- ▶ Eye wash unit.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

^{* -} Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Chemwatch: 5211-46 Version No: 5.1.1.1

Olivem 1000

Issue Date: 02/05/2017 Print Date: 23/01/2019

- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Use approved positive flow mask if significant quantities of dust becomes airborne.
 Try to avoid creating dust conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	White-ivory colour waxy solid in flakes with slight characteristic odour, soluble in water.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	65-75	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

inioniation on toxicological		
Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. Inhalation of oil droplets or aerosols may cause discomfort and may produce chemical inflammation of the lungs. Fine mists generated from plant/ vegetable (or more rarely from animal) oils may be hazardous. Extreme heating for prolonged periods, at high temperatures, may generate breakdown products which include acrolein and acrolein-like substances.	
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.	
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.	
Eye	There is some evidence to suggest that this material can cause eye irritation and damage in some persons.	
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung. Prolonged or repeated skin contact may cause degreasing, followed by drying, cracking and skin inflammation.	
Olivem 1000	TOXICITY IRRITATION	

Chemwatch: 5211-46 Version No: 5.1.1.1

Page 6 of 8 Olivem 1000 Issue Date: 02/05/2017 Print Date: 23/01/2019

		l	
	Not Available	Not Available	
fatty acids, C16-18 and	TOXICITY	IRRITATION	
C18-unsaturated, C16-18-alkyl esters	Not Available	Not Available	
	TOXICITY	IRRITATION	
sorbitan olivate	Oral (rat) LD50: >5000 mg/kg ^[2]	Skin : Not irritatin	g *
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity data extracted from RTECS - Register of Toxic Effect of chemical Substances		from manufacturer's SDS. Unless otherwise specified
	Polyunsaturated fats (PUFAs) protect against heart disease by providing more vulnerable to being oxidized and therefore rancid.	ŕ	than monounsaturated fats (MUFAs), but they are more
FATTY ACIDS, C16-18 AND C18-UNSATURATED, C16-18-ALKYL ESTERS	Foods containing monounsaturated fats reduce low-density lipoprotein (LDL cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell memb consumption of monounsaturated oils is associated with healthier blood lipid of the diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from olive oil and omega-3 fatty acids (PUFAs) from Group A aliphatic monoesters (fatty acid esters) cause very little or no injury and content of the content of	ranes were positively profiles. Northern European rom fish and vegetab	y associated with breast cancer risk. In children, countries, but most of the fat is made up of eles, and very little saturated fat.
C18-UNSATURATED,	cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell memb consumption of monounsaturated oils is associated with healthier blood lipid. The diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from olive oil and omega-3 fatty acids (PUFAs) from olive oil acids (PUFAs)	ranes were positively profiles. Northern European om fish and vegetab and are considered s s, and thickeners in t	y associated with breast cancer risk. In children, countries, but most of the fat is made up of les, and very little saturated fat. safe for use in cosmetics.
C18-UNSATURATED, C16-18-ALKYL ESTERS	cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell memb consumption of monounsaturated oils is associated with healthier blood lipid The diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from olive oil and omega-3 fatty acids (PUFAs) ff Group A aliphatic monoesters (fatty acid esters) cause very little or no injury a The sorbitan esters are agents that typically find use as emulsifiers, stabilizer represent a toxicological concern since they are derived from naturally occurr	ranes were positively profiles. Northern European om fish and vegetab and are considered s s, and thickeners in t	y associated with breast cancer risk. In children, countries, but most of the fat is made up of les, and very little saturated fat. safe for use in cosmetics.
C18-UNSATURATED, C16-18-ALKYL ESTERS SORBITAN OLIVATE	cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell memb consumption of monounsaturated oils is associated with healthier blood lipid The diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from olive oil and omega-3 fatty acids (PUFAs) fr Group A aliphatic monoesters (fatty acid esters) cause very little or no injury and the sorbitan esters are agents that typically find use as emulsifiers, stabilizer represent a toxicological concern since they are derived from naturally occurric constituents.	ranes were positively profiles. Northern European rom fish and vegetab and are considered s s, and thickeners in t ing materials and are	y associated with breast cancer risk. In children, countries, but most of the fat is made up of les, and very little saturated fat. safe for use in cosmetics. foods, cosmetics and medical products. They do not be ultimately metabolised back to these same natural
C18-UNSATURATED, C16-18-ALKYL ESTERS SORBITAN OLIVATE Acute Toxicity	cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell member consumption of monounsaturated oils is associated with healthier blood lipid. The diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from olive oil and omega-3 fatty acids (PUFAs) from Group A aliphatic monoesters (fatty acid esters) cause very little or no injury at the sorbitan esters are agents that typically find use as emulsifiers, stabilizer represent a toxicological concern since they are derived from naturally occurric constituents.	ranes were positively profiles. Northern European om fish and vegetab and are considered sis, and thickeners in fing materials and are	y associated with breast cancer risk. In children, countries, but most of the fat is made up of les, and very little saturated fat. afe for use in cosmetics. Toods, cosmetics and medical products. They do not be ultimately metabolised back to these same natural
C18-UNSATURATED, C16-18-ALKYL ESTERS SORBITAN OLIVATE Acute Toxicity Skin Irritation/Corrosion	cholesterol. Levels of oleic, and other monounsaturated fatty acids in red blood cell memb consumption of monounsaturated oils is associated with healthier blood lipid The diet in Mediterranean countries consists of more total fat than the diets of monounsaturated fatty acids from oilve oil and omega-3 fatty acids (PUFAs) from one properties of monounsaturated fatty acids from oilve oil and omega-3 fatty acids (PUFAs) from James of the solution of the sol	ranes were positively profiles. Northern European rom fish and vegetable and are considered sign and consi	y associated with breast cancer risk. In children, countries, but most of the fat is made up of eles, and very little saturated fat. safe for use in cosmetics. ioods, cosmetics and medical products. They do not e ultimately metabolised back to these same natural

✓ – Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Olivem 1000	Not Available	Not Available	Not Available	Not Available	Not Available
fatty acids, C16-18 and	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
C18-unsaturated, C16-18-alkyl esters	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
sorbitan olivate	Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 DISPOSAL CONSIDERATIONS

Issue Date: 02/05/2017 Print Date: 23/01/2019

Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

- Reduction
- ▶ Reuse
- Recycling

Product / Packaging disposal

A Hierarchy of Controls seems to be common - the user should investigate:

- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Not applicable as substance/ material is non hazardous.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO Not Applicable
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
Not Applicable	Not Applicable

FATTY ACIDS, C16-18 AND C18-UNSATURATED, C16-18-ALKYL ESTERS(85116-80-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

SORBITAN OLIVATE(92202-01-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status	
Australia - AICS	No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters)	
Canada - DSL	No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters)	
Canada - NDSL	No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters)	

Chemwatch: 5211-46 Page 8 of 8

Version No: 5.1.1.1

Olivem 1000

China - IECSC No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) Europe - EINEC / ELINCS / NLP No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) Japan - ENCS No (fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) Korea - KECI New Zealand - NZIoC No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) Philippines - PICCS No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) USA - TSCA No (sorbitan olivate; fatty acids, C16-18 and C18-unsaturated, C16-18-alkyl esters) Yes = All ingredients are on the inventory Legend: No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	02/05/2017
Initial Date	Not Available

SDS Version Summary

Version	Issue Date	Sections Updated
4.1.1.1	23/11/2016	Classification
5.1.1.1	02/05/2017	Ingredients

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

Issue Date: 02/05/2017

Print Date: 23/01/2019