WW	
See.	<b>Pure</b> Ingredients
1	Cosmetics • Personal care • Natural health

GHS: According to 2015/830/EU

Code Number: E0100680 Version 4 Revised 23/05/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	ORANGE ESSENTIAL OIL - SWEET ABP
Code Number	E0100680 - EOORAS
Alternative Name	
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number+09 813 5619Email Addresscompliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 3*(3.1C)	Flammable liquid, category 3
AH 1*(6.1E)	Aspiration hazard, category 1
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1B*(6.5B)	Skin sensitisation, category 1B
EH A1*(9.1A)	Aquatic hazard, acute, category 1
EH C1*(9.1A)	Aquatic hazard, chronic, category 1

2.2 Label elements

de Number: EO1 rsion 4 Revised 2	
	according to Regulation (EC) No 1272/2008
Hazard Pictogram	ns
Signal Word	Danger
Hazard Statemer	nts
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.

GHS: According to 2015/830/EU

#### *Code Number: EO100680 Version 4 Revised 23/05/2022*

P501

Dispose of contents and container in accordance to local regulations.

#### 2.3 Other Hazards

Contains Citral, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	>60%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<10%
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3; AH 1; SCI 2; EDI 2A H226, H304, H315, H319	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
  - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be

GHS: According to 2015/830/EU

Code Number: EO100680 Version 4 Revised 23/05/2022

undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautionsDo not discharge directly into drains or the soil. Keep away from surface and ground water.

GHS: According to 2015/830/EU

### *Code Number: EO100680 Version 4 Revised 23/05/2022*

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

GHS: According to 2015/830/EU

### *Code Number: E0100680 Version 4 Revised 23/05/2022*

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties			
FLASH POINT (°C)	46°		
APPEARANCE	Mobile liquid		
COLOUR	Yellow to dark orange-brown		
ODOUR	Light, fresh, sweet, fruity with juicy overtones		
ODOUR THRESHOLD	Not available		
pH @20 DEG C	Not available		
MELTING/FREEZING POINT	-74.3°C		
INITIAL BOILING POINT AND RANGE	185°C		
EVAPORATION RATE	5.8		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	0.7 to 6.1% by volume		
VAPOUR PRESSURE	2.3 hPa		

Code Number: EO100680	
Version 4 Revised 23/05/2022	
	4.7
SPECIFIC GRAVITY @ 20°C	0.840 to 0.850
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	4.23
AUTO-IGNITION TEMPERATURE	255°C
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	у
10.1 Reactivity Risk of ignition if heated. No furthe	er information available.
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea	
No hazardous reactions if stored u	nder suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
No known adverse effects.	

GHS: According to 2015/830/EU

### *Code Number: EO100680 Version 4 Revised 23/05/2022*

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation No known adverse effects. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

GHS: According to 2015/830/EU

#### *Code Number: EO100680 Version 4 Revised 23/05/2022*

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L

- EC50 (72 h) Raphidocelis subcapitata 0.32 mg/L
- 12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN nu	Imber
ADR	1197
IATA	1197
IMDG	1197

14.2 UN proper shipping name

- ADR EXTRACTS, LIQUID, for flavour or aroma
- IATA EXTRACTS, LIQUID, FOR FLAVOUR OR AROMA
- IMDG EXTRACTS, LIQUID, FOR FLAVOUR OR AROMA

SAFETY DATA SHEET GHS: According to 2015/830/EU			
	Code Number: E0100680		
	Version 4 Revised 23/05/2022		
14.3 Transpo	ort hazard class(es)		
ADR	3		
ΙΑΤΑ	3		
IMDG	3		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(D/E)		
14.5 Environ	mental Hazards		
Dangerous f	for the environment. Marine polluta	ant.	
<ul> <li>14.6 Special precautions for user</li> <li>Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):</li> <li>EmS: F-E, S-D</li> <li>Marine Pollutant: Yes</li> <li>Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):</li> </ul>			
HazChem (	HazChem Code 3Y		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. Re	egulatory information		
	15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Poison Sche	dule (SUSMP): Not applicable	HS Tariff Code: 3301.12.00	
15.2 Chemica	al safety assessment	HSNO Approval Number: HSR002576	
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of	Full list of precautionary phrases		
P210	Keep away from heat, other ignition sources.	hot surfaces, sparks, open flames and No smoking.	
P241	Use explosion-proof ec	juipment.	
P242	Use only non-sparking	tools.	

GHS: According to 2015/830/EU

### *Code Number: EO100680 Version 4 Revised 23/05/2022*

_		
	P243	Take precautionary measures against static discharge.
	P261	Avoid breathing fumes.
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
	P280	Wear protective gloves and eye protection
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
	P331	Do NOT induce vomiting.
	P333+P313	If skin irritation or rash occurs: Get medical advice.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P391	Collect spillage.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P403+P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	P501	Dispose of contents and container in accordance to local regulations.
	Wording of any haza	ard classes listed in section 3
	FL 3	Flammable liquid, category 3
	ATO 4	Acute toxicity, oral, category 4
	AH 1	Aspiration hazard, category 1
	SCI 2	Skin corrosion/irritation, category 2
	SS 1	Skin sensitisation, category 1
	SS 1B	Skin sensitisation, category 1B
	EDI 2A	Eye damage/irritation, category 2A
	EH A1	Aquatic hazard, acute, category 1
	EH C1	Aquatic hazard, chronic, category 1
	Wording of any haza	ard statements listed in section 3
	H226	Flammable liquid and vapour
	H302	Harmful if swallowed
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation

GHS: According to 2015/830/EU

#### Code Number: EO100680 Version 4 Revised 23/05/2022

	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation
	H400	Very toxic to aquatic life
	H410	Very toxic to aquatic life with long lasting effects
	References and furth	ner information
	Key: N/A = Not applicable SUSMP = Standard for	the Uniform Scheduling of Medicines and Poisons
	Version 4: Minor change	ges, BV 01/02/2017 revision, RB 23/05/2022
he	information contained in this	Safety Data Sheet is obtained from current and reliable sources. Pure I
		the second s

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 12 of 12