

GHS: According to 2015/830/EU

Code Number: E0100700

Version 3 Revised 14/06/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name PATCHOULI ESSENTIAL OIL - CQ ABP

Code Number E0100700 - ESPATCOMC

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

AH 1*(6.1E)

SCI 3*(6.3B)

Skin corrosion/irritation, category 3

SS 1B*(6.5B)

Skin sensitisation, category 1B

EH A1*(9.1A)

Aquatic hazard, acute, category 1

EH C1*(9.1A)

Aquatic hazard, chronic, category 1

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: EO100700 Version 3 Revised 14/06/2022

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P261 Avoid breathing fumes.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.
P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

2.3 Other Hazards

Contains nothing known from the allergens list which may produce an allergic reaction

No further information available at this time

GHS: According to 2015/830/EU

Code Number: EO100700 Version 3 Revised 14/06/2022

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 475-20-7 EINECS 207-491-2 REACH	[1S-(1a,3aß,4a,8aß)]-decahydro-4,8,8-trimethyl-9-methylene-1 AH 1;SCI 3;SS 1;EH A1,C1 H304,H316,H317,H400,H410	>60%
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	<10%
CAS 5986-55-0 EINECS 227-807-2 REACH	Patchouli alcohol SCI 3 H316	<10%
CAS 3691-12-1 EINECS - REACH	alpha-Guaiene AH 1;EDI 2A;SCI 2 H304,H315,H319	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

- 6.3 Methods and material for containment and cleaning up
 - Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.
- 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values
No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 110°

APPEARANCE Mobile liquid
COLOUR Yellow to amber

ODOUR Rich aromatic-spicy, woody-balsamic,

sweet-herbaceous

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

INITIAL BOILING POINT AND

Not available

RANGE

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE

VAPOUR DENSITY

Not available

SPECIFIC GRAVITY @ 20°C

0.935 to 0.95

SOLUBILITIES Insoluble in water

PARTITION COEFF Not available N-OCTANAL/WATER

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

VISCOSITY @ 20 DEG C

Not available

EXPLOSIVE PROPERTIES Not available OXIDISING PROPERTIES Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No known adverse effects.

Skin corrosion / irritation

Causes mild skin irritation.

Serious eye damage / irritation

No known adverse effects.

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Longifolene (475-20-7):

NOEC (7 d) - Pimephales promelas (fathead minnow) - 0.9 mg/L

LC50 (96 h) - Pimephales promelas (fathead minnow) - 10.2 mg/L

Growth inhibition LOEC (7 d) - Pimephales promelas (fathead minnow) - 0.9 mg/L

EC50 (48 h) - Daphnia pulex (Water flea) - 0.08 mg/L

GHS: According to 2015/830/EU

Code Number: E0100700 Version 3 Revised 14/06/2022

12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR 3082 IATA 3082 IMDG 3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

LONGIFOLENE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

LONGIFOLENE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

LONGIFOLENE)

14.3 Transport hazard class(es)

ADR 9
IATA 9
IMDG 9

GHS: According to 2015/830/EU

Code Number: EO100700 Version 3 Revised 14/06/2022

14.4 Packing group

ADR III
IATA III
IMDG III
Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-F

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number: HSR002503

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P261 Avoid breathing fumes.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

GHS: According to 2015/830/EU

Code Number: EO100700

Version 3 Revised 14/06/2022

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.
P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

Wording of any hazard classes listed in section 3

AH 1 Aspiration hazard, category 1
SCI 2 Skin corrosion/irritation, category 2
SCI 3 Skin corrosion/irritation, category 3

SS 1 Skin sensitisation, category 1
SS 1B Skin sensitisation, category 1B
EDI 2A Eye damage/irritation, category 2A
EH A1 Aquatic hazard, acute, category 1
EH C1 Aquatic hazard, chronic, category 1

Wording of any hazard statements listed in section 3

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation
H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

Version 1: GHS format, BV 06/06/2017 Version 2: Minor changes, BV 19/06/2017

Version 3: Mandatory revision, RB 14/06/2022

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.

Page 11 of 11