

GHS: According to 2015/830/EU

Code Number: E0100596 Version 2 Revised 26/04/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	PETITGRAIN ESSENTIAL OIL - PARAGUAY ABP
Code Number	EO100596 - EOPETP
Alternative Name	INCI Name: Citrus Aurantium Amara Leaf/Twig Oil
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number+09 813 5619Email Addresscompliance@pti

Email Addresscompliance@pureingredients.co.nz1.4 Emergency Tel No111 / NZ Poisons Centre 0800 POISON (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
AH 1*(6.1E)	Aspiration hazard, category 1
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1*(6.5B)	Skin sensitisation, category 1
EDI 1*(8.3A)	Eye damage/irritation, category 1
EH A2*(9.1D)	Aquatic hazard, acute, category 2
EH C2*(9.1B)	Aquatic hazard, chronic, category 2

2.2 Label elements

de Number: EO1 rsion 2 Revised 2	
	according to Regulation (EC) No 1272/2008
Hazard Pictogra	
•	
Signal Word	Danger
Hazard Statemer	nts
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

HS: According to 20	15/830/EU	
Code Number: E /ersion 2 Revise		
P501	Dispose of contents and container in acc regulations.	ordance to local
2.3 Other Hazar Contains Citral	ds Limonene and Linalool which may produce an al	lergic reaction
No further info	mation available at this time	
Any percentage values	osition / information on ingredients listed here for hazardous components are for illustrative purposes only	
3.1 Substances Description	PETITGRAIN OIL PARAGUAY	
EC/EINECS	277-143-2	
CAS Number	72968-50-4	
USCAS Number	8014-17-3	
Hazardous com	ponents	
ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 115-95-7	Linalyl acetate	
EINECS 204-116-4 REACH	FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	52.0000
CAS 78-70-6 EINECS 201-134-4	Linalool	25,7000
REACH	FL 4:SS 1B H227,H317	25.7000
CAS 98-55-5	Terpineol (alpha-Terpineol)	
EINECS 202-680-6 REACH	FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	4.9000
CAS 105-87-3	Geranyl acetate	3 5000
EINECS 203-341-5 REACH	SCI 2;SS 1;EH C3 H315,H317,H412	3.5000
CAS 13877-91-3	Ocimene (3,7-Dimethyl-1,3,6-octatriene)	
EINECS 237-641-2 REACH	FL 3; AH 1; SCI 3 H226,H304,H316	3.2000
CAS 123-35-3	beta-Myrcene	2,2000
EINECS 204-622-5 REACH	FL 3:AH 1; SCI 2; EDI 2A H226,H304,H315,H319	2.3000
CAS 141-12-8	Neryl acetate	2 2000
EINECS 205-459-2 REACH	SCI 2;SS 1;EH C3 H315,H317,H412	2.2000

GHS: According to 2015/830/EU

## *Code Number: E0100596 Version 2 Revised 26/04/2022*

CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1.4000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	1.3000
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	1.2000
CAS 106-25-2 EINECS 203-378-7 REACH	Nerol ATO 5(4500); EDI 2A; SCI 2; SS 1B; EH A2 H303,H315,H317,H319,H401	1.2000
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	0.8000
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	0.4800
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2; SS 1B;EDI 2A H315,H317,H319	0.1200
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	0.0940
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	0.0800
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	0.0460

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are

GHS: According to 2015/830/EU

### Code Number: EO100596 Version 2 Revised 26/04/2022

any signs of tissue damage.

After eye contact

Causes serious damage to eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

#### 4.3 Indication of immediate medical attention and special treatment needed Take phrases in sections 2 and 11 into account. No further information available at this time.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture
  - May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

GHS: According to 2015/830/EU

## *Code Number: EO100596 Version 2 Revised 26/04/2022*

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

GHS: According to 2015/830/EU

## Code Number: EO100596 Version 2 Revised 26/04/2022

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 63°
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow-brown
ODOUR	Reminiscent of orange flowers, woody-herbaceous undertones
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	
Code Number: EO100596 Version 2 Revised 26/04/2022	
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.878 to 0.91
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not applicable
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 I ncompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological information	tion
11.1 Information on toxicologica	l effects
Acute toxicity Not Applicable No known adverse effects.	

GHS: According to 2015/830/EU

## Code Number: EO100596 Version 2 Revised 26/04/2022

Skin corrosion / irritation
Causes skin irritation.
Serious eye damage / irritation
Causes serious eye damage.
Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
May be fatal if swallowed and enters airways.
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information

	DATA SHEET to 2015/830/EU
	er: E0100596 evised 26/04/2022
12.1 Toxici Toxic to a	ty quatic life with long lasting effects. Avoid contaminating waterways.
LC50 (96 EC50 (48 EC50 (72 12.2 Persis	D-Limonene (5989-27-5): h) - Pimephales promelas (fathead minnow) – 0.72 mg/L h) - Daphnia magna – 0.36 mg/L h) - Raphidocelis subcapitata – 0.32 mg/L stence and degradability odegradable.
12.3 Bioaco No data	cumulative potential
12.4 Mobili Avoid soil	ity in soil , surface water and water-bearing stratum contamination.
12.5 Resul No data	ts of PBT and vPvB assessment
	adverse effects ons 6, 7, 13 and 15.
Please refer	Disposal considerations to the information in section 8 (Exposure controls and personal protection) e treatment methods
	accordance with the law and local regulations. Treat as trade effluent.
Section 14.	Transport information
14.1 UN nu	Imber
ADR	3082
IATA	3082
IMDG	3082
•	oper shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE & PINENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE & PINENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE & PINENES)

SAFETY	DATA	SHEET

GHS: According to 2015/830/EU

*Code Number: EO100596 Version 2 Revised 26/04/2022* 

14.3 Transr	
	ort hazard class(es)
ADR	9
ΙΑΤΑ	9
IMDG	9
14.4 Packin	g group
ADR	111
ΙΑΤΑ	III
IMDG	111
Tunnel Code	(E)
14.5 Enviro	nmental Hazards
Dangerous	for the environment. Marine pollutant.
14.6 Specia	I precautions for user
Maritime T EmS: F-A, Marine Pol	
Road and I	Rail Transport (Australian Dangerous Goods Code (ADG Code)):
HazChem	Code N/A
	port in bulk according to Annex II of MARPOL73/78 and the IBC Code
14.7 Transp Not applica	port in bulk according to Annex II of MARPOL73/78 and the IBC Code
14.7 Transp Not applica Section 15. I	able Regulatory information health and environmental regulations/legislation specific for the
14.7 Transp Not applica Section 15. I 15.1 Safety substance o	Abort in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the or mixture edule (SUSMP): Not applicable HS Tariff Code: 3301.12.00
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information , health and environmental regulations/legislation specific for the or mixture edule (SUSMP): Not applicable HS Tariff Code: 3301.12.00 HSNO Approval Number: HSR002490
14.7 Transp Not applica Section 15.1 15.1 Safety substance of Poison Sch 15.2 Chemin	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the or mixture edule (SUSMP): Not applicable cal safety assessment HS Tariff Code: 3301.12.00 HSNO Approval Number: HSR002490
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch 15.2 Chemic A chemica	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the r mixture edule (SUSMP): Not applicable cal safety assessment safety assessment has not been carried out
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch 15.2 Chemic A chemica	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the or mixture edule (SUSMP): Not applicable cal safety assessment HS Tariff Code: 3301.12.00 HSNO Approval Number: HSR002490
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch 15.2 Chemic A chemica	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the r mixture edule (SUSMP): Not applicable cal safety assessment safety assessment has not been carried out
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch 15.2 Chemic A chemica	able able Regulatory information health and environmental regulations/legislation specific for the mixture edule (SUSMP): Not applicable HS Tariff Code: 3301.12.00 HSNO Approval Number: HSR002490 cal safety assessment has not been carried out Other information
14.7 Transp Not applica Section 15. I 15.1 Safety substance o Poison Sch 15.2 Chemic A chemica Section 16. 0 Full list o	A port in bulk according to Annex II of MARPOL73/78 and the IBC Code able Regulatory information health and environmental regulations/legislation specific for the mixture edule (SUSMP): Not applicable edule (SUSMP): Not applicable safety assessment safety assessment safety assessment has not been carried out Other information f precautionary phrases Keep away from heat, hot surfaces, sparks, open flames and

GHS: According to 2015/830/EU

## Code Number: EO100596 Version 2 Revised 26/04/2022

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any hazard classes listed in section 3	
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C3	Aquatic hazard, chronic, category 3

GHS: According to 2015/830/EU

### Code Number: EO100596 Version 2 Revised 26/04/2022

Wording of any hazard statements listed in section 3	
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and further information	
Version 1: GHS format, BV 14/02/2017	
Version 2: Mandatory	revision, RB 26/04/2022

Page 13 of 13

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.