

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name ROSE OTTO BULGARIAN OIL
Code Number E0100685 - EOROSEOB

Alternative Name INCI Name: Rosa Damascena Flower Oil

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

626A Rosebank Road, Avondale

Auckland 1026 New Zealand

Telephone Number +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No: 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 *(3.1D)	Flammable liquid, category 4
SCI 2 *(6.3A)	Skin corrosion/irritation, category 2
SS 1 *(6.5B)	Skin sensitisation, category 1
EDI 1 *(8.3A)	Eye damage/irritation, category 1
MUT 2 *(6.6B)	Germ cell mutagenicity, category 2
CAR 2 *(6.7B)	Carcinogenicity, category 2
EH A3 *(9.1D)	Aquatic hazard, acute, category 3
EH C3 *(9.1C)	Aquatic hazard, chronic, category 3

^{*}Correlation between GHS and New Zealand HSNO Classes and Categories

2.2 Label elements

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

-	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P310	Immediately call a POISON CENTRE.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

2.3 Other Hazards

Contains Benzyl Alcohol, Citral, Citronellol, Eugenol, Farnesol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description ROSE OTTO BULGARIAN OIL

EC/EINECS 290-260-3 CAS Number 90106-38-0 USCAS Number 8007-01-0

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319	41.7000
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2;SS 1;EDI 1 H315,H317,H318	20.8000
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2;SS 1 H315,H317	2.4000
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol SS 1;EDI 2A H317,H319	1.8000
CAS 4602-84-0 EINECS 225-004-1 REACH	Farnesol SCI 2;EDI 2A;SS 1B H315,H317,H319	1.6000
CAS 93-15-2 EINECS 202-223-0 REACH	Methyl eugenol (Eugenyl methyl ether) ATO 5;SS 1;MUT 2;CAR 2;EH A2 H303,H317,H341,H351,H401	1.4000

GHS: According to 2015/830/EU

Code Number: EO100685 Version 3 Revised 8/03/2022

CAS 60-12-8 EINECS 200-456-2 REACH	Phenyl ethyl alcohol ATD 5(2500);ATO 4(1610);EDI 2A;SCI 3 H302,H313,H316,H319	1.4000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4:SS 1B H227,H317	1.3000
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	1.3000
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	0.9000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	0.6000
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	0.0900
CAS 100-51-6 EINECS 202-859-9 REACH	Benzyl alcohol ATD 5(2500);ATI 4;ATO 4(1620);EDI 2A H302,H313,H319,H332	0.0300

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Causes serious damage to eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 71°

APPEARANCE Mobile liquid. Solid when below 20 deg C

COLOUR Pale yellow to yellow

ODOUR Warm, deep floral, reminiscent of roses

ODOUR THRESHOLD

PH @20 DEG C

MELTING/FREEZING POINT

Not available

23 deg C

INITIAL BOILING POINT AND

RANGE

Not available

EVAPORATION RATE <1.0

FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available

VAPOUR DENSITY >1.0

SPECIFIC GRAVITY @ 20°C 0.84 to 0.865

SOLUBILITIES Insoluble in water

PARTITION COEFF Not available

N-OCTANAL/WATER

GHS: According to 2015/830/EU

Code Number: EO100685 Version 3 Revised 8/03/2022

AUTO-IGNITION TEMPERATURE 460 deg C

DECOMPOSITION TEMPERATURE Not available

VISCOSITY @ 20 DEG C Not available

EXPLOSIVE PROPERTIES Not available

OXIDISING PROPERTIES Not available

9.2 Other information

No further information available.

Section 10. Stability and reactivity

10.1 Reactivity

No data.

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not Applicable

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes serious eye damage.

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

EC50 (48 h) - Daphnia magna - 29.1 mg/L ErC50 (72 h) - Pseudokirchneriella subcapitata - 175.0 mg/L

GHS: According to 2015/830/EU

Code Number: EO100685 Version 3 Revised 8/03/2022

12.2 Persistence and degradability

Readily biodegradable in water.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name NOT RESTRICTED

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

HazChem Code N/A

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3301.29.00

HSNO Approval Number: HSR002513

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P310	Immediately call a POISON CENTRE.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

P405 Store locked up.

P501 Dispose of contents and container in accordance to local

regulations.

Wording of any hazard classes listed in section 3

FL 3 Flammable liquid, category 3
FL 4 Flammable liquid, category 4

GHS: According to 2015/830/EU

H400

H401

H410

Code Number: E0100685 Version 3 Revised 8/03/2022

ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	
EDI 2A	Eye damage/irritation, category 2A	
ATI 4	Acute toxicity, inhalation, category 4	
MUT 2	Germ cell mutagenicity, category 2	
CAR 2	Carcinogenicity, category 2	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
Wording of a	ny hazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
11010	May be Harriful in contact with skill	
H315	Causes skin irritation	
	-	
H315	Causes skin irritation	
H315 H316	Causes skin irritation Causes mild skin irritation	
H315 H316 H317	Causes skin irritation Causes mild skin irritation May cause an allergic skin reaction	
H315 H316 H317 H318	Causes skin irritation Causes mild skin irritation May cause an allergic skin reaction Causes serious eye damage	
H315 H316 H317 H318 H319	Causes skin irritation Causes mild skin irritation May cause an allergic skin reaction Causes serious eye damage Causes serious eye irritation	
H315 H316 H317 H318 H319 H332	Causes skin irritation Causes mild skin irritation May cause an allergic skin reaction Causes serious eye damage Causes serious eye irritation Harmful if inhaled	

Very toxic to aquatic life with long lasting effects

Very toxic to aquatic life

Toxic to aquatic life

GHS: According to 2015/830/EU

Code Number: E0100685 Version 3 Revised 8/03/2022

References and further information

Key:

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

Version 1: GHS Format, BV 25/02/2017

Version 2: Amended Hazard statements, BV 27/02/2017

Version 3: Mandatory revision, RB 08/03/2022

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.