

GHS: According to 2015/830/EU

Code Number EOOREO | E0107485 Version 2 Revised 9/05/2019

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	OREGANO OIL ORGANIC
Code Number	EOOREO
Alternative Name	
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd 21B Akatea Road, Glendene Auckland New Zealand 0602

Telephone Number	Tel No. +09 813 5619
Email Address	compliance@pureingredients.co.nzau

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 *(3.1D)	Flammable liquid, category 4
ATO 4 *(6.1D)	Acute toxicity, oral, category 4
AH 1 *(6.1E)	Aspiration hazard, category 1
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1 *(6.5B)	Skin sensitisation, category 1
EH C3 *(9.1C)	Aquatic hazard, chronic, category 3

*Correlation between GHS and New Zealand HSNO Classes and Categories

SAFETY DATA SHEET GHS: According to 2015/830/EU Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019			
2.	2.2 Label elements GHS classification according to Regulation (EC) No 1272/2008 Hazard Pictograms		
	Signal Word	Danger	
	Hazard Statements		
	H227	Combustible liquid	
	H302	Harmful if swallowed	
	H304	May be fatal if swallowed and enters airways	
	H315	Causes skin irritation	
	H317	May cause an allergic skin reaction	
	H412	Harmful to aquatic life with long lasting effects	
	Precautionary State	ments	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.	
	P261	Avoid breathing fumes.	
	P264	Wash hands thoroughly after handling	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves and eye protection	
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
	P403+P235	Store in a well-ventilated place. Keep cool.	
	P501	Dispose of contents and container in accordance with local regulation.	
2.	2.3 Other Hazards		
	Contains Linalool which may produce an allergic reaction		
	No further information available at this time		

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description	OREGANO OIL ORGANIC
EC/EINECS	281-670-3
CAS Number	84012-24-8
USCAS Number	8007-11-2

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 499-75-2 EINECS 207-889-6 REACH	Carvacrol ATO 4(810); SCI 2; EDI 2A; SS 1B H302, H315, H317, H319	71.1000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3; ATO 5(4750); SCI 3; AH 1; EH A2,C2 H226,H303,H304,H316,H401,H411	6.9000
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; ATO 5(3850); SCI 3; AH 1 H226,H303,H304,H316	5.7000
CAS 89-83-8 EINECS 201-944-8 REACH	Thymol ATO 4(980); SCI 1B; EDI 1; EH A2,C2 H302,H314,H318,H401,H411	3.2000
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1; SCI 3 H304, H316	2.2000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1A H227,H317	1.4000
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	0.7000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 5(3500); SCI 2; SS 1B; AH 1 H226,H303,H304,H315,H317	0.7000
CAS 7705-14-8 EINECS 231-732-0 REACH	d,I-Limonene (isomer unspecified) FL 3; AH 1; SCI 2; SS 1B; EH A1,C1 H226,H304,H315,H317,H400,H410	0.4000
CAS 99-83-2 EINECS 202-792-5 REACH	alpha-Phellandrene FL 3; SCI 3; AH 1 H226, H304, H316	0.2000

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

CAS 507-70-0 EINECS 208-080-0 REACH	Borneol FS 2; SCI 3 H228,H316	0.2000
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3500);SCI 2;SS 1B;AH 1 H226,H303,H304,H315,H317	0.2000
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SCI 3 H226,H303,H316	0.1000
CAS 76-22-2 EINECS 200-945-0 REACH	Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2;ATI 4(1.5);ATO 5(4900);SCI 3;STO-SE 2;EH A3 H228,H303,H316,H332,H371,H402	0.1000
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	0.1000
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A2 H227, H303, H315, H319, H401	0.1000
CAS 99-49-0 EINECS 202-759-5 REACH	Carvone ATD 5(3800); SS 1B; EH A3 H313,H317,H402	0.1000

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

SAFETY	DATA	SHEET

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

4.2 Most important symptoms and effects, both acute and delayed
No further information available at this time

4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course, avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

GHS: According to 2015/830/EU

Section 9. Physical and chemical properties		
9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 71	
APPEARANCE	Mobile liquid	
COLOUR	Pale yellow to yellow	
ODOUR	Characteristic	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20 deg C	0.935 to 0.965	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available		

GHS: According to 2015/830/EU

Section 10. Stability and reactivity
10.1 Reactivity
Not determined
10.2 Chemical Stability
Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions
No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid
Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials
Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
Harmful if swallowed.
Skin corrosion / irritation
Causes skin irritation.
Serious eye damage / irritation
May irritate eyes.
Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

GHS: According to 2015/830/EU

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods		
Dispose in accordanc	e with the law and local regulations. Treat as trade effluent.	
Section 14. Transport	information	
14.1 UN number	Not Regulated	
14.2 UN proper shipp	ning name NOT RESTRICTED	
14.3 Transport hazar	d class(es)	
14.4 Packing group		
Tunnel Code		
14.5 Environmental H	lazards	
No relevant informati	on available	
14.6 Special precauti	ons for user	
No relevant informati	on available	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable		
Section 15. Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Poison Schedule: Not	applicable HS Tariff Code: 3301.29.00	
15.2 Chemical safety assessment		
A chemical safety ass	sessment has not been carried out	
Section 16. Other information		
Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P270	Do not eat, drink or smoke when using this product.	

GHS: According to 2015/830/EU

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P310	Immediately call a POISON CENTRE.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 1B	Skin corrosion/irritation, category 1B
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
STO-SE 2	Specific target organ, single exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1

GHS: According to 2015/830/EU

Code Number EOOREO / EO107485 Version 2 Revised 9/05/2019

EH C2	Aquatic hazard, chronic, category 2
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information Version 2: GHS format, 09/05/2019

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.