



## SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name                SAGE ESSENTIAL OIL - DALMATIAN ABP  
Code Number                EO100666 - EOSAGD  
Alternative Name  
REACH Reg No                Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

#### 1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd  
626A Rosebank Road, Avondale  
Auckland 1026  
New Zealand

Telephone Number            +09 813 5619

Email Address                compliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)

Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

FL 3\*(3.1C)                    Flammable liquid, category 3  
ATO 4\*(6.1D)                Acute toxicity, oral, category 4  
AH 1\*(6.1E)                 Aspiration hazard, category 1  
SCI 2\*(6.3A)                Skin corrosion/irritation, category 2  
SS 1B\*(6.5B)                Skin sensitisation, category 1B  
EDI 2B\*(6.4A)              Eye damage/irritation, category 2B  
STO-SE 2\*(6.9B)            Specific target organ, single exposure, category 2  
EH C2\*(9.1B)                Aquatic hazard, chronic, category 2

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## 2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word                      Danger

Hazard Statements

- |      |   |
|------|---|
| H226 | Flammable liquid and vapour                     |
| H302 | Harmful if swallowed                            |
| H304 | May be fatal if swallowed and enters airways    |
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H320 | Causes eye irritation                           |
| H371 | May cause damage to organs                      |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

- |                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P260           | Do not breathe fumes.  |
| P264           | Wash hands thoroughly after handling   |
| P273           | Avoid release to the environment.  |
| P280           | Wear protective gloves and eye protection  |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |
| P302+P352      | IF ON SKIN: Wash with plenty of water.   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

**Code Number: EO100666**

**Version 2 Revised 10/12/2020**

P333+P313	If skin irritation or rash occurs: Get medical advice.
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local regulation.

## 2.3 Other Hazards

Contains Limonene which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.1 Substances

Description	SAGE OIL DALMATIAN
EC/EINECS	282-025-9
CAS Number	84082-79-1
USCAS Number	8022-56-8

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 546-80-5 EINECS 208-912-2 REACH	Thujones FL 4; ATO 4(500) H227, H302	31.5000
CAS 76-22-2 EINECS 200-945-0 REACH	Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2; ATI 4(1.5); ATO 5(4900); SCI 3; STO-SE 2; EH A3 H228, H303, H316, H332, H371, H402	19.4000
CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3; ATO 5(2480); SS 1B H226, H303, H317	10.6000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	7.5000
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	5.8000

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

**Code Number: EO100666**

**Version 2 Revised 10/12/2020**

CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	5.4000
CAS 507-70-0 EINECS 208-080-0 REACH	Borneol FS 2;SCI 3 H228,H316	3.7000
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1.7000
CAS 76-49-3 EINECS 200-964-4 REACH	Bornyl acetate FL 4;SCI 3;EH A2 H227,H316,H401	1.6000
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3;AH 1;SCI 2;EDI 2A H226,H304,H315,H319	1.0000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.5000
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4;ATD 5(2500);ATO 4(1300);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	0.4000

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

Take phrases in sections 2 into account

### 4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Seek medical advice if necessary.

#### After skin contact

Irritating to the skin, may cause an allergic skin reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any signs of tissue damage.

#### After eye contact

Irritating to the eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## After ingestion

Harmful if swallowed, may be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

## 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

## 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder  
DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

## 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

### 7.3 Specific end use(s)

No further information available

## Section 8. Exposure controls / personal protection

### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

#### Hand protection

Wear chemically resistant disposable gloves.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

## Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

## Thermal hazards

No information

## Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

## National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

## Biological Limit Values

No biological limit allocated.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	54
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Fresh, herbaceous, eucalyptus-camphor-like
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	<1.0
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

VAPOUR DENSITY	>1.0
SPECIFIC GRAVITY @ 20 deg C	0.903 to 0.931
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

## 9.2 Other information

No further information available

## Section 10. Stability and reactivity

### 10.1 Reactivity

Not determined

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.



# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Causes eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

May cause damage to organs.

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

### 12.2 Persistence and degradability

No data

### 12.3 Bioaccumulative potential

No data

### 12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

### 12.5 Results of PBT and vPvB assessment

No data

### 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## 14. Transport information

### 14.1 UN number

ADR	1169
IATA	1169
IMDG	1169

### 14.2 UN proper shipping name

ADR	EXTRACTS, AROMATIC, LIQUID
IATA	EXTRACTS, AROMATIC, LIQUID
IMDG	EXTRACTS, AROMATIC, LIQUID

### 14.3 Transport hazard class(es)

ADR	3
IATA	3
IMDG	3

### 14.4 Packing group

ADR	III
IATA	III
IMDG	III

Tunnel Code (D/E)

### 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

### 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):  
EmS: F-E, S-D  
Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code 3Y

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: S6 POISON

HS Tariff Code: 3301.29.00

HSNO Approval Number: HSR002576

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

### Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe fumes.
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTRE.
P308+P313	IF exposed or concerned: Get medical advice.
P310	Immediately call a POISON CENTRE.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

P405 Store locked up.  
P501 Dispose of contents and container in accordance with local regulation.

Wording of any hazard classes listed in section 3

FL 3 Flammable liquid, category 3  
FL 4 Flammable liquid, category 4  
FS 2 Flammable solid, category 2  
ATO 4 Acute toxicity, oral, category 4  
ATO 5 Acute toxicity, oral, category 5  
AH 1 Aspiration hazard, category 1  
ATD 5 Acute toxicity, dermal, category 5  
SCI 2 Skin corrosion/irritation, category 2  
SCI 3 Skin corrosion/irritation, category 3  
SS 1B Skin sensitisation, category 1B  
EDI 2A Eye damage/irritation, category 2A  
ATI 4 Acute toxicity, inhalation, category 4  
STO-SE 2 Specific target organ, single exposure, category 2  
EH A1 Aquatic hazard, acute, category 1  
EH A2 Aquatic hazard, acute, category 2  
EH A3 Aquatic hazard, acute, category 3  
EH C1 Aquatic hazard, chronic, category 1  
EH C2 Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226 Flammable liquid and vapour  
H227 Combustible liquid  
H228 Flammable solid  
H302 Harmful if swallowed  
H303 May be harmful if swallowed  
H304 May be fatal if swallowed and enters airways  
H313 May be harmful in contact with skin  
H315 Causes skin irritation  
H316 Causes mild skin irritation  
H317 May cause an allergic skin reaction  
H319 Causes serious eye irritation

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100666*

*Version 2 Revised 10/12/2020*

H332	Harmful if inhaled
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 24/03/2017

Version 2: System update, BV 10/12/2020

Authorised by: JJ 10/12/2020

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.