

Admin & Warehousing: 21B Akatea Road Glendene, New Zealand 0602

> Tel: +64 9 813 5619 www.pureingredients.co.nz info@pureingredients.co.nz

SAFETY DATA COVER SHEET

Product Name: Sodium Lauryl Sulfoacetate POWDER (LATHANOL LAL)

Product Code: SLSAPWDR

Date of issue: 15 /02 /2019

Page 0 of total 8

This cover sheet offers New Zealand-specific information in compliance with the Hazardous Substances and New Organisms Act. This page "0" is to considered part of the SDS.

Product and Company Identification

Sodium Lauryl Sulfoacetate POWDER
PURE INGREDIENTS LIMITED 21b Akatea Road, Glendene Auckland Ph 09 813 5619
Emergency Services 111 National Poisons Centre 0800 746 766
6.3A, 6.4A, 9.1C WARNING – Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.
HSNO Approval Number: HSR002503
^
Read label before use. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
 IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothin and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.
Not regulated for transport.
This product is not a Tracked Substance. This product does not require Approved Handlers.



SAFETY DATA SHEET

1. Identification

Product identifier	LATHANOL LAL POWDER	
Other means of identification		
Product code	0541	
Recommended use	Surfactant	
Recommended restrictions	For industrial use only.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Stepan Company 22 West Frontage Road Northfield, IL 60093 USA	
Telephone	General	1-847-446-7500
E-mail	Not available.	
Emergency phone number	Medical	1-800-228-5635
	Chemtrec	1-800-424-9300
	Chemtrec Int'l	+1 703-527-3887
2. Hazard(s) identification		

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Combustible dust	Classified

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes eye irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. May form combustible dust concentrations in air.
Prevention	Keep container tightly closed. Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Prevent dust accumulation to minimize explosion hazard.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Product may form explosive dust/air mixtures if high concentration of product dust is suspended in air.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
_Sodium Lauryl Sulfoacetate		1847-58-1	64 - 85

Chemical name	Common name and synonyms		%
Sodium chloride		7647-14-5	10 - 18
Sodium sulfate		7757-82-6	5 - 18
I. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptoms d	evelop or persist.	
kin contact	Wash with plenty of soap and water. If skin irritati contaminated clothing and wash before reuse.	ion occurs: Get medical a	dvice/attention. Tal
eye contact	Do not rub eyes. Immediately flush eyes with ple contact lenses, if present and easy to do. Continu develops and persists.		
ngestion	Rinse mouth. Get medical attention if symptoms	occur.	
lost important ymptoms/effects, acute and lelayed	Dusts may irritate the respiratory tract, skin and e tearing, redness, and discomfort. Skin irritation.		
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and treat s Symptoms may be delayed.	ymptomatically. Keep vic	tim under observati
General information	Ensure that medical personnel are aware of the r protect themselves.	material(s) involved, and	take precautions to
5. Fire-fighting measures			
uitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon carefully to avoid creating airborne dust.	dioxide (CO2). Apply exti	nguishing media
Insuitable extinguishing nedia	Do not use water jet as an extinguisher, as this w	vill spread the fire.	
pecific hazards arising from he chemical	Explosion hazard: Avoid generating dust; fine dual in the presence of an ignition source is a potentia Electric Code (NFPA 70) During fire, gases haza	al dust explosion hazard.	Class II Dust for Na
pecial protective equipment nd precautions for firefighters	Self-contained breathing apparatus and full prote	ective clothing must be wo	orn in case of fire.
ire-fighting quipment/instructions	In case of fire and/or explosion do not breathe function so without risk.	mes. Move containers fro	m fire area if you c
pecific methods	Use standard firefighting procedures and conside	er the hazards of other inv	olved materials.
General fire hazards	May form combustible dust concentrations in air.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and mergency procedures	Keep unnecessary personnel away. Keep people deposits should not be allowed to accumulate on mixture if they are released into the atmosphere tools. Use a NIOSH/MSHA approved respirator if exceeding the exposure limits. Wear appropriate clean-up. Do not touch damaged containers or sp protective clothing. Avoid inhalation of dust from before entering them. Local authorities should be contained. For personal protection, see section 8	surfaces, as these may the surfaces, as these may the sufficient concentration for there is a risk of exposure protective equipment and pilled material unless weat the spilled material. Vent e advised if significant spilled of the SDS.	form an explosive a. Use only non-spa re to dust/fume at le d clothing during aring appropriate ilate closed spaces lages cannot be
lethods and materials for ontainment and cleaning up	Eliminate all ignition sources (no smoking, flares, precautionary measures against static discharge (wood, paper, oil, etc.) away from spilled materia	. Use only non-sparking t	
	Large Spills: Collect spillage. If sweeping of a consuppressant agent which does not react with the collect in suitable container for disposal. Collect of filter. Avoid dispersal of dust in the air (i.e., clearidust generation and accumulation. Large Spills: Prevent product from entering drains. Following products and the SDS.	product. Sweep up or va dust using a vacuum clea ng dust surfaces with cor Wet down with water and	cuum up spillage ar ner equipped with I npressed air). Minir dike for later dispo

Environmental precautions Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Eliminate all sources of ignition. Combustible dust clouds may be created where operations produce fine material (dust). Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Handling and processing operations should be conducted in accordance with 'best practices' (e.g. NFPA-654). Avoid contact with skin. Avoid contact with eyes. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Routine

housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear appropriate chemical resistant gloves.
Skin protection	
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Powder.
Physical state	Solid.
Form	Class II Dust for National Electric Code (NFPA 70)
Color	White.
Odor	Not available.
Odor threshold	Not available.
рН	6.3000 (5% Aqueous)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not Applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	NOT DETERMINED.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not Applicable
Vapor density	Not applicable, powder.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	752 °F (400 °C) (MAIT Cloud)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Pmax	7.1 bar
Kst	90 bar.m/s
Limiting oxygen concentration (LOC)	15.2 % v/v
Minimum explosible concentration (MEC)	96 g/m³
Minimum ignition energy (MIE) - dust cloud	> 1000 mJ
Particle size	39 μm (85% < 75 um)
10. Stability and reactivity	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimize dust generation and accumulation.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

information on intery routes of ea	
Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.
Information on toxicological effe	octs
Acute toxicity	Not available.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
US. OSHA Specifically Regu Not listed.	lated Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not applicable.

Specific target organ toxicity -	Not applicable.
repeated exposure	

Aspiration hazard

Ecotoxicity

Not applicable.

12. Ecological information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Product		Species	Test Results
LATHANOL LAL POWDER			
Acute			
Algae	EC50	Algae	1.9 mg/l, 72 hours
Crustacea	LC50	Crustacea	5.9 mg/l, 48 hours
Fish	LC50	Fish	4.2 mg/l, 96 hours
ersistence and degradability	Readily b	odegradable.	
oaccumulative potential	No data available.		
obility in soil	No data available.		
ther adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	Yes
SARA 313 (TRI reporting) Not regulated.	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-02-2014
Revision date	12-02-2014
Version #	01
Further information	Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

NFPA ratings



Disclaimer

Terms and Conditions. This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.

Product and Company Identification: Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Toxicological Information: Toxicological Data Ecological Information: Ecotoxicity Transport Information: Regulatory Information: Canada Index: United States HazReg Data: North America GHS: Classification