

GHS: According to 2015/830/EU

Code Number: E0100623 Version 3 Revised 28/03/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	TANGERINE ESSENTIAL OIL ABP
Code Number	EO100623 - EOTAN
Alternative Name	INCI Name: Citrus Reticulata Peel Oil
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd
626A Rosebank Road, Avondale
Auckland 1026
New Zealand

Telephone Number+09 813 5619Email Addresscompliance@pureingredients.co.nz

**1.4 Emergency Tel No** 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 3*(3.1C)	Flammable liquid, category 3
AH 1*(6.1E)	Aspiration hazard, category 1
SCI 2*(6.3A)	Skin corrosion/irritation, category 2
SS 1*(6.5B)	Skin sensitisation, category 1
EH A1*(9.1A)	Aquatic hazard, acute, category 1
EH C1*(9.1A)	Aquatic hazard, chronic, category 1

2.2 Label elements

de Number: EO1 rsion 3 Revised 2	
GHS classification Hazard Pictogra	according to Regulation (EC) No 1272/2008 ms
Signal Word	Danger
Hazard Statemer	nts
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects
Precautionary St	tatements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
	Store in a well-ventilated place. Keep cool.
P403+P235	

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

### 2.3 Other Hazards

Contains Citral, Citronellol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.1 Substances

Description	TANGERINE OIL
EC/EINECS	284-521-0
CAS Number	84929-38-4
USCAS Number	8016-85-1

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B;AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	96.0000
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	2.3000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	0.6000
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	0.5000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	0.3000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750); SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	0.1000
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	0.0600
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	0.0600

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

CAS 124-13-0 EINECS 204-683-8 REACH	Octanal FL 3; SCI 2; EDI 2A; EH A2, C2 H226, H315, H319, H401, H411	0.0400
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d, I-Citronellol) SCI 2; SS 1B; EDI 2A H315, H317, H319	0.0300
CAS 99-83-2 EINECS 202-792-5 REACH	alpha-Phellandrene FL 3; SCI 3; AH 1 H226, H304, H316	0.0300
CAS 106-23-0 EINECS 203-376-6 REACH	Citronellal FL 4; ATO 5(2500); SCI 2; EDI 2A; SS 1; EH A2 H227, H303, H315, H317, H319, H401	0.0200
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2; SS 1; EDI 2A H315, H317, H319	0.0200
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH C3 H315, H317, H412	0.0100

Refer to section 16 for the wording of listed classification and hazard statement codes

### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

GHS: According to 2015/830/EU

## *Code Number: EO100623 Version 3 Revised 28/03/2022*

- 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling Maintain good occupational and personal hygiene. Avoid inhalation and contact with

GHS: According to 2015/830/EU

### Code Number: EO100623 Version 3 Revised 28/03/2022

skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

### 7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

Thermal hazards No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

### Section 9. Physical and chemical properties

9.1 Information on b	pasic physical and chemica	l properties
----------------------	----------------------------	--------------

FLASH POINT (°C)	52°
APPEARANCE	Mobile liquid
COLOUR	Orange-yellow to orange-brown
ODOUR	Fresh, fruity, aldehydic overtones
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	-75 to -90 deg C
INITIAL BOILING POINT AND RANGE	178 deg C
EVAPORATION RATE	5.8
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	4.7
SPECIFIC GRAVITY @ 20°C	0.84 to 0.855
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	4.23 log pow

SAFETY DATA SHEET	
GHS: According to 2015/830/EU	
<i>Code Number: EO100623</i> <i>Version 3 Revised 28/03/2022</i>	
AUTO-IGNITION TEMPERATURE	237 deg C
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Product is not explosive
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	у
10.1 Reactivity Risk of ignition if heated. No furthe	er information available.
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 I ncompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological information	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
Not Applicable LD50 oral (rat) >5000 mg/kg LD50 dermal (rabbit) >5000 mg/k	g
Skin corrosion / irritation	
Causes skin irritation.	
Serious eye damage / irritation	n
No known adverse effects.	

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
May be fatal if swallowed and enters airways.
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information
No data
Section 12. Ecological information
12.1 Toxicity
Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.
contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/l

EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L

	per: EO100623 evised 28/03/2022
	stence and degradability data available on this product.
12.3 Bioac No data	cumulative potential
12.4 Mobil Avoid soi	ity in soil , surface water and water-bearing stratum contamination.
12.5 Resul No data	ts of PBT and vPvB assessment
12 6 Othor	adverse effects
See section 13.	Disposal considerations
See section 13. Please refer 13.1 Waste	ons 6, 7, 13 and 15.
See section Section 13. Please refer 13.1 Waste Dispose i Section 14.	Disposal considerations to the information in section 8 (Exposure controls and personal protection) to the information in section 8 (Exposure controls and personal protection) the treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information
See section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN nu	Disposal considerations to the information in section 8 (Exposure controls and personal protection) e treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN ne ADR	bons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) the treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169
See section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN nu	Disposal considerations to the information in section 8 (Exposure controls and personal protection) e treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN ne ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposure controls and personal protection) to the information in section 8 (Exposure controls and personal protection) the treatment methods accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN ne ADR IATA IMDG	Disposal considerations to the information in section 8 (Exposure controls and personal protection) to the information in section 8 (Exposure controls and personal protection) the treatment methods accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr	bons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) the treatment methods accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169 1169 1169 109
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN ne ADR IATA IMDG 14.2 UN pr ADR	bins 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) e treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169 1169 roper shipping name EXTRACTS, AROMATIC, LIQUID
See section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG	bons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) a treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169 1169 coper shipping name EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN no ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans ADR	bons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) e treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169 1169 roper shipping name EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID
See section Section 13. Please refer 13.1 Waste Dispose i Section 14. 14.1 UN nu ADR IATA IMDG 14.2 UN pr ADR IATA IMDG 14.3 Trans	bons 6, 7, 13 and 15. Disposal considerations to the information in section 8 (Exposure controls and personal protection) a treatment methods in accordance with the law and local regulations. Treat as trade effluent. Transport information umber 1169 1169 1169 109 roper shipping name EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID EXTRACTS, AROMATIC, LIQUID port hazard class(es)

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

14 4 Dealding			
14.4 Packing	III		
ADR			
IATA	111		
IMDG			
Tunnel Code	(D/E)		
14.5 Environmental Hazards			
Dangerous for the environment. Marine pollutant.			
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-D Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Code 3Y			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. Re	gulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Scheo	dule (SUSMP): Not applicable		
15.2 Chemical safety assessment		HSNO Approval Number: HSR002576	
A chemical safety assessment has not been carried out			
Section 16. Ot	her information		
Full list of precautionary phrases			
P210	Keep away from heat, other ignition sources.	hot surfaces, sparks, open flames and No smoking.	
P241	Use explosion-proof ed	Use explosion-proof equipment.	
P242	Use only non-sparking	Use only non-sparking tools.	
P243	Take precautionary me	Take precautionary measures against static discharge.	
P261	Avoid breathing fumes	Avoid breathing fumes.	
P264	Wash hands thoroughl	y after handling	
P272	Contaminated work clowerk clow	othing should not be allowed out of the	

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any hazard classes listed in section 3		
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any hazard statements listed in section 3		
H226	Flammable liquid and vapour	
H227	Combustible liquid	

GHS: According to 2015/830/EU

## Code Number: EO100623 Version 3 Revised 28/03/2022

H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H315	Causes skin irritation		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		
References	erences and further information		
KEY:			
N/A = Not ap	plicable		
	nor changes, JR 16/08/2021 andatory revision, RB 28/03/2022		
e information conta	ined in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients I		

Page 13 of 13

Th Ltd provides the information contained in this Sarety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.