



## SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name	TEA TREE OIL AUSTRALIAN
Code Number	EO100582
Alternative Name	EOTEA
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against  
Concentrated material for manufacturing purposes only

#### 1.3 Details of the supplier of the safety data sheet

**Pure Ingredients Ltd**  
626A Rosebank Road, Avondale  
Auckland 1026  
New Zealand

Telephone Number	+09 813 5619
Email Address	compliance@pureingredients.co.nz

1.4 Emergency Tel No: 111 / NZ Poisons Centre **0800 POISON** (0800 764 766)  
Emergency Response: 0800 CHEMCALL / 800 243 622 (24hr)

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

FL 3 *(3.1C)	Flammable liquid, category 3
ATO 4 *(6.1D)	Acute toxicity, oral, category 4
AH 1 *(6.1E)	Aspiration hazard, category 1
SCI 2 *(6.3A)	Skin corrosion/irritation, category 2
SS 1 *(6.5B)	Skin sensitisation, category 1
EDI 2A *(6.4A)	Eye damage/irritation, category 2A
EH A2 *(9.1D)	Aquatic hazard, acute, category 2
EH C2 *(9.1B)	Aquatic hazard, chronic, category 2

\*Correlation between GHS and New Zealand HSNO Classes and Categories

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## 2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word                      Danger

Hazard Statements

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

**Code Number: EO100582**

**Version 3 Revised 12/02/2020**

P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local regulation.

## 2.3 Other Hazards

Contains Limonene which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.1 Substances

Description	TEA TREE OIL AUSTRALIAN
EC/EINECS	285-377-1
CAS Number	85085-48-9
USCAS Number	68647-73-4

### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) FL 4; ATD 5(2500); ATO 4(1300); SCI 2; EDI 2A; EH A3 H227, H302, H313, H315, H319, H402	44.0000
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; ATO 5(3850); SCI 3; AH 1 H226, H303, H304, H316	22.0000
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene) FL 3; ATO 4(1680); SCI 3; AH 1; EH A2, C2 H226, H302, H304, H316, H401, H411	10.0000
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4; ATO 5(3850); AH 1; SCI 3; SS 1B; EH A1, C1 (M factor 1) H227, H303, H304, H316, H317, H400, H410	3.5000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	3.4000
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4; ATO 5(4300); SCI 2; EDI 2A; EH A2 H227, H303, H315, H319, H401	3.0000

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

**Code Number: EO100582**

**Version 3 Revised 12/02/2020**

CAS 470-82-6 EINECS 207-431-5 REACH	Cineols (Eucalyptol) FL 3;ATO 5(2480);SS 1B H226,H303,H317	2.7000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	2.0000
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1.7000

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

Take phrases in sections 2 into account

### 4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

### 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder.  
DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 3Y

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

### 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

### 7.3 Specific end use(s)

No further information available

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## Section 8. Exposure controls / personal protection

### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

#### Hand protection

Wear chemically resistant disposable gloves.

#### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

#### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

#### Thermal hazards

No information

#### Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

#### National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

#### Biological Limit Values

No biological limit allocated.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	57
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Powerful, warm, fresh, spicy-earthly
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	180 to 200 deg C
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	2100 Pa at 760 mmHg
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20 deg C	0.885 to 0.906
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	252 deg C
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

### 9.2 Other information

No further information available

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## Section 10. Stability and reactivity

### 10.1 Reactivity

Not determined

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed.

LD50 oral (rat) 1900 mg/kg

LD50 dermal (rabbit) >5000 mg/kg

#### Skin corrosion / irritation

Causes skin irritation.

#### Serious eye damage / irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

No data

#### Carcinogenicity

No data

#### Reproductive toxicity

No data



# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

d-Limonene (5989-27-5)

LC50 fish 1(Lethal) - Pimephales promelas (fathead minnow) – 720µg/L – 96 h

EC50 (GLP) - Daphnia magna – 0.36mg/L – 48 h

Threshold limit 1 (GLP) - Desmodesmus subspicatus (green algae) – 150mg/L – 72 h

### 12.2 Persistence and degradability

No data

### 12.3 Bioaccumulative potential

No data

### 12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

### 12.5 Results of PBT and vPvB assessment

No data

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

## 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## 14. Transport information

### 14.1 UN number

ADR 1169

IATA 1169

IMDG 1169

### 14.2 UN proper shipping name

ADR EXTRACTS, AROMATIC, LIQUID

IATA EXTRACTS, AROMATIC, LIQUID

IMDG EXTRACTS, AROMATIC, LIQUID

### 14.3 Transport hazard class(es)

ADR 3

IATA 3

IMDG 3

### 14.4 Packing group

ADR III

IATA III

IMDG III

Tunnel Code (D/E)

### 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

### 14.6 Special precautions for user

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

Hazchem Code: 3Y

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-D

Marine Pollutant: Yes

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

HazChem Code 3Y

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
Not applicable

## Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule : S6 POISON

HS Tariff Code: 3301.29.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTRE.
P312	Call a POISON CENTRE if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice.

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation

# SAFETY DATA SHEET

GHS: According to 2015/830/EU

*Code Number: EO100582*

*Version 3 Revised 12/02/2020*

H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 07/03/2017 Version 2: UN number change, BV 08/09/2017 Version 3: Minor changes, BV 12/02/2020 Added in Section 1: NZ Emergency number. Added in Section 2: Hazard Classification HSNO NZ.

*The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.*