

GHS: According to 2015/830/EU

Code Number: E0100488

Version 2 Revised 20/02/2020

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name THYME OIL WHITE

EO100488 Code Number Alternative Name **ESTHYW** REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd

21B Akatea Road, Glendene

Auckland New Zealand

0602

Telephone Number Tel No. +09 813 5619

Email Address compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre 0800 POISON (0800 764 766)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4*(3.1D)	Flammable liquid, category 4
ATO 4*(6.1D)	Acute toxicity, oral, category 4
AH 1*(6.1E)	Aspiration hazard, category 1
SCI 1*(8.2A)	Skin corrosion/irritation, category 1
SS 1B*(6.5B)	Skin sensitisation, category 1B
EH C2*(9.1B)	Aquatic hazard, chronic, category 2

^{*}Correlation between GHS and New Zealand HSNO Classes and Categories

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227 Combustible liquid
H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways
H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignnition sources. No smoking.

P260 Do not breathe fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice.

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local

regulation.

2.3 Other Hazards

Contains Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 89-83-8 EINECS 201-944-8 REACH	Thymol ATO 4;SCI 1 H302,H314	30% - 60%
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3;ATO 5(4750);SCI 3;AH 1;EH A2,C2 H226,H303,H304,H316,H401,H411	10% - 30%
CAS 76-22-2 EINECS 200-945-0 REACH	Camphor (1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one) FS 2;ATI 4(1.5);ATO 5(4900);SCI 3;STO-SE 2;EH A3 H228,H303,H316,H332,H371,H402	<10%
CAS 98-55-5 EINECS 202-680-6 REACH	p-menth-1-en-8-ol FL 4;ATO 5(4300);SCI 2;EDI 2A;STO-SE 3(RI);EH A2 H227,H303,H315,H319,H335,H401	<10%
CAS 507-70-0 EINECS 208-080-0 REACH	DL-borneol FS 2;SCI 3 H228,H316	<10%
CAS 87-44-5 EINECS 201-746-1 REACH	caryophyllene AH 1;SCI 3 H304,H316	<10%
CAS 562-74-3 EINECS 209-235-5 REACH	p-menth-1-en-4-ol FL 4;ATO 4(1300);ATD 5(2500);SCI 2;EDI 2A;EH A3 H227,H302,H313,H315,H319,H402	<10%
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3;AH 1;SCI 2;EDI 2A H226,H304,H315,H319	<10%

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

CAS 499-75-2 EINECS 207-889-6 REACH	Carvacrol ATO 4(810);SCI 2;EDI 2A;SS 1B H302,H315,H317,H319	<10%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2;SCI 3;EDI 2A;EH A1,C1 H228,H316,H319,H400,H410	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	<10%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;EH A1,C1 H226,H302,H304,H315,H400,H410	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Seek medical advice if necessary.

After skin contact

Causes severe skin burns. Remove contaminated clothing and wash thoroughly with soap and water. Obtain medical advice immediately.

After eye contact

Causes serious eye damage. Flush eyes with plenty of water for 15 minutes including under eyelid and obtain medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Harmful if swallowed, may be fatal if product enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Take phases in sections 2 and 11 into account. No further information available at this time.

GHS: According to 2015/830/EU

Code Number: EO100488 Version 2 Revised 20/02/2020

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code 2X

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

GHS: According to 2015/830/EU

Code Number: EO100488 Version 2 Revised 20/02/2020

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 63

APPEARANCE Mobile liquid

Colourless to amber **COLOUR**

Strong, herbaceous, reminiscent of thyme **ODOUR**

ODOUR THRESHOLD Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND

RANGE

Not available

EVAPORATION RATE Not available FLAMMABILITY (SOLID/GAS) Not available UPPER/LOWER FLAMMABILITY Not available

LIMITS

VAPOUR PRESSURE Not available **VAPOUR DENSITY** Not available SPECIFIC GRAVITY @ 20 deg C 0.87 to 0.94

SOLUBILITIES Insoluble in water. Soluble in organic solvents.

PARTITION COEFF

N-OCTANAL/WATER

Not available

AUTO-IGNITION TEMPERATURE Not available **DECOMPOSITION TEMPERATURE** Not available VISCOSITY @ 20 DEG C Not available **EXPLOSIVE PROPERTIES** Not available

GHS: According to 2015/830/EU

Code Number: EO100488 Version 2 Revised 20/02/2020

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Skin corrosion / irritation

Causes severe skin burns.

Serious eye damage / irritation

Causes severe eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be harmful if swallowed and enters airways.

Information on likely routes of exposure

No data

 $Symptoms\ related\ to\ the\ physical,\ chemical\ and\ toxicological\ characteristics$

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment

No data

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

14. Transport information

14.1 UN number

ADR 1760 IATA 1760 IMDG 1760

14.2 UN proper shipping name

ADR CORROSIVE LIQUID, N.O.S. (CONTAINS THYMOL)
IATA CORROSIVE LIQUID, N.O.S. (CONTAINS THYMOL)
IMDG CORROSIVE LIQUID, N.O.S. (CONTAINS THYMOL)

14.3 Transport hazard class(es)

ADR 8
IATA 8
IMDG 8

14.4 Packing group

ADR III IATA III IMDG III

Tunnel Code

14.5 Environmental Hazards

No relevant information available

GHS: According to 2015/830/EU

Code Number: EO100488 Version 2 Revised 20/02/2020

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-A, S-B Marine Pollutant: No

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code 2X

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HS Tariff Code: 3302.90.00 Poison Schedule: Not applicable

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P260	Do not breathe fumes.
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P312	IF INHALED: Call a POISON CENTRE if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

P305+P351+P338	TE IN EVEC: Dinco	e cautiously with water for several minutes.
P3U3+P331+P330	IT IN ETES: KINSE	e cautiousiv with water for several milliutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTRE.

P333+P313 If skin irritation or rash occurs: Get medical advice.
P351 Rinse cautiously with water for several minutes.

P362+P364 Take off all contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local

regulation.

Wording of any hazard classes listed in section 3

FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 1	Skin corrosion/irritation, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4

STO-SE 3(RI) Specific target organ, single exposure, respiratory irritation

STO-SE 2 Specific target organ, single exposure, category 2

EH A1 Aquatic hazard, acute, category 1
EH A2 Aquatic hazard, acute, category 2
EH A3 Aquatic hazard, acute, category 3
EH C1 Aquatic hazard, chronic, category 1
EH C2 Aquatic hazard, chronic, category 2

GHS: According to 2015/830/EU

Code Number: E0100488 Version 2 Revised 20/02/2020

Wording of any haza	ard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

References and further information

KEY:

N/A = Not applicable

Version 1: GHS format, BV 29/03/2017 Added in Section 2: Hazard Classification HSNO NZ, Added in Section 1: NZ Emergency number.

Version 2: Hazard update, BV 20/02/2020

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.