

GHS: According to 2015/830/EU

Code Number: *EO100712* Version 4 Revised 30/03/2022

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier	
Product Name	YLANG YLANG OIL COMMERCIAL
Code Number	EO100712 - ESYLARM
Alternative Name	
REACH Reg No	Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Pure Ingredients Ltd 626A Rosebank Road, Avondale Auckland 1026 New Zealand

Telephone Number Email Address

+09 813 5619 compliance@pureingredients.co.nz

1.4 Emergency Tel No 111 / NZ Poisons Centre **0800 POISON** (0800 764 766) Emergency Response: 0800 CHEMCALL / 0800 243 622 (24hr)

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

FL 4 *(3.1D)	Flammable liquid, category 4
AH 1 *(6.1E)	Aspiration hazard, category 1
SCI 2 *(6.3A)	Skin corrosion/irritation, category 2
SS 1A *(6.5B)	Skin sensitisation, category 1A
EDI 2A *(6.4A)	Eye damage/irritation, category 2A
REP 2 *(6.8B)	Reproductive toxicity, category 2
EH A3 *(9.1D)	Aquatic hazard, acute, category 3
EH C2 *(9.1B)	Aquatic hazard, chronic, category 2

*Correlation between GHS and New Zealand HSNO Classes and Categories

2.2 Label elements

de Number: EO1	00712
ersion 4 Revised 3	0/03/2022
GHS classification	according to Regulation (EC) No 1272/2008
Hazard Pictograr	ns
Signal Word	Danger
Hazard Statemer	nts
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

GHS: According to 2015/830/EU

Code Number: EO100712

Version 4 Revised 30/03/2022

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Cinnamyl Alcohol, Citral, Citronellol, Eugenol, Farnesol, Geraniol, Isoeugenol, Limonene and Linalool which may produce an allergic reaction

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of fragrance ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1;SS 1B H304,H317	10% - 30%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	10% - 30%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500);EH C2 H302,H411	10% - 30%
CAS 118-58-1 EINECS 204-262-9 REACH	Benzyl salicylate SS 1B;EDI 2A;EH C2 H317,H319,H411	10% - 30%
CAS 97-54-1 EINECS 202-590-7 REACH	Isoeugenol ATO 4(1500);ATD 4(1900);SCI 2;SS 1A;EDI 2A H302,H312,H315,H317,H319	<10%
CAS 140-11-4 EINECS 205-399-7 REACH	Benzyl acetate FL 4;ATO 5(2490);SCI 2;EDI 2A;ATI 5;STO-SE 3(RI);EH A2,C3 H227,H303,H315,H319,H333,H335,H401,H412	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2;SS 1;EDI 1 H315,H317,H318	<10%

GHS: According to 2015/830/EU

Code Number: EO100712

Version 4 Revised 30/03/2022

CAS 105-87-3 EINECS 203-341-5	Geranyl acetate	<10%
REACH	SCI 2;SS 1;EH C3 H315,H317,H412	
CAS 37839-63-7 EINECS -	germacrene D	<10%
REACH	AH 1 H304	
CAS 93-58-3 EINECS 202-259-7	Methyl benzoate	<10%
REACH	FL 4;ATO 4(1300);SCI 3 H227,H302,H316	
CAS 104-93-8 EINECS 203-253-7	para-Cresyl methyl ether (para-Methyl anisole)	<10%
REACH	FL 4;ATO 4(1900);SCI 2;EDI 2A;REP 2;EH A3,C3 H227,H302,H315,H319,H361,H402,H412	(1070

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

SAFETY [DATA	SHEET

GHS: According to 2015/830/EU

Code Number: EO100712 Version 4 Revised 30/03/2022

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

GHS: According to 2015/830/EU

Code Number: EO100712 Version 4 Revised 30/03/2022

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

GHS: According to 2015/830/EU

Section 9. Physical ar	nd chemical properties
------------------------	------------------------

9.1 Information on basic physical	
FLASH POINT (°C)	86°
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Sweet, floral,balsamic, jasmine like hint, creamy background
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.968 to 0.988
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	

GHS: According to 2015/830/EU

Section 10. Stability and reactivity
10.1 Reactivity No data.
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity No known adverse effects.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Causes serious eye irritation.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity Suspected of damaging fertility or the unborn child.

GHS: According to 2015/830/EU

Code Number: EO100712 Version 4 Revised 30/03/2022

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

SAFETY DATA SHEET GHS: According to 2015/830/EU Code Number: E0100712 Version 4 Revised 30/03/2022 Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information		
Version 4 Revised 30/03/2022 Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information		
Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information		
Section 14. Transport information		
14.1 UN number Not Regulated		
14.2 UN proper shipping name NOT RESTRICTED		
14.3 Transport hazard class(es)		
14.4 Packing group		
Tunnel Code		
14.5 Environmental Hazards No relevant information available.		
14.6 Special precautions for user No relevant information available.		
HazChem Code N/A		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable		
Section 15. Regulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Poison Schedule (SUSMP): Not applicable HS Tariff Code: 3302.90.00		
15.2 Chemical safety assessment HSNO Approval Number: HSR002490		
A chemical safety assessment has not been carried out		
Section 16. Other information		
Full list of precautionary phrases		
P201 Obtain special instructions before use.		
P202 Do not handle until all safety precautions have been read and understood.		

GHS: According to 2015/830/EU

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1

GHS: According to 2015/830/EU

EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any ha	azard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and fu	Irther information
KEY: N/A = Not applicabl	e

GHS: According to 2015/830/EU

Code Number: EO100712 Version 4 Revised 30/03/2022

Version 1: GHS format, BV 10/04/2017 Version 2: Minor changes, BV 10/04/2017 Version 3: Minor changes, JR 10/09/2021 Version 4: Formulation change, RB 30/03/2022

The information contained in this Safety Data Sheet is obtained from current and reliable sources. Pure Ingredients Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Safety Data Sheet summarises our best current knowledge of the health and safety hazard information of the product, but does not claim to be all inclusive. This document is intended only as a guide to the appropriate handling of this material.