

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Alpha Ghost2
			
List Price	\$4,199	\$4,199	\$2,795

Warranty	5 year	5 year	2 year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	11-88 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Babolat Star 5
			
List Price	\$4,199	\$4,199	\$3,695

Warranty	5 year	5 year	3 or 5 year
-----------------	---------------	---------------	--------------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	11-88 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Babolat Sensor
			
List Price	\$4,199	\$4,199	\$5,795

Warranty	5 year	5 year	5 year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	10-90 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch (5%-20%)




Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete information not available - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

<ul style="list-style-type: none"> 1 Alpha Ghost2 2 Babolat Star 5 3 Babolat Sensor 4 Babolat Sensor Expert 5 Babolat Racket Station Perf 6 Babolat Racket Station Perf Link 7 Babolat Racket Station Ultimate 5 Pacific Digital DX8 6 Pacific Digital 700 7 Pacific Tronic DX6 8 Prince 7000 9 Technifibre Ergo 1 10 Technifibre Ergo Pro ATP 12 Tourna 800-ES 13 Tourna Cube 14 Wilson Baiardo 15 Yonex Pro Tech 8 Deluxe 	<p>GAMMA 8900 Els - 6pt</p> 	<p>GAMMA 8900 Els - 2pt</p> 	<p>Babolat Sensor Expert</p> 
List Price	\$4,199	\$4,199	\$8,500
Warranty	5 year	5 year	5 year
Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	10-90 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available - Gripper Raises to the level of the string plane
Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w Menu Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter
Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Steel Plate
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes
String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Electronic Lock-Down (locks and releases as tension is applied or released)
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front
Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete information not available - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Babolat Racket Station Perf
			
List Price	\$4,199	\$4,199	\$6,595

Warranty	5 year	5 year	5 year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	10-90 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Babolat Racket Station Perf Link
			
List Price	\$4,199	\$4,199	\$7,895

Warranty	5 year	5 year	5 year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	10-90 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes




String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Babolat Racket Station Ultimate Link
			
List Price	\$4,199	\$4,199	\$9,395

Warranty	5 year	5 year	5 year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	10-90 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Seetings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-Stretch (5%-20%), Lbs/Kgs, Knot Tension, Speed Control, Variable Settings for Mains and Crosses, String Length Meter, Racquet Counter

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Measures length of string electronically
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Pacific Digital DX8
			
List Price	\$4,199	\$4,199	\$9,995

Warranty	5 year	5 year	2 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	11-88 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot




Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

<ul style="list-style-type: none"> 1 Alpha Ghost2 2 Babolat Star 5 3 Babolat Sensor 4 Babolat Sensor Expert 5 Babolat Racket Station Perf 6 Babolat Racket Station Perf Link 7 Babolat Racket Station Ultimate 5 Pacific Digital DX8 6 Pacific Digital 700 7 Pacific Tronic DX6 8 Prince 7000 9 Technifibre Ergo 1 10 Technifibre Ergo Pro ATP 12 Tourna 800-ES 13 Tourna Cube 14 Wilson Baiardo 15 Yonex Pro Tech 8 Deluxe 	<p>GAMMA 8900 Els - 6pt</p> 	<p>GAMMA 8900 Els - 2pt</p> 	<p>Pacific Digital 700</p> 
List Price	\$4,199	\$4,199	\$7,995
Warranty	5 year	5 year	2 Year
Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	11-88 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot
Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes
String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment
Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front
Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Pacific Tronic DX6
			
List Price	\$4,199	\$4,199	\$6,495

Warranty	5 year	5 year	2 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	11-88 lbs
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Steel Plates
Calibration	Internal and External	Internal and External	Information Unavailable
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Tension Adjustment (+/-), Pre-stretch, Knot




Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Badminton
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Positive Lock-Down
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Tungsten Carbide Coated w/ Cam lever action knob screw adjustment

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	2 Awl, Setting Awl, Scissors, Starting Clamp, Curved & Repair Pliers, Clippers - Badminton clamps and adaptors are available at additional cost

GAMMA 8900 Els Machine Comparison

<ul style="list-style-type: none"> 1 Alpha Ghost2 2 Babolat Star 5 3 Babolat Sensor 4 Babolat Sensor Expert 5 Babolat Racket Station Perf 6 Babolat Racket Station Perf Link 7 Babolat Racket Station Ultimate 5 Pacific Digital DX8 6 Pacific Digital 700 7 Pacific Tronic DX6 8 Prince 7000 9 Technifibre Ergo 1 10 Technifibre Ergo Pro ATP 12 Tourna 800-ES 13 Tourna Cube 14 Wilson Baiardo 15 Yonex Pro Tech 8 Deluxe 	<p>GAMMA 8900 Els - 6pt</p> 	<p>GAMMA 8900 Els - 2pt</p> 	<p>Prince 7000</p> 
List Price	\$4,199	\$4,199	\$6,495
Warranty	5 year	5 year	3 Year
Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo
Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Speed Control, Pre-Stretch, Lbs/Kgs, Knot
Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	4 point
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	None
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes
String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Metallic w Diamond Coating w Cam Lever Action
Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front
Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Standard Equipment
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Cutters, Straight Pliers, Assembly Tools

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Technifibre Ergo 1
			
List Price	\$4,199	\$4,199	\$6,000

Warranty	5 year	5 year	2 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	None
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	None
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Optional- \$98.60

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Technifibre Ergo Pro ATP
			
List Price	\$4,199	\$4,199	\$9,000

Warranty	5 year	5 year	3 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	None
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot




Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	None
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Optional- \$98.60

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action




Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

<ul style="list-style-type: none"> 1 Alpha Ghost2 2 Babolat Star 5 3 Babolat Sensor 4 Babolat Sensor Expert 5 Babolat Racket Station Perf 6 Babolat Racket Station Perf Link 7 Babolat Racket Station Ultimate 5 Pacific Digital DX8 6 Pacific Digital 700 7 Pacific Tronic DX6 8 Prince 7000 9 Technifibre Ergo 1 10 Technifibre Ergo Pro ATP 12 Tourna 800-ES 13 Tourna Cube 14 Wilson Baiardo 15 Yonex Pro Tech 8 Deluxe 	<p>GAMMA 8900 Els - 6pt</p> 	<p>GAMMA 8900 Els - 2pt</p> 	<p>Tourna 800-ES</p> 
List Price	\$4,199	\$4,199	\$3,490
Warranty	5 year	5 year	2 Year
Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	None
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Adjustable Speeds, Kgs/lbs, Pre-Stretch, Knot
Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	None
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Optional- \$98.60
String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action
Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front
Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

<ul style="list-style-type: none"> 1 Alpha Ghost2 2 Babolat Star 5 3 Babolat Sensor 4 Babolat Sensor Expert 5 Babolat Racket Station Perf 6 Babolat Racket Station Perf Link 7 Babolat Racket Station Ultimate 5 Pacific Digital DX8 6 Pacific Digital 700 7 Pacific Tronic DX6 8 Prince 7000 9 Technifibre Ergo 1 10 Technifibre Ergo Pro ATP 12 Tourna 800-ES 13 Tourna Cube 14 Wilson Baiardo 15 Yonex Pro Tech 8 Deluxe 	<p>GAMMA 8900 Els - 6pt</p> 	<p>GAMMA 8900 Els - 2pt</p> 	<p>Tourna Cube</p> 
List Price	\$4,199	\$4,199	Info Not Available
Warranty	5 year	5 year	2 Year
Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	None
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Not Available
Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Complete info not available
Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (stand)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	None
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Complete info not available
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Optional- \$98.60
String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action / X-Y Glide Bar
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Action / Self Locking Glide Bar
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Aluminum w Cam Lever Action
Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front
Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Wilson Baiardo
			
List Price	\$4,199	\$4,199	\$6,000

Warranty	5 year	5 year	5 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Hardened Steel Plates w Diamond Coating
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Spring Assisted Return
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	Touch Screen LCD wMenu Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Pull Speed, Pre-Stretch, Knot, Cross String, Lbs/Kgs

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Self Centering Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Metallic w Diamond Coating w Cam Lever Action

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 in front

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Starting Clamp, Straight Pliers, Cutters, Awl, Hex Wrenches

GAMMA 8900 Els Machine Comparison

- 1 Alpha Ghost2
- 2 Babolat Star 5
- 3 Babolat Sensor
- 4 Babolat Sensor Expert
- 5 Babolat Racket Station Perf
- 6 Babolat Racket Station Perf Link
- 7 Babolat Racket Station Ultimate
- 5 Pacific Digital DX8
- 6 Pacific Digital 700
- 7 Pacific Tronic DX6
- 8 Prince 7000
- 9 Technifibre Ergo 1
- 10 Technifibre Ergo Pro ATP
- 12 Tourna 800-ES
- 13 Tourna Cube
- 14 Wilson Baiardo
- 15 Yonex Pro Tech 8 Deluxe

	GAMMA 8900 Els - 6pt	GAMMA 8900 Els - 2pt	Yonex Pro Tech 8 Deluxe
			
List Price	\$4,199	\$4,199	\$8,499

Warranty	5 year	5 year	3 Year
-----------------	---------------	---------------	---------------

Tensioning			
Type	Electric - Linear w/Auto Start Gripper	Electric - Linear w/Auto Start Gripper	Electric - Linear Pull
Tension Control	Microprocessor Controlled Motor	Microprocessor Controlled Motor	Microprocessor Controlled Motor
Tension Range	10-90 lbs	10-90 lbs	Complete info not available
Gripper	Hardened Steel Jaws	Hardened Steel Jaws	Complete info not available
Calibration	Internal and External	Internal and External	External
Gripper Return Spring	Spring Assisted Return	Spring Assisted Return	Not Available
String Guide	Fixed Tapered Diabolo	Fixed Tapered Diabolo	Fixed Diabolo

Electronic Controls			
Type	LCD Display w/Programmable Settings	LCD Display w/Programmable Settings	LCD w +/- Scrolling Display
Functions	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Scrolling Tension Adjustment (Tens/Units/Tenths), Pre-Stretch (1%-30%), Internal Diagnostics, External Calibration, Lbs/Kgs, Knot Tension (1%-30%), Speed Control (30%-100%), 9 Pre-set Permanent Memory Settings, Basic Stringing Mode, String Length Meter, Racquet Counter	Kgs/Lbs, Knot

Mounting System			
Type	6 point Self-Centering "Suspension" system (10 pt support)	2 point Self-Centering system (8 pt support)	6 point Suspension System (10 pt support)
Head / Throat Support	Micro Adjustment Mounting Stands	Micro Adjustment Mounting Stands	Macro Adjustment (adaptors) / Micro Adjustment (support)
Shoulder Support	Rotating "V" Shaped Supports on Self Centering Arms	None	Fixed "V" Shaped Supports on Independent Arms
Turntable	High Strength Extruded Aluminum	High Strength Extruded Aluminum	Aluminum
Special Adapters	Badminton, Fan Pattern Tennis	Badminton, Fan Pattern Tennis	Complete info not available
360 degree Rotation	Yes	Yes	Yes

String Clamps			
Style	Rotating Dual Action	Rotating Dual Action	Rotating Dual Action
Clamp Base	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	"Auto-Release" Cam-Lock (Positive Lock Down) style - 1/4 turn of lever activates locking mechanism. Releases automatically when string clamp is lowered or by pressing the ergonomic button on top of the lever	Rotating Cam Lock
String Clamps	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	4 Tooth Universal Investment Cast Stainless Steel with Textured Surface/ positive lock cam lever action / self-locking adjustment knob	Molded Steel w Cam lever action

Floor Stand			
Height Adjustment	Electric - 39" to 49" working height	Electric - 39" to 49" working height	Adjustable (unknown range)
Tool Trays	1 in front	1 in front	1 rotating drawer

Special Features			
Electronic String Length Meter	Measures length of string electronically	Measures length of string electronically	Not Available
Modular Components	Standard Equipment	Standard Equipment	Standard Equipment
Foot Pedal Switch	Standard Equipment	Standard Equipment	Complete info not available
Stringing Tools	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Awl, Pathfinder Awl, Cutters, Bent Nose Pliers, Straight Pliers, Diamond Coated Starting Clamp, Badminton Flying Clamps, Wrench Set	Complete info not available